

Detailed Results

Bergen Open 2023

AdO Arena, 5/4/23

A Boys, 3 meters

1. Zach Welsh, MVN 2006

103B	3	1.6	7.0	7.5	7.0	7.5	7.5	22.00	35.20	35.20	35.20	11.
201B	3	1.8	7.0	6.5	7.0	6.5	7.0	20.50	36.90	72.10	72.10	9.
301B	3	1.9	6.0	6.0	6.0	5.5	6.0	18.00	34.20	106.30	106.30	8.
403B	3	2.1	7.5	7.0	7.5	7.5	7.5	22.50	47.25	153.55	153.55	3.
5132D	3	2.1	8.0	8.0	7.5	7.0	7.0	22.50	47.25	200.80	200.80	3.
107B	3	3.1	6.0	6.0	6.5	6.0	6.5	18.50	57.35	258.15	258.15	2.
407C	3	3.4	5.5	6.0	6.5	6.5	7.0	19.00	64.60	322.75	322.75	1.
205B	3	3.0	5.5	5.0	6.0	4.5	5.0	15.50	46.50	369.25	369.25	2.
307C	3	3.5	5.5	6.0	6.0	6.0	5.5	17.50	61.25	430.50	430.50	2.
5154B	3	3.4	7.5	8.5	7.5	8.5	8.0	24.00	81.60	512.10	512.10	
		25.9	6.6	6.7	6.8	6.6	6.7					

2. Jake Welsh, MVN 2006

403B	3	2.1	8.0	7.0	7.0	7.0	7.0	21.00	44.10	44.10	44.10	2.
201B	3	1.8	6.5	6.0	7.5	7.0	7.5	21.00	37.80	81.90	81.90	2.
301B	3	1.9	7.0	7.5	7.0	7.0	6.5	21.00	39.90	121.80	121.80	2.
103B	3	1.6	7.0	6.0	7.0	6.0	6.5	19.50	31.20	153.00	153.00	4.
5231D	3	2.0	7.0	7.0	7.0	7.0	7.0	21.00	42.00	195.00	195.00	6.
107B	3	3.1	6.0	6.0	7.0	6.5	6.5	19.00	58.90	253.90	253.90	4.
205B	3	3.0	7.0	7.0	5.5	6.5	7.0	20.50	61.50	315.40	315.40	3.
305B	3	3.0	6.5	6.0	6.0	5.5	5.5	17.50	52.50	367.90	367.90	3.
405B	3	3.0	7.5	6.5	7.0	6.5	7.0	20.50	61.50	429.40	429.40	3.
5152B	3	3.0	8.0	7.5	7.0	8.0	8.0	23.50	70.50	499.90	499.90	
		24.5	7.1	6.7	6.8	6.7	6.9					

3. Isak Børslie, BStK 2006

403B	3	2.1	8.0	7.5	7.0	7.5	7.5	22.50	47.25	47.25	47.25	1.
103B	3	1.6	8.0	8.5	7.5	8.5	8.0	24.50	39.20	86.45	86.45	1.
201B	3	1.8	7.5	7.5	8.0	8.0	7.5	23.00	41.40	127.85	127.85	1.
301B	3	1.9	7.5	7.0	7.0	7.0	7.5	21.50	40.85	168.70	168.70	1.
5132D	3	2.1	7.0	7.0	7.0	7.5	7.5	21.50	45.15	213.85	213.85	1.
107B	3	3.1	7.5	7.0	7.0	7.0	7.0	21.00	65.10	278.95	278.95	1.
205B	3	3.0	4.0	4.0	4.5	4.0	4.5	12.50	37.50	316.45	316.45	2.
305B	3	3.0	6.0	6.0	7.0	7.0	7.0	20.00	60.00	376.45	376.45	1.
5152B	3	3.0	7.0	7.0	7.0	7.0	7.0	21.00	63.00	439.45	439.45	1.
405B	3	3.0	7.0	6.5	7.0	6.5	6.5	20.00	60.00	499.45	499.45	
		24.6	7.0	6.8	6.9	7.0	7.0					

4. Nolan Rooker, MVN 2006

103B	3	1.6	6.5	7.5	7.0	7.0	7.0	21.00	33.60	33.60	33.60	14.
201B	3	1.8	6.0	6.0	6.5	6.0	6.5	18.50	33.30	66.90	66.90	13.
301B	3	1.9	6.5	6.5	7.0	7.0	7.0	20.50	38.95	105.85	105.85	10.
403B	3	2.1	7.5	7.0	7.0	7.0	7.0	21.00	44.10	149.95	149.95	8.
5132D	3	2.1	7.0	7.0	7.5	7.5	7.0	21.50	45.15	195.10	195.10	5.
5152B	3	3.0	6.5	6.5	7.0	6.5	5.5	19.50	58.50	253.60	253.60	5.
205C	3	2.8	6.5	6.5	6.5	6.0	6.0	19.00	53.20	306.80	306.80	4.
405C	3	2.7	7.5	8.0	7.0	7.5	7.0	22.00	59.40	366.20	366.20	4.
107C	3	2.8	6.5	6.0	7.0	7.0	7.0	20.50	57.40	423.60	423.60	4.
305C	3	2.8	6.5	6.0	6.5	6.0	5.0	18.50	51.80	475.40	475.40	
		23.6	6.7	6.7	6.9	6.8	6.5					

5. Josef Hugo Šorejs, Czech 2005

403B	3	2.1	7.0	6.0	7.0	6.0	7.0	20.00	42.00	42.00	42.00	4.
103B	3	1.6	7.5	8.0	6.5	7.5	8.0	23.00	36.80	78.80	78.80	3.
201B	3	1.8	7.5	7.5	7.0	6.5	7.0	21.50	38.70	117.50	117.50	4.
301B	3	1.9	7.5	7.0	6.5	7.0	7.5	21.50	40.85	158.35	158.35	2.
5132D	3	2.1	8.0	7.0	6.0	7.0	7.5	21.50	45.15	203.50	203.50	2.
405B	3	3.0	6.5	6.0	6.0	4.5	5.5	17.50	52.50	256.00	256.00	3.
107B	3	3.1	4.0	4.0	3.5	3.5	4.0	11.50	35.65	291.65	291.65	7.
205B	3	3.0	7.0	6.5	6.5	6.0	6.0	19.00	57.00	348.65	348.65	5.
305B	3	3.0	7.0	6.5	6.5	7.0	7.0	20.50	61.50	410.15	410.15	5.
5152B	3	3.0	6.0	7.0	5.5	6.5	7.0	19.50	58.50	468.65	468.65	
		24.6	6.8	6.6	6.1	6.2	6.7					

6. Jackson Lipscomb, MVN 2006

103B	3	1.6	7.5	7.5	7.5	7.0	7.0	22.00	35.20	35.20	35.20	11.20
201B	3	1.8	7.0	6.5	8.0	7.0	7.0	21.00	37.80	73.00	73.00	7.20
301B	3	1.9	6.0	6.0	6.0	7.0	6.5	18.50	35.15	108.15	108.15	6.20
403B	3	2.1	8.0	7.0	7.0	7.0	7.0	21.00	44.10	152.25	152.25	5.20
5132D	3	2.1	5.0	4.5	5.5	5.5	5.5	16.00	33.60	185.85	185.85	9.20
5152B	3	3.0	6.5	6.5	6.5	7.0	7.0	20.00	60.00	245.85	245.85	6.20
107B	3	3.1	6.5	6.0	6.5	6.0	6.5	19.00	58.90	304.75	304.75	5.20
405B	3	3.0	5.0	4.5	5.5	4.0	4.5	14.00	42.00	346.75	346.75	6.20
205B	3	3.0	6.5	7.0	7.0	7.0	7.0	21.00	63.00	409.75	409.75	6.20
305B	3	3.0	5.5	6.0	7.0	6.0	6.0	18.00	54.00	463.75	463.75	
		24.6	6.4	6.2	6.7	6.4	6.4					

7. Folke Barenius, SPIF 2006

103B	3	1.6	8.0	7.5	7.5	7.5	7.0	22.50	36.00	36.00	36.00	9.
201B	3	1.8	5.5	7.0	7.0	7.0	6.5	20.50	36.90	72.90	72.90	8.
301B	3	1.9	6.0	6.5	6.0	5.5	5.0	17.50	33.25	106.15	106.15	9.
403B	3	2.1	7.0	7.0	7.0	7.0	7.0	21.00	44.10	150.25	150.25	7.
5132D	3	2.1	6.5	7.0	6.5	6.5	6.5	19.50	40.95	191.20	191.20	7.
205C	3	2.8	6.0	6.0	5.0	5.0	5.5	16.50	46.20	237.40	237.40	8.
305B	3	3.0	6.0	6.0	6.5	5.5	6.0	18.00	54.00	291.40	291.40	8.
405C	3	2.7	6.0	6.0	5.5	5.5	5.5	17.00	45.90	337.30	337.30	8.
107C	3	2.8	6.5	7.0	6.5	7.0	7.0	20.50	57.40	394.70	394.70	7.
5335D	3	2.9	4.5	5.5	6.0	3.5	4.5	14.50	42.05	436.75	436.75	
		23.7	6.2	6.6	6.4	6.0	6.1					

8. Samuel Platt, AUT 2007

103B	3	1.6	7.5	7.5	7.0	7.5	7.0	22.00	35.20	35.20	35.20	11.20
201B	3	1.8	7.5	7.5	7.5	7.0	7.0	22.00	39.60	74.80	74.80	6.40
301B	3	1.9	5.5	5.0	6.0	6.0	6.0	17.50	33.25	108.05	108.05	7.20
403B	3	2.1	7.5	6.5	7.0	7.0	7.0	21.00	44.10	152.15	152.15	6.40
5331D	3	2.1	7.0	7.0	7.0	7.0	7.0	21.00	44.10	196.25	196.25	4.80
107C	3	2.8	4.5	4.5	5.5	4.5	4.5	13.50	37.80	234.05	234.05	9.60
205C	3	2.8	7.5	7.5	7.5	7.5	7.0	22.50	63.00	297.05	297.05	6.40
305C	3	2.8	6.0	5.5	6.5	5.0	6.0	17.50	49.00	346.05	346.05	7.20
405C	3	2.7	5.0	5.0	6.0	6.0	5.5	16.50	44.55	390.60	390.60	8.00
5235D	3	2.8	4.0	4.0	6.0	6.0	6.5	16.00	44.80	435.40	435.40	
		23.4	6.2	6.0	6.6	6.4	6.4					

9. Peder Saur Hubred, MKK 2007

201B	3	1.8	7.5	6.5	7.0	7.0	7.0	21.00	37.80	37.80	37.80	7.
301B	3	1.9	7.5	7.0	7.0	6.5	6.5	20.50	38.95	76.75	76.75	5.
403B	3	2.1	7.0	7.0	7.0	6.0	6.0	20.00	42.00	118.75	118.75	3.
103B	3	1.6	6.5	5.5	6.5	5.5	6.0	18.00	28.80	147.55	147.55	9.
5231D	3	2.0	6.5	7.0	6.5	6.5	6.5	19.50	39.00	186.55	186.55	8.
205C	3	2.8	5.5	6.0	5.5	5.5	5.0	16.50	46.20	232.75	232.75	11.
305C	3	2.8	7.0	7.0	6.0	6.0	6.5	19.50	54.60	287.35	287.35	9.
405C	3	2.7	6.0	5.5	6.5	6.0	6.0	18.00	48.60	335.95	335.95	9.
107C	3	2.8	5.5	6.0	6.0	4.5	5.0	16.50	46.20	382.15	382.15	9.
5152B	3	3.0	4.5	4.5	5.0	5.0	5.0	14.50	43.50	425.65	425.65	
		23.5	6.4	6.2	6.3	5.9	6.0					

103B	3	1.6	5.0	5.5	5.5	5.5	5.0	16.00	25.60	25.60	25.60	16.
201B	3	1.8	7.0	7.0	7.0	7.0	7.0	21.00	37.80	63.40	63.40	16.
301B	3	1.9	3.0	4.0	4.0	3.5	3.0	10.50	19.95	83.35	83.35	17.
403B	3	2.1	6.0	5.5	6.5	5.0	5.0	16.50	34.65	118.00	118.00	16.
5132D	3	2.1	6.0	5.0	6.5	6.0	6.0	18.00	37.80	155.80	155.80	16.
5152B	3	3.0	6.0	6.0	7.0	6.0	6.5	18.50	55.50	211.30	211.30	14.
205C	3	2.8	6.0	6.5	6.0	6.0	6.0	18.00	50.40	261.70	261.70	13.
305C	3	2.8	7.0	7.0	6.5	6.5	6.5	20.00	56.00	317.70	317.70	11.
405C	3	2.7	6.5	6.0	7.0	7.0	7.0	20.50	55.35	373.05	373.05	10.
107B	3	3.1	5.5	5.0	5.5	5.5	6.0	16.50	51.15	424.20	424.20	
		23.9	5.8	5.8	6.2	5.8	5.8					

403B	3	2.1	7.5	6.5	6.5	7.0	7.5	21.00	44.10	44.10	44.10	2.
103B	3	1.6	7.0	7.0	7.0	7.5	8.0	21.50	34.40	78.50	78.50	4.
201A	3	1.9	6.5	6.5	6.5	7.0	7.0	20.00	38.00	116.50	116.50	5.
301C	3	1.8	4.0	5.0	4.5	5.5	5.5	15.00	27.00	143.50	143.50	10.
5132D	3	2.1	6.0	6.0	6.0	7.0	7.0	19.00	39.90	183.40	183.40	10.
5152B	3	3.0	6.0	6.0	6.0	6.5	6.5	18.50	55.50	238.90	238.90	7.
205B	3	3.0	4.5	4.5	3.5	4.5	4.0	13.00	39.00	277.90	277.90	11.
305C	3	2.8	3.0	4.0	3.5	4.0	3.5	11.00	30.80	308.70	308.70	12.
405C	3	2.7	7.0	7.0	6.5	7.5	7.0	21.00	56.70	365.40	365.40	12.
107C	3	2.8	6.5	7.0	6.5	7.5	7.0	20.50	57.40	422.80	422.80	
		23.8	5.8	6.0	5.7	6.4	6.3					

103C	3	1.5	7.0	6.5	5.5	7.0	7.5	20.50	30.75	30.75	30.75	15.
201B	3	1.8	7.0	7.0	5.0	6.0	6.5	19.50	35.10	65.85	65.85	14.
301B	3	1.9	6.5	5.5	6.0	5.0	5.0	16.50	31.35	97.20	97.20	14.
403C	3	1.9	7.0	6.5	6.5	6.5	7.0	20.00	38.00	135.20	135.20	12.
5432D	3	2.4	6.0	6.5	6.0	6.0	6.5	18.50	44.40	179.60	179.60	11.
107C	3	2.8	6.5	6.5	6.5	5.5	6.0	19.00	53.20	232.80	232.80	10.
205C	3	2.8	6.5	6.0	6.0	5.5	6.5	18.50	51.80	284.60	284.60	10.
305C	3	2.8	5.0	4.5	4.0	3.5	4.0	12.50	35.00	319.60	319.60	10.
405C	3	2.7	7.0	6.5	6.0	6.0	6.0	18.50	49.95	369.55	369.55	11.
5134D	3	2.5	6.5	6.5	6.5	6.0	6.5	19.50	48.75	418.30	418.30	
		23.1	6.5	6.2	5.8	5.7	6.2					

403B	3	2.1	6.0	6.0	5.5	5.5	5.5	17.00	35.70	35.70	35.70	10.
103B	3	1.6	6.5	7.0	5.5	7.0	6.5	20.00	32.00	67.70	67.70	12.
5231D	3	2.0	6.5	5.5	5.0	6.0	5.0	16.50	33.00	100.70	100.70	13.
201B	3	1.8	6.5	6.5	6.5	6.5	6.5	19.50	35.10	135.80	135.80	11.
301B	3	1.9	6.0	7.0	5.5	7.0	6.5	19.50	37.05	172.85	172.85	12.
405C	3	2.7	6.5	6.0	6.0	6.5	6.5	19.00	51.30	224.15	224.15	12.
105B	3	2.4	7.0	6.0	5.5	6.0	6.0	18.00	43.20	267.35	267.35	12.
203B	3	2.2	5.0	5.0	5.0	4.5	5.0	15.00	33.00	300.35	300.35	13.
303B	3	2.3	5.5	6.5	6.5	6.5	6.5	19.50	44.85	345.20	345.20	13.
5233D	3	2.4	6.0	6.5	5.5	6.5	6.5	19.00	45.60	390.80	390.80	
		21.4	6.2	6.2	5.7	6.2	6.1					

403B	3	2.1	7.0	6.5	6.0	6.5	7.0	20.00	42.00	42.00	42.00	4.
103B	3	1.6	6.0	5.5	6.0	7.0	6.5	18.50	29.60	71.60	71.60	10.
201B	3	1.8	6.0	6.0	6.0	6.5	6.5	18.50	33.30	104.90	104.90	11.
301B	3	1.9	4.5	4.5	3.5	4.5	4.5	13.50	25.65	130.55	130.55	14.
5132D	3	2.1	6.0	5.5	6.0	6.0	6.5	18.00	37.80	168.35	168.35	14.
105B	3	2.4	6.5	6.0	6.0	6.5	6.5	19.00	45.60	213.95	213.95	13.
205C	3	2.8	4.0	4.0	4.5	4.5	4.5	13.00	36.40	250.35	250.35	14.
305C	3	2.8	5.5	6.0	5.5	5.5	6.0	17.00	47.60	297.95	297.95	14.
405C	3	2.7	6.5	5.5	5.5	5.5	6.5	17.50	47.25	345.20	345.20	13.
5233D	3	2.4	6.0	5.5	6.0	5.5	6.0	17.50	42.00	387.20	387.20	
		22.6	5.8	5.5	5.5	5.8	6.1					

15. Daan Willemen, ADT 2006

403B	3	2.1	6.5	6.0	6.0	6.5	6.0	18.50	38.85	38.85	38.85	6.
103B	3	1.6	6.5	7.0	6.5	6.0	5.5	19.00	30.40	69.25	69.25	11.
201B	3	1.8	6.5	6.0	5.5	5.5	6.5	18.00	32.40	101.65	101.65	12.
301B	3	1.9	6.0	6.5	6.0	5.0	5.0	17.00	32.30	133.95	133.95	13.
5231D	3	2.0	6.0	6.0	6.0	6.0	5.5	18.00	36.00	169.95	169.95	13.
405C	3	2.7	2.5	4.0	3.0	3.5	3.0	9.50	25.65	195.60	195.60	16.
107C	3	2.8	4.5	4.0	4.5	3.5	4.0	12.50	35.00	230.60	230.60	15.
205C	3	2.8	6.0	5.5	4.5	6.5	6.0	17.50	49.00	279.60	279.60	15.
305C	3	2.8	5.5	5.5	5.5	5.0	6.0	16.50	46.20	325.80	325.80	15.
5152B	3	3.0	4.5	4.5	5.5	5.0	5.5	15.00	45.00	370.80	370.80	
		23.5	5.5	5.5	5.3	5.3	5.3					

16. Elias Dvergsnes, KSTK 2006

103B	3	1.6	5.5	5.5	5.0	6.0	5.0	16.00	25.60	25.60	25.60	16.
201B	3	1.8	5.0	5.5	5.5	5.5	6.0	16.50	29.70	55.30	55.30	17.
301B	3	1.9	5.5	6.0	5.5	5.5	6.0	17.00	32.30	87.60	87.60	16.
403B	3	2.1	5.5	5.5	6.5	5.5	6.5	17.50	36.75	124.35	124.35	15.
5132D	3	2.1	5.5	6.5	5.5	6.0	5.0	17.00	35.70	160.05	160.05	15.
107C	3	2.8	4.5	4.5	4.5	4.0	5.0	13.50	37.80	197.85	197.85	15.
203B	3	2.2	0.0	0.0	0.0	0.0	0.0	F 0.00	0.00	197.85	197.85	17.
303B	3	2.3	2.5	3.0	3.0	2.5	2.5	8.00	18.40	216.25	216.25	17.
405C	3	2.7	2.0	5.0	5.5	6.0	6.0	16.50	44.55	260.80	260.80	16.
5134D	3	2.5	5.5	6.0	5.5	5.0	5.5	16.50	41.25	302.05	302.05	
		22.0	4.2	4.8	4.7	4.6	4.8					

17. Felix Koggdal, GSIM 2005

403B	3	2.1	6.5	5.5	6.5	5.5	5.5	17.50	36.75	36.75	36.75	8.
103B	3	1.6	5.5	5.5	6.0	6.0	5.5	17.00	27.20	63.95	63.95	15.
201B	3	1.8	5.0	4.0	5.5	4.5	4.5	14.00	25.20	89.15	89.15	15.
301B	3	1.9	4.0	4.0	5.5	4.5	4.5	13.00	24.70	113.85	113.85	17.
5231D	3	2.0	6.5	6.5	7.0	6.0	6.0	19.00	38.00	151.85	151.85	17.
107C	3	2.8	3.5	3.5	4.0	3.5	4.0	11.00	30.80	182.65	182.65	17.
405B	3	3.0	2.0	2.0	2.0	2.0	1.5	6.00	18.00	200.65	200.65	16.
205C	3	2.8	3.0	3.0	3.5	3.0	3.5	9.50	26.60	227.25	227.25	16.
305C	3	2.8	2.0	2.0	2.5	3.0	3.0	7.50	21.00	248.25	248.25	17.
5152B	3	3.0	2.5	2.0	3.0	3.0	3.0	8.50	25.50	273.75	273.75	
		23.8	4.1	3.8	4.6	4.1	4.1					

Lukas Lundmark, FIN 2005

201B	3	1.8										18.
301B	3	1.9										18.
103B	3	1.6										18.
403B	3	2.1										18.
5132D	3	2.1										18.
405B	3	3.0										18.
205B	3	3.0										18.
107B	3	3.1										18.
305C	3	2.8										18.
5152B	3	3.0										
		24.4										

Judges

1. Elin Berg SWE
2. Tania Piekkanen FIN
3. Ale Pikturniene LTU
4. Francisco Parga SUI
5. THUN SUI

Referee THUN SUI**Secretary** Vårin Renate Andvik Holm NOR

Detailed Results

Bergen Open 2023

AdO Arena, 5/4/23

B Girls, 1 meter

1. Emily Francis, AUS 2008

103B	1	1.7	7.5	7.0	7.0	7.0	7.0	21.00	35.70	35.70	35.70	1.
401B	1	1.5	8.0	7.0	7.5	6.0	6.5	21.00	31.50	67.20	67.20	3.
201A	1	1.7	7.5	7.5	7.5	6.0	7.0	22.00	37.40	104.60	104.60	2.
301A	1	1.8	7.0	6.5	7.0	7.0	7.5	21.00	37.80	142.40	142.40	1.
5231D	1	2.1	6.0	6.0	6.5	5.5	6.0	18.00	37.80	180.20	180.20	1.
403B	1	2.4	7.0	6.5	6.5	5.0	6.5	19.50	46.80	227.00	227.00	1.
105B	1	2.6	7.0	6.0	6.0	5.0	6.5	18.50	48.10	275.10	275.10	1.
5233D	1	2.5	6.5	6.0	7.0	5.5	6.0	18.50	46.25	321.35	321.35	
		16.3	7.1	6.6	6.9	5.9	6.6					

2. Tereza Jelinkova, Czech 2008

201B	1	1.6	6.5	8.0	7.5	7.0	7.5	22.00	35.20	35.20	35.20	3.00
301B	1	1.7	6.5	7.0	8.0	8.0	7.5	22.50	38.25	73.45	73.45	1.00
103B	1	1.7	7.0	7.0	7.0	7.5	7.0	21.00	35.70	109.15	109.15	1.00
401A	1	1.8	5.5	5.5	5.5	6.5	5.5	16.50	29.70	138.85	138.85	2.00
5132D	1	2.2	5.0	5.0	5.5	6.0	5.5	16.00	35.20	174.05	174.05	2.00
403B	1	2.4	7.5	7.0	6.5	7.0	7.0	21.00	50.40	224.45	224.45	2.00
203B	1	2.3	6.5	5.0	5.5	6.0	4.5	16.50	37.95	262.40	262.40	2.00
105C	1	2.4	5.5	4.5	4.5	5.0	5.0	14.50	34.80	297.20	297.20	
		16.1	6.3	6.1	6.3	6.6	6.2					

3. Amélie Bayol, FRA 2009

103B	1	1.7	5.5	5.5	6.5	6.5	7.0	18.50	31.45	31.45	31.45	9.00
201B	1	1.6	6.5	6.0	6.0	5.0	6.0	18.00	28.80	60.25	60.25	7.00
301B	1	1.7	5.5	7.0	7.0	6.5	7.5	20.50	34.85	95.10	95.10	4.00
401B	1	1.5	7.0	6.5	6.5	7.5	7.0	20.50	30.75	125.85	125.85	3.00
5231D	1	2.1	6.0	5.5	6.5	6.5	6.0	18.50	38.85	164.70	164.70	3.00
105C	1	2.4	4.5	5.0	5.0	5.5	5.5	15.50	37.20	201.90	201.90	3.00
303C	1	2.1	6.0	5.0	6.0	5.5	6.0	17.50	36.75	238.65	238.65	3.00
403B	1	2.4	6.0	6.0	5.5	5.5	6.5	17.50	42.00	280.65	280.65	
		15.5	5.9	5.8	6.1	6.1	6.4					

4. Lita van Weert, PSV 2009

401A	1	1.8	6.0	6.0	6.5	5.5	7.0	18.50	33.30	33.30	33.30	5.00
103B	1	1.7	7.0	7.5	6.0	6.5	7.0	20.50	34.85	68.15	68.15	2.00
201B	1	1.6	6.5	6.0	6.5	6.0	6.0	18.50	29.60	97.75	97.75	3.00
301B	1	1.7	4.5	4.0	4.5	3.5	4.5	13.00	22.10	119.85	119.85	4.00
5231D	1	2.1	6.0	6.5	6.5	6.5	6.0	19.00	39.90	159.75	159.75	4.00
303C	1	2.1	4.0	4.5	4.0	4.0	4.5	12.50	26.25	186.00	186.00	6.00
105B	1	2.6	6.5	6.0	6.5	6.0	6.0	18.50	48.10	234.10	234.10	4.00
403B	1	2.4	6.0	5.5	6.0	4.5	7.0	17.50	42.00	276.10	276.10	
		16.0	5.8	5.8	5.8	5.3	6.0					

5. Zoe Quigley, MVN 2009

103B	1	1.7	6.0	6.0	6.0	6.0	6.5	18.00	30.60	30.60	30.60	10.
201B	1	1.6	6.0	6.5	6.5	6.5	7.0	19.50	31.20	61.80	61.80	6.
301B	1	1.7	5.5	5.0	5.0	5.5	5.0	15.50	26.35	88.15	88.15	8.
401B	1	1.5	5.0	4.5	4.5	5.5	6.0	15.00	22.50	110.65	110.65	10.
5132D	1	2.2	6.0	5.5	6.0	6.0	6.0	18.00	39.60	150.25	150.25	6.
105B	1	2.6	4.5	4.0	4.0	4.0	4.5	12.50	32.50	182.75	182.75	8.
203B	1	2.3	5.5	5.5	5.5	5.5	6.0	16.50	37.95	220.70	220.70	6.
403B	1	2.4	6.0	6.0	6.0	5.5	7.0	18.00	43.20	263.90	263.90	
		16.0	5.6	5.4	5.4	5.6	6.0					

6. Aada Liikkanen, FIN 2008

103B	1	1.7	6.5	6.0	6.5	6.0	7.0	19.00	32.30	32.30	32.30	7.
401B	1	1.5	7.5	7.0	7.0	6.5	7.0	21.00	31.50	63.80	63.80	4.
201B	1	1.6	6.5	5.5	4.5	5.0	5.5	16.00	25.60	89.40	89.40	6.
301B	1	1.7	4.5	5.0	4.0	5.5	4.5	14.00	23.80	113.20	113.20	7.
5231D	1	2.1	5.5	6.0	5.5	6.0	6.0	17.50	36.75	149.95	149.95	7.
403B	1	2.4	5.5	6.0	5.5	5.5	6.0	17.00	40.80	190.75	190.75	4.
105C	1	2.4	6.5	5.0	5.0	5.5	5.0	15.50	37.20	227.95	227.95	5.
203B	1	2.3	5.0	3.5	4.0	5.0	4.5	13.50	31.05	259.00	259.00	
		15.7	5.9	5.5	5.3	5.6	5.7					

7. Darja Ivanova, SSS 2008

103B	1	1.7	7.0	7.0	6.0	6.5	6.0	19.50	33.15	33.15	33.15	6.
201B	1	1.6	5.5	5.0	5.5	5.0	6.0	16.00	25.60	58.75	58.75	9.
301B	1	1.7	5.0	6.0	6.0	6.0	6.5	18.00	30.60	89.35	89.35	7.
401B	1	1.5	5.5	6.5	6.0	6.5	6.0	18.50	27.75	117.10	117.10	5.
5132D	1	2.2	3.5	4.0	3.5	4.5	3.5	11.00	24.20	141.30	141.30	10.
203B	1	2.3	5.0	5.0	5.0	5.0	5.5	15.00	34.50	175.80	175.80	10.
105C	1	2.4	5.5	6.0	5.5	5.5	6.5	17.00	40.80	216.60	216.60	8.
403B	1	2.4	6.0	5.5	4.5	5.5	5.5	16.50	39.60	256.20	256.20	
		15.8	5.4	5.6	5.3	5.6	5.7					

8. Emma Kelly, HUN 2008

401B	1	1.5	5.5	6.0	6.0	5.0	6.5	17.50	26.25	26.25	26.25	17.50
201B	1	1.6	6.5	6.0	6.0	5.5	6.5	18.50	29.60	55.85	55.85	10.00
301B	1	1.7	4.5	4.5	4.5	5.0	4.5	13.50	22.95	78.80	78.80	15.00
103B	1	1.7	6.0	5.0	6.0	6.0	5.5	17.50	29.75	108.55	108.55	14.00
5231D	1	2.1	4.5	5.5	5.0	5.5	5.5	16.00	33.60	142.15	142.15	9.00
303C	1	2.1	5.0	5.5	5.5	4.5	6.5	16.00	33.60	175.75	175.75	11.00
403B	1	2.4	6.0	5.5	5.5	5.0	6.0	17.00	40.80	216.55	216.55	9.00
105C	1	2.4	6.0	6.0	5.0	5.0	5.5	16.50	39.60	256.15	256.15	
		15.5	5.5	5.5	5.4	5.2	5.8					

9. Nova Corne, JSS 2008

103B	1	1.7	7.0	6.5	7.0	6.0	6.5	20.00	34.00	34.00	34.00	4.
201B	1	1.6	6.0	5.0	5.0	5.5	5.0	15.50	24.80	58.80	58.80	8.
301B	1	1.7	5.0	6.0	6.5	6.0	7.0	18.50	31.45	90.25	90.25	5.
401B	1	1.5	5.0	5.5	5.0	5.5	6.0	16.00	24.00	114.25	114.25	6.
5132D	1	2.2	5.5	5.5	5.5	6.0	6.0	17.00	37.40	151.65	151.65	5.
403C	1	2.2	4.5	5.5	4.5	5.0	6.5	15.00	33.00	184.65	184.65	7.
203C	1	2.0	5.5	6.0	5.0	5.0	5.0	15.50	31.00	215.65	215.65	10.
303B	1	2.4	3.5	4.0	4.0	5.0	4.0	12.00	28.80	244.45	244.45	
		15.3	5.3	5.5	5.3	5.5	5.8					

10. Elly Ekebäck, JSS 2008

103B	1	1.7	6.0	6.5	6.5	6.0	6.5	19.00	32.30	32.30	32.30	7.
201B	1	1.6	4.5	4.5	4.5	4.5	5.5	13.50	21.60	53.90	53.90	14.
301B	1	1.7	5.0	5.0	6.0	6.0	6.5	17.00	28.90	82.80	82.80	11.
401B	1	1.5	6.0	5.5	6.5	6.5	6.0	18.50	27.75	110.55	110.55	11.
5132D	1	2.2	6.5	5.0	5.5	5.5	6.0	17.00	37.40	147.95	147.95	8.
403C	1	2.2	6.0	6.5	6.5	6.0	7.0	19.00	41.80	189.75	189.75	5.
203C	1	2.0	6.0	4.5	4.0	4.5	5.0	14.00	28.00	217.75	217.75	7.
303C	1	2.1	3.5	3.5	3.0	4.0	3.5	10.50	22.05	239.80	239.80	
		15.0	5.4	5.1	5.3	5.4	5.8					

11. Odessa Jääskeläinen, FIN 2008

103B	1	1.7	6.5	7.0	7.0	7.0	21.00	35.70	35.70	35.70	1.
401B	1	1.5	6.0	6.0	5.5	6.5	18.50	27.75	63.45	63.45	5.
201B	1	1.6	5.5	4.5	4.5	5.5	15.00	24.00	87.45	87.45	9.
301B	1	1.7	4.5	4.0	4.5	4.5	13.50	22.95	110.40	110.40	13.
5231D	1	2.1	4.5	5.0	5.0	4.5	14.50	30.45	140.85	140.85	11.
105B	1	2.6	3.5	3.0	3.0	2.5	8.50	22.10	162.95	162.95	15.
203B	1	2.3	5.0	5.0	4.5	4.0	14.50	33.35	196.30	196.30	14.
403B	1	2.4	6.5	6.0	5.5	5.0	17.50	42.00	238.30	238.30	
15.9 5.3 5.1 4.9 4.9 5.2											

12. Maja Jackowicz-Korczynska, POS 2008

103B	1	1.7	5.5	5.5	6.5	5.5	17.00	28.90	28.90	28.90	13.
401B	1	1.5	6.0	5.5	5.5	5.0	16.00	24.00	52.90	52.90	17.
201B	1	1.6	6.5	6.0	6.5	6.0	18.50	29.60	82.50	82.50	12.
301B	1	1.7	5.0	5.5	6.0	5.5	17.00	28.90	111.40	111.40	9.
5231D	1	2.1	5.0	4.5	4.5	4.5	14.00	29.40	140.80	140.80	12.
203B	1	2.3	6.0	5.5	4.5	5.0	15.50	35.65	176.45	176.45	9.
303C	1	2.1	4.5	4.0	4.0	5.0	13.50	28.35	204.80	204.80	11.
403B	1	2.4	4.0	3.0	4.0	3.5	11.50	27.60	232.40	232.40	
15.4 5.3 4.9 5.2 5.0 5.3											

13. Kerttu Toivonen, FIN 2008

401B	1	1.5	5.5	5.0	5.5	5.5	16.50	24.75	24.75	24.75	21.
201B	1	1.6	7.0	6.0	6.0	5.5	18.50	29.60	54.35	54.35	13.
103B	1	1.7	6.5	6.0	6.5	5.5	18.00	30.60	84.95	84.95	10.
301B	1	1.7	4.5	4.5	5.5	5.5	15.00	25.50	110.45	110.45	12.
5231D	1	2.1	4.5	4.0	4.5	4.5	13.00	27.30	137.75	137.75	13.
203B	1	2.3	5.5	5.5	5.0	5.5	16.50	37.95	175.70	175.70	12.
105C	1	2.4	3.5	3.0	2.5	3.5	9.50	22.80	198.50	198.50	13.
303C	1	2.1	5.0	4.5	6.0	5.0	15.50	32.55	231.05	231.05	
15.4 5.3 4.8 5.2 5.1 5.1											

14. Taluyah Verwoolde, PSV 2009

401A	1	1.8	4.5	4.5	4.5	2.5	13.50	24.30	24.30	24.30	24.
103B	1	1.7	5.5	5.0	5.0	4.5	15.50	26.35	50.65	50.65	20.
201B	1	1.6	7.0	6.0	6.5	6.0	19.50	31.20	81.85	81.85	13.
301B	1	1.7	5.5	6.0	6.0	6.0	18.00	30.60	112.45	112.45	8.
5132D	1	2.2	3.5	3.5	3.5	4.0	11.00	24.20	136.65	136.65	14.
105C	1	2.4	4.0	3.5	3.5	3.5	11.00	26.40	163.05	163.05	14.
203C	1	2.0	6.0	6.0	6.0	6.0	18.00	36.00	199.05	199.05	12.
403C	1	2.2	5.0	4.0	4.5	4.5	13.50	29.70	228.75	228.75	
15.6 5.1 4.8 4.9 4.6 5.3											

15. Nelli Perkiö, FIN 2009

201B	1	1.6	5.0	5.0	5.5	5.5	16.00	25.60	25.60	25.60	19.
301B	1	1.7	6.0	5.5	5.5	6.0	17.00	28.90	54.50	54.50	12.
5122D	1	1.9	4.0	4.0	4.5	4.5	12.50	23.75	78.25	78.25	16.
401B	1	1.5	6.0	6.5	7.0	6.5	20.00	30.00	108.25	108.25	15.
103B	1	1.7	6.0	5.0	5.5	5.0	16.00	27.20	135.45	135.45	15.
403C	1	2.2	5.5	5.5	5.5	5.0	16.50	36.30	171.75	171.75	13.
203C	1	2.0	4.0	3.5	4.0	3.5	11.50	23.00	194.75	194.75	15.
303C	1	2.1	4.5	4.5	4.5	4.5	13.50	28.35	223.10	223.10	
14.7 5.1 4.9 5.3 5.1 5.3											

16. Odri Gabre Raslaviciute, BStK 2009

401B	1	1.5	5.5	4.5	5.0	4.5	15.00	22.50	22.50	22.50	26.
103B	1	1.7	6.0	6.0	6.0	6.5	18.00	30.60	53.10	53.10	16.
201B	1	1.6	3.5	3.5	3.5	4.0	11.00	17.60	70.70	70.70	24.
301B	1	1.7	4.5	4.0	4.0	5.0	12.50	21.25	91.95	91.95	23.
5132D	1	2.2	4.5	4.0	4.5	5.0	14.00	30.80	122.75	122.75	21.
403C	1	2.2	5.0	5.0	5.0	5.0	15.00	33.00	155.75	155.75	18.
203C	1	2.0	5.5	4.0	4.5	4.5	13.50	27.00	182.75	182.75	17.
104B	1	2.3	5.5	5.5	5.5	5.0	16.50	37.95	220.70	220.70	
15.2 5.0 4.6 4.8 4.9 5.1											

103B	1	1.7	6.0	6.0	6.0	6.0	6.0	18.00	30.60	30.60	30.60	10.
201B	1	1.6	4.0	4.5	4.5	4.0	4.0	12.50	20.00	50.60	50.60	21.
301B	1	1.7	4.5	5.0	5.5	5.0	6.0	15.50	26.35	76.95	76.95	18.
401B	1	1.5	5.5	5.0	5.5	5.5	5.0	16.00	24.00	100.95	100.95	17.
5223D	1	2.3	3.5	3.5	4.5	4.5	4.0	12.00	27.60	128.55	128.55	17.
203C	1	2.0	3.5	4.0	4.0	4.0	5.0	12.00	24.00	152.55	152.55	19.
303C	1	2.1	4.5	4.5	5.0	4.5	4.5	13.50	28.35	180.90	180.90	19.
403C	1	2.2	5.0	5.0	3.5	4.5	5.0	14.50	31.90	212.80	212.80	
		15.1	4.6	4.7	4.8	4.8	4.9					

401B	1	1.5	5.5	5.0	5.5	5.5	6.0	16.50	24.75	24.75	24.75	21.75
103B	1	1.7	4.0	4.5	4.5	5.5	5.0	14.00	23.80	48.55	48.55	23.80
201B	1	1.6	5.0	5.0	5.0	5.0	5.0	15.00	24.00	72.55	72.55	21.00
301B	1	1.7	3.0	3.0	3.0	3.5	3.0	9.00	15.30	87.85	87.85	27.00
5132D	1	2.2	5.0	4.5	5.0	5.5	5.5	15.50	34.10	121.95	121.95	22.00
104C	1	2.2	4.5	4.5	4.5	4.0	5.0	13.50	29.70	151.65	151.65	21.00
203C	1	2.0	5.5	5.0	5.0	5.5	6.0	16.00	32.00	183.65	183.65	16.00
403C	1	2.2	4.5	4.5	4.0	4.0	4.5	13.00	28.60	212.25	212.25	
		15.1	4.6	4.5	4.6	4.8	5.0					

103B	1	1.7	6.0	4.5	5.0	5.5	4.5	15.00	25.50	25.50	25.50	20.
201B	1	1.6	3.5	3.5	3.5	3.5	3.5	10.50	16.80	42.30	42.30	27.
301B	1	1.7	5.0	6.0	6.0	6.0	6.5	18.00	30.60	72.90	72.90	20.
401B	1	1.5	6.0	6.0	6.0	6.5	6.5	18.50	27.75	100.65	100.65	18.
5231D	1	2.1	3.5	4.0	4.0	4.0	3.5	11.50	24.15	124.80	124.80	20.
403C	1	2.2	4.5	6.0	5.5	5.0	5.5	16.00	35.20	160.00	160.00	16.
203C	1	2.0	2.5	4.0	2.0	3.5	3.0	9.00	18.00	178.00	178.00	21.
303C	1	2.1	5.0	4.5	5.0	5.0	5.5	15.00	31.50	209.50	209.50	
		14.9	4.5	4.8	4.6	4.9	4.8					

401B	1	1.5	5.5	5.5	5.0	5.5	5.5	16.50	24.75	24.75	24.75	21.75
103B	1	1.7	6.0	5.5	5.5	5.0	5.5	16.50	28.05	52.80	52.80	18.75
201B	1	1.6	6.0	5.5	5.5	5.0	5.5	16.50	26.40	79.20	79.20	14.25
301B	1	1.7	4.5	4.0	5.5	5.5	6.0	15.50	26.35	105.55	105.55	16.25
5223D	1	2.3	3.0	3.5	4.0	4.5	4.0	11.50	26.45	132.00	132.00	16.25
203C	1	2.0	4.5	4.0	3.0	3.5	4.5	12.00	24.00	156.00	156.00	17.25
403C	1	2.2	4.0	4.0	4.0	4.0	4.0	12.00	26.40	182.40	182.40	18.25
104B	1	2.3	3.5	2.0	2.5	3.0	3.0	8.50	19.55	201.95	201.95	
		15.3	4.6	4.3	4.4	4.5	4.8					

103B	1	1.7	6.0	5.5	6.5	5.5	5.5	17.00	28.90	28.90	28.90	13.
201B	1	1.6	4.0	5.0	4.5	4.5	4.0	13.00	20.80	49.70	49.70	22.
301B	1	1.7	4.5	3.5	4.0	4.5	4.5	13.00	22.10	71.80	71.80	22.
401B	1	1.5	5.0	4.0	5.0	4.5	5.0	14.50	21.75	93.55	93.55	22.
5132D	1	2.2	3.0	2.5	1.5	3.0	3.0	8.50	18.70	112.25	112.25	25.
403C	1	2.2	4.5	4.5	5.0	5.0	5.0	14.50	31.90	144.15	144.15	23.
203C	1	2.0	5.5	5.0	5.0	4.5	5.0	15.00	30.00	174.15	174.15	23.
303C	1	2.1	3.5	3.5	4.0	4.0	4.0	11.50	24.15	198.30	198.30	
		15.0	4.5	4.2	4.4	4.4	4.5					

201A	1	1.7	6.5	5.0	6.0	5.0	4.0	16.00	27.20	27.20	27.20	15.
401B	1	1.5	6.0	5.0	6.0	5.5	6.5	17.50	26.25	53.45	53.45	15.
103B	1	1.7	5.0	5.0	3.5	5.0	4.5	14.50	24.65	78.10	78.10	17.
301B	1	1.7	3.5	3.0	4.0	4.0	3.5	11.00	18.70	96.80	96.80	19.
5231D	1	2.1	5.0	5.0	5.0	4.5	5.0	15.00	31.50	128.30	128.30	18.
104B	1	2.3	4.0	2.0	4.0	4.0	2.5	10.50	24.15	152.45	152.45	20.
203C	1	2.0	5.5	3.5	4.5	4.5	4.5	13.50	27.00	179.45	179.45	20.
303C	1	2.1	1.5	2.0	3.0	1.5	3.0	6.50	13.65	193.10	193.10	
		15.1	4.6	3.8	4.5	4.3	4.2					

103B	1	1.7	3.5	3.0	2.5	3.5	3.0	9.50	16.15	16.15	16.15	28.
201B	1	1.6	3.5	4.0	4.0	4.5	3.5	11.50	18.40	34.55	34.55	28.
301B	1	1.7	4.0	3.0	3.5	3.5	3.0	10.00	17.00	51.55	51.55	28.
401B	1	1.5	5.5	4.5	5.0	5.0	5.5	15.50	23.25	74.80	74.80	28.
5221D	1	1.7	3.5	2.0	1.5	0.5	2.5	6.00	10.20	85.00	85.00	28.
104C	1	2.2	2.0	1.5	2.0	2.0	2.5	6.00	13.20	98.20	98.20	28.
403C	1	2.2	4.5	3.5	4.5	4.5	5.0	13.50	29.70	127.90	127.90	28.
5211A	1	1.8	5.0	4.0	3.5	3.0	4.5	12.00	21.60	149.50	149.50	
		14.4	3.9	3.2	3.3	3.3	3.7					

Judges

1. Jann Siefken AUT
2. Lina Damgaard SWE
3. Angelique de Vroome NED
4. Iveta Jirkova CZE
5. John Appleman USA

Referee Jann Siefken AUT

Secretary Hannah Starling NOR

Detailed Results

Bergen Open 2023

AdO Arena, 5/4/23

Women, platform

1. Amanda Lundin, SPIF 2005

305C	10	2.8	7.0	6.5	7.0	6.5	7.0	20.50	57.40	57.40	57.40	1.
624B	10	2.8	6.0	6.0	6.0	5.5	5.5	17.50	49.00	106.40	106.40	1.
5235D	10	2.8	6.0	6.0	6.5	5.5	6.0	18.00	50.40	156.80	156.80	1.
405B	10	2.8	5.5	6.0	6.5	6.0	6.5	18.50	51.80	208.60	208.60	1.
205B	10	2.9	6.5	7.0	7.0	6.0	7.0	20.50	59.45	268.05	268.05	
		14.1	6.2	6.3	6.6	5.9	6.4					

2. Ellie Cole, AUS 2006

105B	5	2.6	6.0	6.0	6.5	5.5	6.5	18.50	48.10	48.10	48.10	3.
407C	10	3.2	4.0	5.0	4.5	5.5	4.5	14.00	44.80	92.90	92.90	4.
305C	10	2.8	7.0	7.5	7.5	7.0	7.5	22.00	61.60	154.50	154.50	2.
5253B	10	3.2	5.5	5.0	5.0	5.5	6.0	16.00	51.20	205.70	205.70	2.
205C	5	3.0	4.0	4.0	4.0	3.5	4.0	12.00	36.00	241.70	241.70	
		14.8	5.3	5.5	5.5	5.4	5.7					

3. Chloe Gao, AUS 2008

405B	10	2.8	3.5	4.0	4.0	4.0	3.0	11.50	32.20	32.20	32.20	11.50
5233D	5	2.5	6.5	6.0	6.5	7.0	6.0	19.00	47.50	79.70	79.70	10.00
6243D	10	3.2	4.5	3.5	4.0	4.5	3.5	12.00	38.40	118.10	118.10	10.00
105B	5	2.6	6.0	6.0	6.5	6.0	6.5	18.50	48.10	166.20	166.20	4.00
305C	10	2.8	7.0	7.0	7.0	7.0	6.5	21.00	58.80	225.00	225.00	
		13.9	5.5	5.3	5.6	5.7	5.1					

4. Hannah Puranen, FIN 2006

405B	10	2.8	5.5	5.5	5.5	5.0	5.5	16.50	46.20	46.20	46.20	4.
624B	10	2.8	6.5	6.5	7.0	6.5	6.5	19.50	54.60	100.80	100.80	2.
205B	10	2.9	3.5	2.5	2.0	3.0	1.5	7.50	21.75	122.55	122.55	8.
5251B	10	2.6	5.0	5.5	5.5	5.5	6.0	16.50	42.90	165.45	165.45	5.
107C	10	2.7	4.5	4.0	4.5	5.0	5.0	14.00	37.80	203.25	203.25	
		13.8	5.0	4.8	4.9	5.0	4.9					

5. Ronja Rundgren, VanDi 2002

403B	5	2.4	5.5	5.5	6.5	6.0	6.0	17.50	42.00	42.00	42.00	7.
105B	7.5	2.4	6.0	6.0	5.5	5.5	6.0	17.50	42.00	84.00	84.00	9.
614B	10	2.4	5.5	6.0	5.5	5.5	5.5	16.50	39.60	123.60	123.60	7.
301B	7.5	1.9	6.5	6.0	6.0	6.5	6.0	18.50	35.15	158.75	158.75	8.
5233D	5	2.5	5.5	6.0	6.0	6.0	5.5	17.50	43.75	202.50	202.50	
		11.6	5.8	5.9	5.9	5.9	5.8					

6. Kerttu Toivonen, FIN 2008

5233D	7.5	2.4	5.0	6.0	5.5	6.5	5.5	17.00	40.80	40.80	40.80	9.
205C	7.5	2.8	5.5	5.5	6.5	5.5	6.0	17.00	47.60	88.40	88.40	7.
305C	10	2.8	4.5	5.0	4.5	5.5	5.0	14.50	40.60	129.00	129.00	3.
403B	5	2.4	4.5	4.5	5.0	5.5	4.0	14.00	33.60	162.60	162.60	6.
105B	7.5	2.4	5.5	4.5	5.0	5.5	5.5	16.00	38.40	201.00	201.00	
	12.8	5.0	5.1	5.3	5.7	5.2						

7. Pia Tveit-Sletten, BStK 2004

405B	10	2.8	7.0	6.5	7.5	6.5	7.0	20.50	57.40	57.40	57.40	1.
107C	10	2.7	5.5	6.0	4.5	5.5	5.0	16.00	43.20	100.60	100.60	3.
205B	10	2.9	2.5	3.0	3.0	2.0	2.5	8.00	23.20	123.80	123.80	6.
5251B	10	2.6	3.5	4.5	4.0	4.5	4.5	13.00	33.80	157.60	157.60	9.
614B	10	2.4	5.5	6.0	5.5	6.0	5.5	17.00	40.80	198.40	198.40	
13.4 4.8 5.2 4.9 4.9 4.9												

8. Hannah Smith, AUS 2006

107B	10	3.0	5.0	5.0	5.5	4.5	5.0	15.00	45.00	45.00	45.00	5.
407C	10	3.2	5.0	4.5	4.5	5.5	5.0	14.50	46.40	91.40	91.40	5.
5253B	10	3.2	3.5	3.5	3.5	5.5	4.0	11.00	35.20	126.60	126.60	4.
303C	5	2.1	6.5	6.0	6.5	7.0	6.5	19.50	40.95	167.55	167.55	3.
203B	5	2.3	4.5	4.0	4.0	4.5	3.5	12.50	28.75	196.30	196.30	
13.8 4.9 4.6 4.8 5.4 4.8												

9. Maggie Grey, AUS

5233D	5	2.5	5.5	5.5	4.5	6.0	5.5	16.50	41.25	41.25	41.25	8.
105B	5	2.6	4.0	3.0	4.0	2.5	3.0	10.00	26.00	67.25	67.25	11.
303C	5	2.1	6.5	6.5	7.0	6.5	6.5	19.50	40.95	108.20	108.20	11.
6243D	10	3.2	5.5	5.5	6.0	6.5	5.0	17.00	54.40	162.60	162.60	6.
405C	5	3.1	4.0	3.0	4.0	3.0	3.0	10.00	31.00	193.60	193.60	
13.5 5.1 4.7 5.1 4.9 4.6												

10. Tuva Tveit-Sletten, BStK 2004

405B	10	2.8	4.5	5.0	5.5	5.0	5.5	15.50	43.40	43.40	43.40	6.
105B	10	2.3	5.5	6.0	6.0	6.5	6.0	18.00	41.40	84.80	84.80	8.
5251B	10	2.6	5.0	5.5	4.5	5.0	4.5	14.50	37.70	122.50	122.50	9.
614B	10	2.4	4.5	4.5	4.5	4.0	4.0	13.00	31.20	153.70	153.70	10.
203B	5	2.3	4.0	4.5	4.0	3.5	4.0	12.00	27.60	181.30	181.30	
12.4 4.7 5.1 4.9 4.8 4.8												

11. Odessa Jääskeläinen, FIN 2008

405B	10	2.8	4.5	5.0	5.0	4.5	4.5	14.00	39.20	39.20	39.20	10.
5152B	10	2.9	6.5	6.0	6.0	6.0	6.0	18.00	52.20	91.40	91.40	5.
105B	5	2.6	4.5	4.5	4.5	4.5	4.5	13.50	35.10	126.50	126.50	5.
303C	5	2.1	3.5	3.5	3.0	3.0	3.5	10.00	21.00	147.50	147.50	11.
205C	7.5	2.8	3.5	4.0	4.0	4.0	4.0	12.00	33.60	181.10	181.10	
13.2 4.5 4.6 4.5 4.4 4.5												

12. Silje Monsen Welanders, BStK 2001

203B	5	2.3	2.0	2.5	2.0	2.0	2.5	6.50	14.95	14.95	14.95	13.
5231D	5	2.1	3.5	3.5	4.0	4.0	4.0	11.50	24.15	39.10	39.10	13.
105B	10	2.3	5.5	5.5	5.5	5.5	5.5	16.50	37.95	77.05	77.05	13.
614B	10	2.4	4.5	3.5	4.5	4.5	3.0	12.50	30.00	107.05	107.05	13.
405C	10	2.5	6.0	4.5	5.5	6.0	5.0	16.50	41.25	148.30	148.30	
11.6 4.3 3.9 4.3 4.4 4.0												

13. Tonje Monsen Welanders, BStK 2001

301C	7.5	1.8	5.5	5.0	6.0	5.5	5.5	16.50	29.70	29.70	29.70	12.
203B	5	2.3	4.0	4.0	4.0	3.0	3.5	11.50	26.45	56.15	56.15	12.
5231D	5	2.1	4.0	4.0	4.0	4.5	3.5	12.00	25.20	81.35	81.35	12.
105B	10	2.3	5.5	5.5	5.5	5.5	6.0	16.50	37.95	119.30	119.30	12.
405C	10	2.5	3.0	3.5	3.0	4.0	3.5	10.00	25.00	144.30	144.30	
11.0 4.4 4.4 4.5 4.5 4.4												

Judges

1. Satu Pirhonen FIN
2. Anna Maja Holm Thorsen NOR
3. AUSTRALIA AUS
4. ZURICH SUI
5. Peter Axtelius SWE

Referee Peter Axtelius SWE**Secretary** Vårin Renate Andvik Holm NOR

Detailed Results

Bergen Open 2023

AdO Arena, 5/4/23

C Boys, 1 meter

1. Elias Liikkanen, VanDi 2010

103B	1	1.7	6.0	5.5	6.5	6.5	6.5	19.00	32.30	32.30	32.30	1.
401B	1	1.5	6.0	6.5	5.5	6.0	6.0	18.00	27.00	59.30	59.30	1.
201B	1	1.6	6.5	6.5	7.0	6.5	6.0	19.50	31.20	90.50	90.50	1.
301B	1	1.7	5.5	6.0	6.5	5.5	5.0	17.00	28.90	119.40	119.40	1.
5132D	1	2.2	5.5	5.0	5.0	6.0	5.0	15.50	34.10	153.50	153.50	1.
403B	1	2.4	5.0	5.5	5.5	6.0	6.0	17.00	40.80	194.30	194.30	1.
105C	1	2.4	5.0	4.5	4.0	5.0	4.5	14.00	33.60	227.90	227.90	1.
203C	1	2.0	4.0	5.5	4.5	5.5	5.0	15.00	30.00	257.90	257.90	
		15.5	5.4	5.6	5.6	5.9	5.5					

2. Aaro Piekkanen, VanDi

401B	1	1.5	6.5	6.5	7.0	7.0	7.0	20.50	30.75	30.75	30.75	2.
103B	1	1.7	5.0	5.5	5.5	5.5	5.5	16.50	28.05	58.80	58.80	2.
301C	1	1.6	3.5	3.0	4.5	4.5	4.5	12.50	20.00	78.80	78.80	2.
5132D	1	2.2	3.5	4.0	4.5	5.0	4.5	13.00	28.60	107.40	107.40	2.
203C	1	2.0	6.0	5.0	6.0	5.5	6.5	17.50	35.00	142.40	142.40	2.
104C	1	2.2	6.0	4.5	5.5	6.0	5.0	16.50	36.30	178.70	178.70	2.
403C	1	2.2	4.5	4.5	4.5	5.0	5.5	14.00	30.80	209.50	209.50	2.
303C	1	2.1	3.5	4.0	3.0	4.0	3.0	10.50	22.05	231.55	231.55	
		15.5	4.8	4.6	5.1	5.3	5.2					

3. Edvin Ijäs, VanDi 2011

103B	1	1.7	4.5	4.5	5.0	5.0	5.0	14.50	24.65	24.65	24.65	4.65
401B	1	1.5	4.5	5.0	4.5	5.0	5.0	14.50	21.75	46.40	46.40	3.75
201B	1	1.6	5.5	5.5	6.0	4.5	5.0	16.00	25.60	72.00	72.00	3.75
301B	1	1.7	5.5	6.0	5.0	5.0	5.0	15.50	26.35	98.35	98.35	3.75
5231D	1	2.1	5.0	4.5	4.5	5.5	5.5	15.00	31.50	129.85	129.85	3.75
104C	1	2.2	5.5	5.0	5.0	5.0	4.5	15.00	33.00	162.85	162.85	3.75
403C	1	2.2	4.5	5.0	4.0	5.0	5.0	14.50	31.90	194.75	194.75	3.75
302C	1	1.6	4.5	5.5	5.0	4.5	4.0	14.00	22.40	217.15	217.15	
		14.6	4.9	5.1	4.9	4.9	4.9					

4. Bastian Zeberg, Odense 2011

103B	1	1.7	5.0	5.5	5.0	5.5	4.5	15.50	26.35	26.35	26.35	3.00
201C	1	1.5	3.5	4.0	4.0	3.5	3.5	11.00	16.50	42.85	42.85	5.00
301C	1	1.6	4.0	4.5	5.0	5.0	4.0	13.50	21.60	64.45	64.45	4.00
401B	1	1.5	4.5	5.5	6.0	5.5	5.0	16.00	24.00	88.45	88.45	4.00
5132D	1	2.2	4.0	3.5	4.0	5.0	4.0	12.00	26.40	114.85	114.85	4.00
403C	1	2.2	5.0	6.0	5.5	5.5	6.0	17.00	37.40	152.25	152.25	4.00
105C	1	2.4	4.0	4.0	3.5	4.0	4.0	12.00	28.80	181.05	181.05	4.00
5231D	1	2.1	3.5	3.5	5.0	5.0	4.0	12.50	26.25	207.30	207.30	
		15.2	4.2	4.6	4.8	4.9	4.4					

5. Edvard Røeggen, Osl 2011

101B	1	1.3	4.5	4.5	3.5	4.5	4.0	13.00	16.90	16.90	16.90	6.
201C	1	1.5	7.5	6.0	6.0	6.5	6.0	18.50	27.75	44.65	44.65	4.
301C	1	1.6	4.0	4.0	4.5	4.0	4.0	12.00	19.20	63.85	63.85	6.
401B	1	1.5	3.0	5.5	4.0	4.5	4.0	12.50	18.75	82.60	82.60	6.
5122D	1	1.9	4.0	4.5	3.5	4.5	3.0	12.00	22.80	105.40	105.40	5.
103B	1	1.7	5.5	5.0	4.0	5.0	5.0	15.00	25.50	130.90	130.90	5.
402C	1	1.6	4.5	5.5	5.0	5.0	5.0	15.00	24.00	154.90	154.90	5.
202C	1	1.5	3.0	4.0	3.0	4.0	4.0	11.00	16.50	171.40	171.40	
		12.6	4.5	4.9	4.2	4.8	4.4					

6. Tage Hodne, BStK 2011

401B	1	1.5	3.5	4.0	4.0	3.5	4.0	11.50	17.25	17.25	17.25	5.
103B	1	1.7	4.5	5.0	4.5	3.5	5.0	14.00	23.80	41.05	41.05	6.
201C	1	1.5	5.5	5.0	5.0	5.5	5.0	15.50	23.25	64.30	64.30	5.
301C	1	1.6	4.0	4.0	5.0	3.5	3.5	11.50	18.40	82.70	82.70	5.
5132D	1	2.2	2.5	3.5	3.5	3.0	3.0	9.50	20.90	103.60	103.60	6.
403C	1	2.2	1.0	2.5	2.5	0.5	1.0	4.50	9.90	113.50	113.50	6.
104C	1	2.2	3.5	4.0	3.5	3.5	3.0	10.50	23.10	136.60	136.60	6.
5231D	1	2.1	2.0	3.0	2.0	2.0	3.0	7.00	14.70	151.30	151.30	
		15.0	3.3	3.9	3.8	3.1	3.4					

Judges

1. POLAND POL

2. Anders Holm NOR

3. Cilingir Cagla FIN

4. GENÈVE SUI

5. Lina Damgaard SWE

Referee POLAND POL

Secretary Vårin Renate Andvik Holm NOR

Detailed Results

Bergen Open 2023

AdO Arena, 5/4/23

C Girls, 3 meters

1. Emma Ricatti, VGF 2010

201B	3	1.8	6.0	6.5	6.0	6.0	6.5	18.50	33.30	33.30	33.30	1.
301B	3	1.9	6.0	5.5	6.0	6.0	6.0	18.00	34.20	67.50	67.50	1.
403C	3	1.9	6.0	6.5	6.0	5.5	6.0	18.00	34.20	101.70	101.70	1.
103B	3	1.6	5.0	4.0	5.5	4.5	5.0	14.50	23.20	124.90	124.90	2.
5231D	3	2.0	6.5	6.5	6.5	7.0	6.5	19.50	39.00	163.90	163.90	1.
5235D	3	2.8	5.5	5.0	5.0	4.5	4.0	14.50	40.60	204.50	204.50	1.
105B	3	2.4	5.5	5.0	5.5	5.5	6.0	16.50	39.60	244.10	244.10	
		14.4	5.8	5.6	5.8	5.6	5.7					

2. Yuna Hulkenberg, ADT 2010

103B	3	1.6	6.0	6.0	6.0	5.0	6.0	18.00	28.80	28.80	28.80	2.
403C	3	1.9	5.5	6.0	5.0	5.5	4.0	16.00	30.40	59.20	59.20	2.
201C	3	1.7	6.5	7.0	7.0	7.0	7.0	21.00	35.70	94.90	94.90	2.
301C	3	1.8	6.5	6.5	6.0	6.0	6.5	19.00	34.20	129.10	129.10	1.
5231D	3	2.0	5.5	4.0	5.0	5.0	5.5	15.50	31.00	160.10	160.10	2.
303C	3	2.0	5.0	5.5	4.5	5.0	5.0	15.00	30.00	190.10	190.10	2.
203B	3	2.2	3.5	3.5	2.5	3.0	3.5	10.00	22.00	212.10	212.10	
		13.2	5.5	5.5	5.1	5.2	5.4					

3. Joy Daalhuizen, ADT 2010

401B	3	1.4	6.0	5.5	5.5	6.0	5.5	17.00	23.80	23.80	23.80	6.
103B	3	1.6	5.5	4.5	5.0	5.0	4.0	14.50	23.20	47.00	47.00	7.
201C	3	1.7	4.5	4.0	5.0	4.0	4.5	13.00	22.10	69.10	69.10	8.
301C	3	1.8	5.5	5.0	5.5	4.5	5.0	15.50	27.90	97.00	97.00	7.
5132D	3	2.1	4.5	3.5	6.0	4.5	4.0	13.00	27.30	124.30	124.30	7.
105C	3	2.2	6.5	6.5	6.5	6.5	6.5	19.50	42.90	167.20	167.20	3.
403C	3	1.9	5.5	5.0	5.5	5.5	5.0	16.00	30.40	197.60	197.60	
		12.7	5.4	4.9	5.6	5.1	4.9					

4. Veera Piekkanen, VanDi

103B	3	1.6	5.5	5.0	4.5	5.0	5.0	15.00	24.00	24.00	24.00	4.
201B	3	1.8	5.0	5.5	5.0	5.5	5.5	16.00	28.80	52.80	52.80	5.
301B	3	1.9	4.5	4.5	5.5	5.0	4.5	14.00	26.60	79.40	79.40	3.
5231D	3	2.0	5.0	4.5	5.0	5.0	5.0	15.00	30.00	109.40	109.40	3.
403B	3	2.1	5.0	4.0	6.0	5.0	5.5	15.50	32.55	141.95	141.95	3.
105C	3	2.2	3.5	3.5	3.0	3.5	4.0	10.50	23.10	165.05	165.05	4.
203B	3	2.2	5.5	5.0	5.0	4.0	4.5	14.50	31.90	196.95	196.95	
		13.8	4.9	4.6	4.9	4.7	4.9					

5. Meeri Manninen, VanDi

201B	3	1.8	5.0	4.0	4.0	4.5	4.0	12.50	22.50	22.50	22.50	7.
301B	3	1.9	4.5	4.0	5.0	4.0	5.0	13.50	25.65	48.15	48.15	6.
103B	3	1.6	4.5	5.0	5.0	4.5	5.0	14.50	23.20	71.35	71.35	7.
403B	3	2.1	4.5	4.5	4.5	4.0	4.0	13.00	27.30	98.65	98.65	6.
5231D	3	2.0	4.5	4.5	5.0	5.0	5.5	14.50	29.00	127.65	127.65	5.
303C	3	2.0	4.5	5.0	4.5	4.5	4.0	13.50	27.00	154.65	154.65	7.
105C	3	2.2	4.5	5.0	5.5	5.0	4.5	14.50	31.90	186.55	186.55	
		13.6	4.6	4.6	4.8	4.5	4.6					

6. Valentina Bach, Thu 2010

103B	3	1.6	5.5	5.0	6.0	5.5	5.5	16.50	26.40	26.40	26.40	3.
201B	3	1.8	4.5	5.0	5.5	5.0	5.0	15.00	27.00	53.40	53.40	4.
301B	3	1.9	3.5	3.5	4.0	3.5	4.0	11.00	20.90	74.30	74.30	5.
403B	3	2.1	5.5	5.0	5.5	5.0	5.5	16.00	33.60	107.90	107.90	4.
5231D	3	2.0	5.5	4.5	5.0	4.5	5.0	14.50	29.00	136.90	136.90	4.
105C	3	2.2	4.0	3.5	5.0	4.0	4.5	12.50	27.50	164.40	164.40	5.
5132D	3	2.1	3.0	3.0	2.5	2.5	2.5	8.00	16.80	181.20	181.20	
<i>13.7 4.5 4.2 4.8 4.3 4.6</i>												

7. Linn Andenæs, Osl 2010

103B	3	1.6	5.5	5.0	4.5	4.5	4.5	14.00	22.40	22.40	22.40	8.
201B	3	1.8	5.5	6.0	6.0	6.0	5.5	17.50	31.50	53.90	53.90	3.
301C	3	1.8	4.5	5.5	5.0	4.5	4.5	14.00	25.20	79.10	79.10	4.
401B	3	1.4	4.0	4.5	4.0	3.5	4.5	12.50	17.50	96.60	96.60	8.
5132D	3	2.1	5.0	4.0	4.5	4.0	5.5	13.50	28.35	124.95	124.95	6.
105C	3	2.2	5.0	6.5	5.5	6.0	6.0	17.50	38.50	163.45	163.45	6.
403C	3	1.9	1.5	1.0	0.5	1.0	1.5	3.50	6.65	170.10	170.10	
<i>12.8 4.4 4.6 4.3 4.2 4.6</i>												

8. Malla Lågas, VanDi 2010

103B	3	1.6	5.0	5.0	4.5	5.0	5.0	15.00	24.00	24.00	24.00	4.
401B	3	1.4	5.0	5.5	5.5	5.0	4.0	15.50	21.70	45.70	45.70	8.
201B	3	1.8	5.0	5.0	6.0	5.0	5.0	15.00	27.00	72.70	72.70	6.
301C	3	1.8	4.5	5.5	5.0	5.0	6.0	15.50	27.90	100.60	100.60	5.
5132D	3	2.1	1.0	1.0	2.5	0.5	3.0	4.50	9.45	110.05	110.05	8.
403B	3	2.1	4.0	4.0	4.0	4.5	4.0	12.00	25.20	135.25	135.25	8.
105C	3	2.2	4.0	4.5	4.0	4.0	4.0	12.00	26.40	161.65	161.65	
<i>13.0 4.1 4.4 4.5 4.1 4.4</i>												

9. Oline Kjellsen, Osl 2010

101B	3	1.5	4.5	4.5	3.5	4.0	4.5	13.00	19.50	19.50	19.50	9.
201C	3	1.7	5.0	4.0	4.5	3.5	4.5	13.00	22.10	41.60	41.60	9.
301C	3	1.8	4.5	4.0	5.0	4.0	4.5	13.00	23.40	65.00	65.00	9.
401B	3	1.4	3.0	3.0	3.5	3.0	3.5	9.50	13.30	78.30	78.30	9.
5211A	3	2.0	4.0	4.0	3.0	2.5	3.0	10.00	20.00	98.30	98.30	9.
103C	3	1.5	4.0	3.0	3.0	3.5	4.0	10.50	15.75	114.05	114.05	9.
403C	3	1.9	5.0	5.0	5.0	4.5	5.0	15.00	28.50	142.55	142.55	
<i>11.8 4.3 3.9 3.9 3.6 4.1</i>												

Judges

1. Kamilla Veres HUN
2. Moa Gyllenstierna SWE
3. Anna Maja Holm Thorsen NOR
4. Angelique de Vroome NED
5. FRANCE FRA

Referee FRANCE FRA**Secretary** Hannah Starling NOR

Detailed Results

Bergen Open 2023

AdO Arena, 5/4/23

A Girls, 1 meter

1. Ella Roselli, MVN 2005

401B	1	1.5	7.0	7.0	7.0	7.5	8.0	21.50	32.25	32.25	32.25	15.
103B	1	1.7	6.5	6.5	7.0	6.0	6.0	19.00	32.30	64.55	64.55	9.
201B	1	1.6	6.5	6.0	6.5	7.0	7.0	20.00	32.00	96.55	96.55	10.
301B	1	1.7	6.5	5.5	6.0	6.5	7.0	19.00	32.30	128.85	128.85	8.
5233D	1	2.5	5.5	6.0	6.0	4.5	4.5	16.00	40.00	168.85	168.85	7.
105B	1	2.6	6.5	6.0	7.0	7.0	6.5	20.00	52.00	220.85	220.85	2.
203B	1	2.3	6.0	7.5	6.5	7.0	6.5	20.00	46.00	266.85	266.85	1.
303B	1	2.4	6.5	6.0	7.5	7.0	7.0	20.50	49.20	316.05	316.05	1.
5333D	1	2.6	6.0	7.0	7.0	6.5	6.5	20.00	52.00	368.05	368.05	
		18.9	6.3	6.4	6.7	6.6	6.6					

2. Avery Giese, MVN 2006

401B	1	1.5	8.0	7.0	6.5	7.0	7.0	21.00	31.50	31.50	31.50	17.00
103B	1	1.7	6.5	7.0	7.5	7.5	7.0	21.50	36.55	68.05	68.05	5.00
5331D	1	2.2	6.5	6.5	6.5	6.0	7.0	19.50	42.90	110.95	110.95	1.00
201B	1	1.6	7.0	6.5	7.0	7.0	7.5	21.00	33.60	144.55	144.55	1.00
301B	1	1.7	8.0	7.5	8.5	7.5	8.0	23.50	39.95	184.50	184.50	1.00
203B	1	2.3	6.5	6.0	5.0	4.5	5.0	16.00	36.80	221.30	221.30	1.00
303B	1	2.4	5.5	6.0	6.0	5.5	5.5	17.00	40.80	262.10	262.10	2.00
105B	1	2.6	5.0	6.5	6.0	6.0	6.5	18.50	48.10	310.20	310.20	2.00
5333D	1	2.6	5.5	5.0	6.0	4.5	6.0	16.50	42.90	353.10	353.10	
		18.6	6.5	6.4	6.6	6.2	6.6					

3. Juliette Landi, FRA 2007

103B	1	1.7	6.5	6.0	6.5	6.0	5.0	18.50	31.45	31.45	31.45	19.
401B	1	1.5	6.0	6.5	6.5	6.5	6.5	19.50	29.25	60.70	60.70	20.
201B	1	1.6	7.0	7.5	7.0	7.0	7.0	21.00	33.60	94.30	94.30	13.
301B	1	1.7	6.0	6.5	6.5	7.0	7.0	20.00	34.00	128.30	128.30	9.
5231D	1	2.1	6.0	6.0	7.0	7.0	6.5	19.50	40.95	169.25	169.25	5.
105C	1	2.4	6.5	6.0	7.0	6.5	6.0	19.00	45.60	214.85	214.85	5.
403C	1	2.2	6.0	7.0	6.0	6.5	6.0	18.50	40.70	255.55	255.55	5.
203B	1	2.3	6.5	6.5	6.0	7.0	7.0	20.00	46.00	301.55	301.55	3.
303C	1	2.1	6.5	7.5	6.5	7.0	6.5	20.00	42.00	343.55	343.55	
		17.6	6.3	6.6	6.6	6.7	6.4					

4. Eerika Repo, FIN 2007

401A	1	1.8	5.0	5.5	5.0	5.5	5.0	15.50	27.90	27.90	27.90	36.
201B	1	1.6	5.5	6.0	6.0	5.5	6.0	17.50	28.00	55.90	55.90	29.
301B	1	1.7	4.5	5.0	5.5	5.5	5.5	16.00	27.20	83.10	83.10	29.
103B	1	1.7	6.0	6.0	6.5	7.0	7.0	19.50	33.15	116.25	116.25	26.
5132D	1	2.2	6.0	5.0	6.0	6.0	6.5	18.00	39.60	155.85	155.85	19.
203B	1	2.3	6.5	6.0	6.5	5.5	5.5	18.00	41.40	197.25	197.25	15.
303B	1	2.4	6.5	6.0	6.5	4.5	6.0	18.50	44.40	241.65	241.65	12.
105B	1	2.6	5.5	6.0	6.0	6.0	6.0	18.00	46.80	288.45	288.45	9.
403B	1	2.4	6.5	6.0	6.0	7.0	6.5	19.00	45.60	334.05	334.05	
		<i>18.7</i>	<i>5.8</i>	<i>5.7</i>	<i>6.0</i>	<i>5.8</i>	<i>6.0</i>					

5. Hannah Smith, AUS 2006

103B	1	1.7	7.0	7.5	7.5	6.5	7.0	21.50	36.55	36.55	36.55	1.
401B	1	1.5	7.0	6.0	7.0	7.0	7.0	21.00	31.50	68.05	68.05	5.
201B	1	1.6	6.5	6.0	7.0	5.5	5.5	18.00	28.80	96.85	96.85	9.
301B	1	1.7	6.0	6.0	6.0	6.5	6.5	18.50	31.45	128.30	128.30	9.
5132D	1	2.2	5.5	5.5	6.0	5.5	6.0	17.00	37.40	165.70	165.70	11.
403B	1	2.4	6.5	6.5	7.0	6.5	6.0	19.50	46.80	212.50	212.50	8.
105B	1	2.6	5.5	5.5	6.0	5.5	6.0	17.00	44.20	256.70	256.70	4.
203B	1	2.3	6.5	6.5	6.5	6.5	7.0	19.50	44.85	301.55	301.55	3.
303B	1	2.4	4.0	4.0	5.5	4.0	4.5	12.50	30.00	331.55	331.55	
18.4 6.1 5.9 6.5 5.9 6.2												

6. Maud van Kempen, NED 2005

401A	1	1.8	6.0	6.5	6.0	6.0	6.5	18.50	33.30	33.30	33.30	10.
103B	1	1.7	7.0	7.0	7.5	7.0	7.5	21.50	36.55	69.85	69.85	2.
201B	1	1.6	6.5	8.0	6.5	7.0	7.0	20.50	32.80	102.65	102.65	3.
301B	1	1.7	6.0	6.0	6.0	6.0	6.0	18.00	30.60	133.25	133.25	4.
5132D	1	2.2	5.5	6.5	6.0	6.5	6.0	18.50	40.70	173.95	173.95	4.
403B	1	2.4	6.0	6.5	5.5	6.0	6.0	18.00	43.20	217.15	217.15	3.
105C	1	2.4	4.5	5.0	4.5	5.0	5.5	14.50	34.80	251.95	251.95	6.
203B	1	2.3	6.0	6.0	6.0	6.5	6.5	18.50	42.55	294.50	294.50	7.
303C	1	2.1	5.5	5.0	5.0	5.0	5.5	15.50	32.55	327.05	327.05	
18.2 5.9 6.3 5.9 6.1 6.3												

7. Alexandria Sando, AUS 2007

401B	1	1.5	7.0	8.0	7.0	6.0	7.0	21.00	31.50	31.50	31.50	17.
103B	1	1.7	6.5	7.5	8.0	6.0	7.0	21.00	35.70	67.20	67.20	7.
201B	1	1.6	7.0	7.0	7.0	7.0	7.0	21.00	33.60	100.80	100.80	5.
301B	1	1.7	6.0	6.0	6.0	6.5	6.5	18.50	31.45	132.25	132.25	5.
5231D	1	2.1	5.5	5.5	6.0	5.5	6.0	17.00	35.70	167.95	167.95	8.
403B	1	2.4	6.5	6.5	6.5	5.5	5.5	18.50	44.40	212.35	212.35	9.
105B	1	2.6	4.5	5.0	6.5	5.0	4.5	14.50	37.70	250.05	250.05	8.
303B	1	2.4	6.5	6.5	6.5	6.5	6.5	19.50	46.80	296.85	296.85	6.
203B	1	2.3	4.5	4.0	4.5	4.5	3.5	13.00	29.90	326.75	326.75	
18.3 6.0 6.2 6.4 5.8 5.9												

8. Laina Remund, SKBE 2005

401A	1	1.8	5.5	6.0	6.5	6.0	6.0	18.00	32.40	32.40	32.40	12.
103B	1	1.7	6.0	6.0	6.5	6.5	6.0	18.50	31.45	63.85	63.85	10.
5132D	1	2.2	5.0	4.0	5.0	5.0	4.5	14.50	31.90	95.75	95.75	11.
201B	1	1.6	6.5	7.0	7.0	7.0	7.5	21.00	33.60	129.35	129.35	6.
301B	1	1.7	7.0	7.0	6.5	6.0	6.5	20.00	34.00	163.35	163.35	13.
203B	1	2.3	5.5	6.0	6.0	5.5	5.5	17.00	39.10	202.45	202.45	13.
105C	1	2.4	6.0	7.0	7.0	7.0	6.5	20.50	49.20	251.65	251.65	7.
5134D	1	2.6	4.5	5.5	4.0	4.5	5.5	14.50	37.70	289.35	289.35	8.
403B	1	2.4	5.5	6.0	5.0	4.0	5.0	15.50	37.20	326.55	326.55	
18.7 5.7 6.1 5.9 5.7 5.9												

9. Lara El Batt, GN 2006

103B	1	1.7	6.0	6.5	7.0	6.5	6.0	19.00	32.30	32.30	32.30	13.
201B	1	1.6	6.5	6.5	6.5	6.0	6.0	19.00	30.40	62.70	62.70	14.
301B	1	1.7	6.5	6.0	7.0	6.0	6.5	19.00	32.30	95.00	95.00	12.
401A	1	1.8	6.0	6.5	6.0	5.5	6.5	18.50	33.30	128.30	128.30	9.
5132D	1	2.2	5.5	6.0	6.5	6.0	7.0	18.50	40.70	169.00	169.00	6.
105C	1	2.4	6.5	6.5	6.5	6.5	6.0	19.50	46.80	215.80	215.80	4.
203B	1	2.3	6.0	4.5	4.0	4.5	4.5	13.50	31.05	246.85	246.85	9.
303C	1	2.1	4.5	4.5	4.5	4.0	4.0	13.00	27.30	274.15	274.15	13.
403B	1	2.4	6.0	7.0	6.5	6.5	7.0	20.00	48.00	322.15	322.15	
18.2 5.9 6.0 6.1 5.7 5.9												

401B	1	1.5	8.0	8.0	7.5	7.5	7.0	23.00	34.50	34.50	34.50	5.
103B	1	1.7	7.0	6.5	7.0	6.5	6.5	20.00	34.00	68.50	68.50	4.
201B	1	1.6	7.0	7.0	7.0	7.0	6.5	21.00	33.60	102.10	102.10	4.
301B	1	1.7	6.0	5.5	7.0	7.5	7.0	20.00	34.00	136.10	136.10	3.
5132D	1	2.2	6.0	6.0	6.5	6.5	6.5	19.00	41.80	177.90	177.90	2.
105B	1	2.6	5.5	4.0	4.0	5.0	4.5	13.50	35.10	213.00	213.00	7.
403B	1	2.4	7.0	6.5	6.0	6.5	6.0	19.00	45.60	258.60	258.60	3.
203B	1	2.3	6.0	4.5	6.0	6.0	7.0	18.00	41.40	300.00	300.00	5.
303B	1	2.4	3.5	2.5	4.0	2.5	3.0	9.00	21.60	321.60	321.60	
		<i>18.4</i>	<i>6.2</i>	<i>5.6</i>	<i>6.1</i>	<i>6.1</i>	<i>6.0</i>					

201B	1	1.6	6.5	6.5	5.5	5.5	5.5	17.50	28.00	28.00	28.00	35.00
301B	1	1.7	5.5	7.0	7.0	5.5	7.0	19.50	33.15	61.15	61.15	19.00
401B	1	1.5	6.5	6.5	6.0	6.0	6.5	19.00	28.50	89.65	89.65	22.00
103B	1	1.7	6.5	7.0	6.5	6.5	7.0	20.00	34.00	123.65	123.65	15.00
5132D	1	2.2	6.0	6.0	6.5	7.0	7.0	19.50	42.90	166.55	166.55	10.00
403B	1	2.4	5.5	5.5	5.5	5.5	5.5	16.50	39.60	206.15	206.15	11.00
303B	1	2.4	5.0	6.0	5.0	5.0	6.5	16.00	38.40	244.55	244.55	10.00
203B	1	2.3	4.0	3.5	4.5	4.5	3.5	12.00	27.60	272.15	272.15	14.00
105B	1	2.6	6.0	6.5	6.0	6.5	6.5	19.00	49.40	321.55	321.55	
		<i>18.4</i>	<i>5.7</i>	<i>6.1</i>	<i>5.8</i>	<i>5.8</i>	<i>6.1</i>					

103B	1	1.7	5.5	6.0	7.0	6.5	6.0	18.50	31.45	31.45	31.45	19.
401B	1	1.5	6.0	6.0	7.0	7.0	6.0	19.00	28.50	59.95	59.95	22.
201A	1	1.7	5.5	5.0	6.0	5.5	5.5	16.50	28.05	88.00	88.00	25.
301A	1	1.8	6.5	6.5	6.5	5.5	7.0	19.50	35.10	123.10	123.10	16.
5132D	1	2.2	5.5	6.0	5.5	5.5	5.5	16.50	36.30	159.40	159.40	15.
403B	1	2.4	6.0	6.5	6.5	5.5	6.0	18.50	44.40	203.80	203.80	12.
105B	1	2.6	5.0	4.5	5.5	5.0	5.0	15.00	39.00	242.80	242.80	11.
303B	1	2.4	5.5	4.0	5.5	5.5	6.0	16.50	39.60	282.40	282.40	10.
5333D	1	2.6	5.0	5.5	5.0	5.0	5.0	15.00	39.00	321.40	321.40	
		18.9	5.6	5.6	6.1	5.7	5.8					

103B	1	1.7	6.5	7.0	7.0	7.0	7.0	21.00	35.70	35.70	35.70	2.
201B	1	1.6	7.0	7.0	7.5	7.0	7.5	21.50	34.40	70.10	70.10	1.
301B	1	1.7	5.5	7.5	6.5	6.5	7.0	20.00	34.00	104.10	104.10	2.
401B	1	1.5	6.5	6.5	7.5	7.5	7.5	21.50	32.25	136.35	136.35	2.
5231D	1	2.1	5.5	6.0	6.0	6.5	6.0	18.00	37.80	174.15	174.15	3.
303B	1	2.4	2.5	3.0	2.5	1.5	3.0	8.00	19.20	193.35	193.35	18.
203B	1	2.3	5.0	6.5	6.0	4.0	6.0	17.00	39.10	232.45	232.45	17.
105C	1	2.4	4.5	5.5	5.0	5.5	4.5	15.00	36.00	268.45	268.45	16.
403B	1	2.4	6.5	6.5	6.5	7.0	7.5	20.00	48.00	316.45	316.45	
		18.1	5.5	6.2	6.1	5.8	6.2					

401A	1	1.8	6.5	6.0	6.5	6.0	7.0	19.00	34.20	34.20	34.20	6.
103B	1	1.7	6.5	7.5	7.0	6.5	7.0	20.50	34.85	69.05	69.05	3.
201B	1	1.6	6.5	6.0	6.5	6.5	6.0	19.00	30.40	99.45	99.45	6.
301B	1	1.7	5.0	4.5	4.0	3.5	4.5	13.00	22.10	121.55	121.55	19.
5132D	1	2.2	6.0	7.0	6.5	7.0	7.0	20.50	45.10	166.65	166.65	9.
105B	1	2.6	5.5	6.5	6.0	7.0	5.5	18.00	46.80	213.45	213.45	6.
203B	1	2.3	3.5	3.5	4.0	3.5	4.0	11.00	25.30	238.75	238.75	15.
303B	1	2.4	4.0	4.0	5.5	4.0	5.5	13.50	32.40	271.15	271.15	15.
403B	1	2.4	6.5	6.0	5.5	6.0	7.0	18.50	44.40	315.55	315.55	
		18.7	5.6	5.7	5.7	5.6	5.9					

15. Wilma Perkiö, FIN 2005

401B	1	1.5	6.5	6.5	6.5	7.0	6.5	19.50	29.25	29.25	29.25	25.
103B	1	1.7	6.5	6.5	7.0	6.0	6.5	19.50	33.15	62.40	62.40	16.
201B	1	1.6	6.0	6.0	6.0	6.0	6.5	18.00	28.80	91.20	91.20	19.
301B	1	1.7	6.0	6.0	5.5	6.0	6.0	18.00	30.60	121.80	121.80	18.
5132D	1	2.2	5.5	5.5	5.5	5.5	4.5	16.50	36.30	158.10	158.10	18.
403B	1	2.4	6.0	6.0	6.0	5.5	6.5	18.00	43.20	201.30	201.30	14.
105B	1	2.6	5.5	4.5	5.0	5.0	4.5	14.50	37.70	239.00	239.00	14.
203B	1	2.3	5.5	5.5	5.0	5.0	5.5	16.00	36.80	275.80	275.80	12.
5233D	1	2.5	4.5	4.5	4.5	4.0	4.5	13.50	33.75	309.55	309.55	
		18.5	5.8	5.7	5.7	5.6	5.7					

16. Cara Albiez, AUT 2005

103B	1	1.7	6.0	6.0	6.0	6.5	6.0	18.00	30.60	30.60	30.60	21.
201B	1	1.6	6.5	5.5	6.0	6.0	6.0	18.00	28.80	59.40	59.40	25.
301B	1	1.7	6.5	6.5	6.5	6.5	6.5	19.50	33.15	92.55	92.55	17.
401B	1	1.5	5.5	6.5	5.5	5.0	5.5	16.50	24.75	117.30	117.30	25.
5132D	1	2.2	5.0	5.5	5.5	6.0	6.0	17.00	37.40	154.70	154.70	21.
105B	1	2.6	6.0	4.5	5.0	5.0	4.0	14.50	37.70	192.40	192.40	20.
203B	1	2.3	6.0	6.0	6.0	5.5	6.5	18.00	41.40	233.80	233.80	16.
403B	1	2.4	5.5	6.0	6.0	6.0	6.5	18.00	43.20	277.00	277.00	11.
303B	1	2.4	5.0	4.0	4.5	4.5	4.0	13.00	31.20	308.20	308.20	
		18.4	5.8	5.6	5.7	5.7	5.7					

17. Hannah Puranen, FIN 2006

401A	1	1.8	6.0	6.0	7.0	6.5	6.0	18.50	33.30	33.30	33.30	10.
201B	1	1.6	6.0	5.5	6.0	5.5	5.5	17.00	27.20	60.50	60.50	21.
301B	1	1.7	6.0	6.0	7.0	6.5	6.5	19.00	32.30	92.80	92.80	15.
103B	1	1.7	6.5	6.0	6.5	7.0	7.0	20.00	34.00	126.80	126.80	13.
5231D	1	2.1	5.5	5.5	6.0	6.5	6.5	18.00	37.80	164.60	164.60	12.
403B	1	2.4	6.0	6.0	6.5	5.0	5.5	17.50	42.00	206.60	206.60	10.
105C	1	2.4	3.5	4.0	3.5	3.5	3.5	10.50	25.20	231.80	231.80	18.
203B	1	2.3	4.0	4.5	4.5	4.5	4.5	13.50	31.05	262.85	262.85	19.
303C	1	2.1	6.0	5.5	7.0	6.5	6.5	19.00	39.90	302.75	302.75	
		18.1	5.5	5.4	6.0	5.7	5.7					

18. Anna Torstensson, MKK 2007

103B	1	1.7	6.5	6.5	7.0	6.5	7.0	20.00	34.00	34.00	34.00	7.
201B	1	1.6	6.5	6.5	6.0	5.5	6.0	18.50	29.60	63.60	63.60	12.
301B	1	1.7	6.5	6.5	7.5	6.5	7.0	20.00	34.00	97.60	97.60	8.
401B	1	1.5	6.5	6.5	6.0	6.5	6.5	19.50	29.25	126.85	126.85	12.
5231D	1	2.1	5.0	5.5	5.0	5.0	4.5	15.00	31.50	158.35	158.35	16.
5132D	1	2.2	5.0	6.0	6.5	5.5	5.0	16.50	36.30	194.65	194.65	17.
105B	1	2.6	4.5	5.0	4.5	4.5	4.5	13.50	35.10	229.75	229.75	20.
203B	1	2.3	4.0	4.5	4.5	4.0	4.5	13.00	29.90	259.65	259.65	21.
403B	1	2.4	5.0	5.0	5.5	5.5	5.5	16.00	38.40	298.05	298.05	
		18.1	5.5	5.8	5.8	5.5	5.6					

19. Louna Iacazzi, GN 2005

103B	1	1.7	6.5	7.0	7.0	7.0	7.5	21.00	35.70	35.70	35.70	2.
201B	1	1.6	4.0	4.5	4.5	4.5	4.5	13.50	21.60	57.30	57.30	26.
301B	1	1.7	5.0	5.5	6.0	5.5	6.0	17.00	28.90	86.20	86.20	27.
401A	1	1.8	6.0	6.0	6.0	5.5	6.5	18.00	32.40	118.60	118.60	23.
5132D	1	2.2	5.5	6.5	6.0	5.5	6.5	18.00	39.60	158.20	158.20	17.
105B	1	2.6	5.5	5.0	5.5	4.5	4.0	15.00	39.00	197.20	197.20	16.
203B	1	2.3	4.5	5.0	4.5	5.0	5.5	14.50	33.35	230.55	230.55	19.
303B	1	2.4	5.0	5.0	5.0	4.0	5.0	15.00	36.00	266.55	266.55	18.
5233D	1	2.5	4.0	4.5	4.5	3.5	4.0	12.50	31.25	297.80	297.80	
		18.8	5.1	5.4	5.4	5.0	5.5					

20. Urte Valeisaite, LTU 2005

103B	1	1.7	5.5	6.0	6.0	6.0	5.5	17.50	29.75	29.75	29.75	23.
401A	1	1.8	5.5	5.0	5.5	5.5	5.5	16.50	29.70	59.45	59.45	24.
201B	1	1.6	6.5	6.5	6.5	6.0	6.5	19.50	31.20	90.65	90.65	20.
301B	1	1.7	5.5	5.5	6.0	5.5	6.0	17.00	28.90	119.55	119.55	21.
5132D	1	2.2	6.0	5.5	5.0	5.0	6.5	16.50	36.30	155.85	155.85	19.
105B	1	2.6	4.5	5.0	4.0	4.5	5.0	14.00	36.40	192.25	192.25	21.
403B	1	2.4	6.5	6.5	6.0	6.5	6.5	19.50	46.80	239.05	239.05	13.
203B	1	2.3	4.0	4.0	4.5	4.5	3.5	12.50	28.75	267.80	267.80	17.
5233D	1	2.5	3.5	4.5	4.0	3.5	3.5	11.00	27.50	295.30	295.30	
		18.8	5.3	5.4	5.3	5.2	5.4					

21. Kaliona DuCroux Murinova, LPACA 2005

401B	1	1.5	6.5	7.0	6.5	6.5	6.0	19.50	29.25	29.25	29.25	25.
201B	1	1.6	5.0	6.0	5.0	5.0	5.5	15.50	24.80	54.05	54.05	33.
5231D	1	2.1	6.5	6.5	6.5	6.0	6.0	19.00	39.90	93.95	93.95	14.
301B	1	1.7	4.5	5.5	5.0	5.0	5.5	15.50	26.35	120.30	120.30	20.
103B	1	1.7	6.0	6.0	6.5	6.5	6.5	19.00	32.30	152.60	152.60	23.
105C	1	2.4	3.5	4.0	4.0	4.0	3.0	11.50	27.60	180.20	180.20	24.
5233D	1	2.5	4.5	5.0	4.5	4.0	4.5	13.50	33.75	213.95	213.95	27.
203B	1	2.3	5.5	5.5	4.5	5.0	4.0	15.00	34.50	248.45	248.45	25.
403B	1	2.4	6.0	6.5	6.5	6.5	6.5	19.50	46.80	295.25	295.25	
		18.2	5.3	5.8	5.4	5.4	5.3					

22. Klara Johnsson Stjernström, MKK 2005

201B	1	1.6	7.0	7.0	7.5	7.0	7.0	21.00	33.60	33.60	33.60	9.
301B	1	1.7	6.0	6.0	6.0	6.5	6.5	18.50	31.45	65.05	65.05	8.
401B	1	1.5	4.5	5.5	5.5	4.5	5.5	15.50	23.25	88.30	88.30	24.
103B	1	1.7	5.0	5.0	6.0	5.0	5.5	15.50	26.35	114.65	114.65	27.
5231D	1	2.1	6.0	5.0	6.0	6.0	6.5	18.00	37.80	152.45	152.45	24.
203B	1	2.3	4.0	4.5	4.0	3.5	3.5	11.50	26.45	178.90	178.90	25.
303B	1	2.4	5.0	5.5	5.5	4.5	5.5	16.00	38.40	217.30	217.30	24.
5233D	1	2.5	5.0	5.5	5.0	5.0	4.5	15.00	37.50	254.80	254.80	23.
403B	1	2.4	5.5	4.5	5.5	5.0	5.5	16.00	38.40	293.20	293.20	
		18.2	5.3	5.4	5.7	5.2	5.6					

23. Panna Gyovai, HUN 2006

401B	1	1.5	6.5	7.0	6.5	6.5	6.0	19.50	29.25	29.25	29.25	25.
201B	1	1.6	5.5	5.5	6.0	5.5	5.5	16.50	26.40	55.65	55.65	30.
301B	1	1.7	5.0	5.5	5.5	6.0	5.5	16.50	28.05	83.70	83.70	28.
103B	1	1.7	5.5	5.5	5.5	5.0	6.5	16.50	28.05	111.75	111.75	29.
5231D	1	2.1	5.5	5.5	4.5	5.0	6.0	16.00	33.60	145.35	145.35	27.
5132D	1	2.2	5.5	5.0	5.5	5.5	5.5	16.50	36.30	181.65	181.65	22.
403B	1	2.4	5.5	5.5	4.5	5.0	5.5	16.00	38.40	220.05	220.05	23.
203B	1	2.3	5.0	4.5	5.0	5.0	5.5	15.00	34.50	254.55	254.55	24.
105C	1	2.4	5.5	5.0	5.5	5.0	6.0	16.00	38.40	292.95	292.95	
		17.9	5.5	5.4	5.4	5.4	5.8					

24. Sienna Pambou Sunnfør, BStK 2007

401B	1	1.5	6.5	7.0	6.5	6.0	6.5	19.50	29.25	29.25	29.25	25.
103B	1	1.7	6.0	5.5	6.0	6.0	6.0	18.00	30.60	59.85	59.85	23.
201B	1	1.6	6.0	6.0	6.0	5.5	6.5	18.00	28.80	88.65	88.65	23.
301B	1	1.7	6.0	5.5	6.0	6.0	6.0	18.00	30.60	119.25	119.25	22.
5132D	1	2.2	4.5	5.0	5.5	5.5	4.5	15.00	33.00	152.25	152.25	25.
203B	1	2.3	5.0	6.0	6.5	5.5	6.0	17.50	40.25	192.50	192.50	19.
303C	1	2.1	4.5	4.5	5.0	5.5	5.5	15.00	31.50	224.00	224.00	22.
403B	1	2.4	5.5	5.5	4.0	3.0	5.5	15.00	36.00	260.00	260.00	20.
105C	1	2.4	4.0	4.5	4.5	4.0	4.0	12.50	30.00	290.00	290.00	
		17.9	5.3	5.5	5.6	5.2	5.6					

25. Sofia Torstensson, MKK 2005

201B	1	1.6	6.5	7.0	6.0	6.0	5.5	18.50	29.60	29.60	29.60	24.60
301B	1	1.7	5.0	7.5	6.5	6.5	7.0	20.00	34.00	63.60	63.60	12.60
401A	1	1.8	6.5	6.0	7.0	6.0	6.5	19.00	34.20	97.80	97.80	7.80
103B	1	1.7	6.0	6.0	6.5	6.0	6.5	18.50	31.45	129.25	129.25	7.45
5132D	1	2.2	3.5	4.0	4.0	3.5	3.5	11.00	24.20	153.45	153.45	22.45
203B	1	2.3	3.5	4.0	4.0	2.5	3.5	11.00	25.30	178.75	178.75	26.75
5231D	1	2.1	5.5	6.0	6.0	5.0	5.5	17.00	35.70	214.45	214.45	26.45
105C	1	2.4	4.5	4.5	4.0	4.5	4.0	13.00	31.20	245.65	245.65	26.65
403B	1	2.4	6.0	6.0	6.0	5.5	6.0	18.00	43.20	288.85	288.85	
		<i>18.2</i>	<i>5.2</i>	<i>5.7</i>	<i>5.6</i>	<i>5.1</i>	<i>5.3</i>					

26. Sophie Fürst, VZW 2007

103B	1	1.7	6.0	6.5	6.0	6.0	6.0	18.00	30.60	30.60	30.60	21.
401A	1	1.8	4.5	5.0	5.5	4.5	5.0	14.50	26.10	56.70	56.70	28.
201B	1	1.6	6.0	5.5	5.5	5.0	5.0	16.00	25.60	82.30	82.30	30.
301B	1	1.7	6.0	6.5	6.0	5.5	6.5	18.50	31.45	113.75	113.75	28.
5231D	1	2.1	4.5	5.0	5.5	5.0	4.5	14.50	30.45	144.20	144.20	28.
203B	1	2.3	4.0	4.5	4.5	4.0	4.0	12.50	28.75	172.95	172.95	32.
303C	1	2.1	6.0	6.0	6.5	5.0	5.5	17.50	36.75	209.70	209.70	31.
105C	1	2.4	5.0	5.5	4.5	4.5	5.0	14.50	34.80	244.50	244.50	28.
403B	1	2.4	5.5	5.5	5.0	5.5	6.0	16.50	39.60	284.10	284.10	
		<i>18.1</i>	<i>5.3</i>	<i>5.6</i>	<i>5.4</i>	<i>5.0</i>	<i>5.3</i>					

27. Eszter Kovacs, HUN 2005

401B	1	1.5	6.5	6.5	6.0	6.0	6.5	19.00	28.50	28.50	28.50	32.
201B	1	1.6	5.0	4.0	4.5	4.0	4.0	12.50	20.00	48.50	48.50	38.
301B	1	1.7	5.5	6.0	6.0	6.0	6.0	18.00	30.60	79.10	79.10	34.
103B	1	1.7	5.0	5.5	5.5	5.5	6.0	16.50	28.05	107.15	107.15	32.
5231D	1	2.1	5.5	5.5	5.5	6.5	6.5	17.50	36.75	143.90	143.90	29.
203B	1	2.3	5.5	5.0	5.5	5.5	5.0	16.00	36.80	180.70	180.70	23.
403B	1	2.4	6.0	6.5	6.0	5.5	6.5	18.50	44.40	225.10	225.10	21.
303C	1	2.1	5.5	4.5	5.0	4.5	6.0	15.00	31.50	256.60	256.60	22.
105B	1	2.6	3.0	3.0	3.5	2.5	2.5	8.50	22.10	278.70	278.70	
		18.0	5.3	5.2	5.3	5.1	5.4					

28. Elna Pettersson Wiberg, POS 2007

103B	1	1.7	7.0	6.5	7.0	7.0	6.5	20.50	34.85	34.85	34.85	4.
401B	1	1.5	6.5	6.5	6.0	6.0	6.0	18.50	27.75	62.60	62.60	15.
201B	1	1.6	6.5	6.0	6.5	6.0	6.0	18.50	29.60	92.20	92.20	18.
301B	1	1.7	5.5	5.5	6.5	6.0	7.0	18.00	30.60	122.80	122.80	17.
5231D	1	2.1	2.5	3.5	5.0	4.5	5.0	13.00	27.30	150.10	150.10	26.
5132D	1	2.2	5.5	4.5	4.5	4.0	3.5	13.00	28.60	178.70	178.70	27.
203B	1	2.3	6.0	3.5	5.0	4.5	4.5	14.00	32.20	210.90	210.90	29.
105C	1	2.4	4.5	4.5	4.0	3.5	4.0	12.50	30.00	240.90	240.90	30.
403C	1	2.2	5.0	5.5	5.5	6.0	6.0	17.00	37.40	278.30	278.30	
		17.7	5.4	5.1	5.6	5.3	5.4					

29. Hanna Ekdahl, MKK 2007

201B	1	1.6	5.5	6.0	6.5	6.0	6.0	18.00	28.80	28.80	28.80	31.
301B	1	1.7	3.5	5.0	5.0	5.0	5.0	15.00	25.50	54.30	54.30	32.
401B	1	1.5	5.5	6.0	5.5	6.0	5.5	17.00	25.50	79.80	79.80	33.
103B	1	1.7	5.5	5.5	5.5	5.5	5.5	16.50	28.05	107.85	107.85	31.
5231D	1	2.1	5.0	4.5	5.5	5.0	4.5	14.50	30.45	138.30	138.30	32.
5132D	1	2.2	6.0	5.5	6.0	5.5	5.5	17.00	37.40	175.70	175.70	28.
203B	1	2.3	5.0	5.0	4.5	5.0	5.0	15.00	34.50	210.20	210.20	30.
303C	1	2.1	5.5	5.5	5.5	5.5	6.0	16.50	34.65	244.85	244.85	27.
403B	1	2.4	4.0	4.5	4.5	4.0	4.5	13.00	31.20	276.05	276.05	
		17.6	5.1	5.3	5.4	5.3	5.3					

35. Nura Krpo, BST 2006

103B	1	1.7	5.5	5.0	5.5	5.5	5.5	16.50	28.05	28.05	28.05	33.
201B	1	1.6	6.0	5.0	5.0	5.5	5.0	15.50	24.80	52.85	52.85	34.
301B	1	1.7	5.0	5.5	6.0	6.0	5.5	17.00	28.90	81.75	81.75	31.
401B	1	1.5	5.5	5.5	5.0	5.0	5.5	16.00	24.00	105.75	105.75	34.
5223D	1	2.3	4.0	4.0	4.0	1.5	3.0	11.00	25.30	131.05	131.05	36.
5132D	1	2.2	4.0	4.0	4.0	3.0	3.0	11.00	24.20	155.25	155.25	37.
403C	1	2.2	5.0	4.5	5.5	4.0	4.5	14.00	30.80	186.05	186.05	36.
104C	1	2.2	4.0	4.5	4.5	5.0	3.5	13.00	28.60	214.65	214.65	35.
203C	1	2.0	4.5	5.0	5.0	5.0	5.5	15.00	30.00	244.65	244.65	
17.4 4.8 4.8 4.9 4.5 4.6												

36. Coralie Briano, MON 2007

103B	1	1.7	5.0	5.0	5.0	5.5	5.5	15.50	26.35	26.35	26.35	37.
201B	1	1.6	6.0	6.0	5.0	6.0	6.0	18.00	28.80	55.15	55.15	31.
301B	1	1.7	5.0	5.5	4.0	5.5	4.5	15.00	25.50	80.65	80.65	32.
401B	1	1.5	6.0	5.5	6.0	5.5	5.5	17.00	25.50	106.15	106.15	33.
5132D	1	2.2	4.5	5.5	5.0	4.5	6.0	15.00	33.00	139.15	139.15	31.
105C	1	2.4	3.5	4.0	4.0	3.5	4.0	11.50	27.60	166.75	166.75	34.
203C	1	2.0	3.0	2.5	3.0	2.0	2.0	7.50	15.00	181.75	181.75	37.
303C	1	2.1	3.0	3.0	3.5	3.0	3.0	9.00	18.90	200.65	200.65	38.
403C	1	2.2	4.5	5.5	5.0	4.5	5.5	15.00	33.00	233.65	233.65	
17.4 4.5 4.7 4.5 4.4 4.7												

37. Leia Olsson, POS 2006

103B	1	1.7	5.5	5.5	5.5	5.5	5.0	16.50	28.05	28.05	28.05	33.
401B	1	1.5	5.5	5.0	5.5	4.5	5.0	15.50	23.25	51.30	51.30	36.
201B	1	1.6	4.0	4.5	5.0	5.5	5.0	14.50	23.20	74.50	74.50	36.
301C	1	1.6	4.5	5.0	5.0	5.5	4.5	14.50	23.20	97.70	97.70	37.
5211A	1	1.8	5.5	5.5	5.0	5.0	5.5	16.00	28.80	126.50	126.50	37.
5132D	1	2.2	3.5	4.5	3.5	3.0	3.5	10.50	23.10	149.60	149.60	38.
104C	1	2.2	4.5	4.0	4.5	5.0	4.0	13.00	28.60	178.20	178.20	38.
203C	1	2.0	4.0	4.0	4.5	4.0	4.0	12.00	24.00	202.20	202.20	37.
403C	1	2.2	4.0	4.0	4.5	4.5	4.0	12.50	27.50	229.70	229.70	
16.8 4.6 4.7 4.8 4.7 4.5												

38. Maya Sasson, Osl 2005

101B	1	1.3	5.0	5.0	5.0	5.5	5.0	15.00	19.50	19.50	19.50	40.
201C	1	1.5	4.0	4.0	3.5	4.0	4.0	12.00	18.00	37.50	37.50	40.
301C	1	1.6	4.5	5.0	5.0	4.5	4.5	14.00	22.40	59.90	59.90	40.
401B	1	1.5	4.5	5.0	5.0	4.5	4.5	14.00	21.00	80.90	80.90	40.
5231D	1	2.1	4.5	5.5	5.0	5.0	5.5	15.50	32.55	113.45	113.45	40.
103B	1	1.7	4.5	5.0	5.0	5.0	4.5	14.50	24.65	138.10	138.10	40.
203C	1	2.0	4.5	5.0	5.5	5.0	5.0	15.00	30.00	168.10	168.10	39.
403C	1	2.2	4.0	3.5	4.0	3.5	4.5	11.50	25.30	193.40	193.40	39.
5223D	1	2.3	4.5	5.0	4.5	4.0	5.5	14.00	32.20	225.60	225.60	
16.2 4.4 4.8 4.7 4.6 4.8												

39. Ingeborg Larsson, POS 2007

103B	1	1.7	5.0	4.0	5.5	4.5	5.0	14.50	24.65	24.65	24.65	39.
401B	1	1.5	5.0	4.5	5.0	5.0	4.5	14.50	21.75	46.40	46.40	39.
201B	1	1.6	5.5	4.5	5.5	5.5	5.0	16.00	25.60	72.00	72.00	38.
301B	1	1.7	2.5	2.5	4.0	3.0	4.0	9.50	16.15	88.15	88.15	39.
5231D	1	2.1	5.0	4.5	5.0	4.0	5.0	14.50	30.45	118.60	118.60	39.
203C	1	2.0	3.5	3.5	3.5	3.0	3.5	10.50	21.00	139.60	139.60	39.
303C	1	2.1	3.5	4.0	4.0	3.5	3.0	11.00	23.10	162.70	162.70	40.
104C	1	2.2	4.5	4.5	4.5	4.5	5.0	13.50	29.70	192.40	192.40	40.
403C	1	2.2	5.0	5.0	5.0	5.0	6.0	15.00	33.00	225.40	225.40	
17.1 4.4 4.1 4.7 4.2 4.6												

40. Nica Rakke, ADT 2005

103B	1	1.7	6.0	6.0	5.5	5.5	5.5	17.00	28.90	28.90	28.90	30.
401A	1	1.8	4.0	4.0	4.5	4.5	4.5	13.00	23.40	52.30	52.30	35.
201B	1	1.6	5.0	5.0	5.0	5.5	5.5	15.50	24.80	77.10	77.10	35.
301B	1	1.7	5.5	5.5	5.0	5.0	5.5	16.00	27.20	104.30	104.30	35.
5231D	1	2.1	4.0	5.0	4.5	5.0	5.0	14.50	30.45	134.75	134.75	35.
403C	1	2.2	5.0	4.5	4.5	4.0	4.0	13.00	28.60	163.35	163.35	35.
203B	1	2.3	3.5	3.5	3.5	3.5	4.0	10.50	24.15	187.50	187.50	35.
303C	1	2.1	2.5	3.5	2.5	3.0	3.5	9.00	18.90	206.40	206.40	36.
5132D	1	2.2	2.5	2.5	3.0	2.0	2.5	7.50	16.50	222.90	222.90	
		17.7	4.2	4.4	4.2	4.2	4.4					

Iris Eriksson Linderöth, GSIM 2006

401B	1	1.5										41.
103B	1	1.7										41.
201B	1	1.6										41.
301B	1	1.7										41.
5231D	1	2.1										41.
403C	1	2.2										41.
5132D	1	2.2										41.
203C	1	2.0										41.
105C	1	2.4										
		17.4										

Judges**Panel A****On Rounds 1, 2, 3, 6, 7**

1. Jann Siefken AUT
2. Elin Berg SWE
3. AUSTRALIA AUS
4. Iveta Jirkova CZE
5. Tania Piekkannen FIN

Referee Jann Siefken AUT**Secretary** Vårin Renate Andvik Holm NOR**Panel B****On Rounds 4, 5, 8, 9**

1. Ale Pikturniene LTU
2. ZURICH SUI
3. John Appleman USA
4. Lina Damgaard SWE
5. Espen Nordby NOR

Detailed Results

Bergen Open 2023

AdO Arena, 5/4/23

B Boys, 3 meters

1. Erik Passerone, VZW 2009

403C	3	1.9	7.0	6.5	7.0	7.0	7.0	21.00	39.90	39.90	39.90	1.
103C	3	1.5	6.5	7.0	6.5	7.0	6.5	20.00	30.00	69.90	69.90	2.
201B	3	1.8	6.5	6.0	6.5	6.0	6.5	19.00	34.20	104.10	104.10	3.
301B	3	1.9	8.0	7.0	7.0	6.5	6.5	20.50	38.95	143.05	143.05	3.
5233D	3	2.4	7.0	7.0	6.5	6.5	7.5	20.50	49.20	192.25	192.25	1.
5235D	3	2.8	6.0	6.5	5.5	6.5	5.0	18.00	50.40	242.65	242.65	1.
405C	3	2.7	7.5	6.0	6.5	8.0	6.0	20.00	54.00	296.65	296.65	1.
107C	3	2.8	5.5	6.0	4.5	4.5	4.5	14.50	40.60	337.25	337.25	1.
305C	3	2.8	2.5	2.5	3.5	4.0	3.0	9.00	25.20	362.45	362.45	
		20.6	6.3	6.1	5.9	6.2	5.8					

2. Baptiste Allamanno, FRA 2009

103B	3	1.6	6.0	7.0	6.5	6.0	6.5	19.00	30.40	30.40	30.40	3.
201B	3	1.8	6.5	6.5	7.5	7.0	6.0	20.00	36.00	66.40	66.40	3.
403B	3	2.1	6.5	7.0	6.0	6.0	6.0	18.50	38.85	105.25	105.25	2.
301B	3	1.9	7.0	7.0	6.5	7.0	7.0	21.00	39.90	145.15	145.15	2.
5231D	3	2.0	7.0	7.5	7.5	7.0	7.0	21.50	43.00	188.15	188.15	2.
105B	3	2.4	6.0	6.0	5.5	6.0	6.0	18.00	43.20	231.35	231.35	2.
405C	3	2.7	5.5	5.5	6.0	6.0	6.0	17.50	47.25	278.60	278.60	2.
205C	3	2.8	3.0	3.5	3.5	4.0	2.0	10.00	28.00	306.60	306.60	3.
5235D	3	2.8	5.0	6.5	6.5	6.0	6.0	18.50	51.80	358.40	358.40	
		20.1	5.8	6.3	6.2	6.1	5.8					

3. Albin Helling, GSIM 2008

201B	3	1.8	6.5	7.0	7.5	7.0	6.5	20.50	36.90	36.90	36.90	2.
301B	3	1.9	7.5	7.0	7.5	7.5	7.0	22.00	41.80	78.70	78.70	1.
103B	3	1.6	6.5	6.5	6.0	7.0	6.0	19.00	30.40	109.10	109.10	1.
403B	3	2.1	6.0	7.0	5.5	6.0	6.5	18.50	38.85	147.95	147.95	1.
5132D	3	2.1	5.5	6.5	5.5	5.0	5.5	16.50	34.65	182.60	182.60	3.
5233D	3	2.4	6.5	5.5	6.0	7.0	6.0	18.50	44.40	227.00	227.00	3.
105B	3	2.4	7.0	6.0	5.5	7.0	5.5	18.50	44.40	271.40	271.40	3.
305C	3	2.8	5.5	5.5	6.0	5.5	5.5	16.50	46.20	317.60	317.60	2.
405C	3	2.7	5.0	4.0	5.0	5.0	5.0	15.00	40.50	358.10	358.10	
		19.8	6.2	6.1	6.1	6.3	5.9					

4. Linus Ikonen, GSIM 2008

103B	3	1.6	5.5	6.5	5.5	6.0	6.0	17.50	28.00	28.00	28.00	5.
201B	3	1.8	5.0	5.5	5.0	4.0	6.0	15.50	27.90	55.90	55.90	6.
301B	3	1.9	6.0	6.0	5.5	4.0	5.5	17.00	32.30	88.20	88.20	4.
403B	3	2.1	5.5	6.5	6.0	5.0	5.5	17.00	35.70	123.90	123.90	4.
5132D	3	2.1	6.5	7.0	6.5	5.5	6.5	19.50	40.95	164.85	164.85	4.
105B	3	2.4	6.0	5.0	6.0	6.0	6.5	18.00	43.20	208.05	208.05	4.
303C	3	2.0	5.0	5.5	6.0	5.0	6.0	16.50	33.00	241.05	241.05	4.
405C	3	2.7	6.0	6.5	6.5	6.0	6.5	19.00	51.30	292.35	292.35	4.
5233D	3	2.4	5.5	6.0	6.5	6.0	7.0	18.50	44.40	336.75	336.75	
		19.0	5.7	6.1	5.9	5.3	6.2					

5. Zaid Nazif, MVN 2008

103B	3	1.6	5.5	5.5	5.0	6.0	5.0	16.00	25.60	25.60	25.60	7.
201C	3	1.7	7.0	7.0	7.0	7.0	7.5	21.00	35.70	61.30	61.30	4.
301C	3	1.8	3.0	3.5	4.0	4.0	5.0	11.50	20.70	82.00	82.00	5.
403C	3	1.9	4.0	4.5	4.5	4.0	4.5	13.00	24.70	106.70	106.70	6.
5231D	3	2.0	5.5	6.5	5.0	6.5	6.0	18.00	36.00	142.70	142.70	5.
105C	3	2.2	5.5	5.5	5.5	6.0	4.5	16.50	36.30	179.00	179.00	5.
203C	3	1.9	5.0	4.5	4.5	4.5	5.5	14.00	26.60	205.60	205.60	7.
303C	3	2.0	4.0	4.5	4.5	4.0	4.5	13.00	26.00	231.60	231.60	7.
404C	3	2.4	3.5	3.0	4.5	5.0	5.5	13.00	31.20	262.80	262.80	
		17.5	4.8	4.9	4.9	5.2	5.3					

6. Lenny Wirz, SKBE 2008

401B	3	1.4	7.5	6.5	7.0	6.5	7.0	20.50	28.70	28.70	28.70	4.
103B	3	1.6	5.5	5.0	6.5	6.0	6.0	17.50	28.00	56.70	56.70	5.
201B	3	1.8	3.0	2.5	3.5	4.0	3.0	9.50	17.10	73.80	73.80	8.
301B	3	1.9	5.5	6.0	6.0	5.5	5.0	17.00	32.30	106.10	106.10	7.
5231D	3	2.0	4.5	5.0	4.5	5.0	5.0	14.50	29.00	135.10	135.10	7.
105C	3	2.2	5.0	6.0	6.0	6.5	5.5	17.50	38.50	173.60	173.60	6.
403C	3	1.9	5.5	5.5	6.0	6.0	6.5	17.50	33.25	206.85	206.85	6.
203B	3	2.2	4.0	4.0	4.0	5.0	5.0	13.00	28.60	235.45	235.45	6.
303C	3	2.0	4.0	4.0	3.5	4.5	4.0	12.00	24.00	259.45	259.45	
		17.0	4.9	4.9	5.2	5.4	5.2					

7. Mael Schaerz, Thu 2008

103B	3	1.6	3.5	3.5	2.5	4.0	4.5	11.00	17.60	17.60	17.60	10.
201B	3	1.8	5.5	4.5	5.5	6.0	5.5	16.50	29.70	47.30	47.30	9.
301B	3	1.9	4.5	5.5	6.0	5.0	5.5	16.00	30.40	77.70	77.70	6.
403B	3	2.1	5.5	5.0	5.5	5.5	5.5	16.50	34.65	112.35	112.35	5.
5132D	3	2.1	4.0	6.0	4.0	5.0	4.5	13.50	28.35	140.70	140.70	6.
107C	3	2.8	3.5	4.0	3.0	3.5	3.0	10.00	28.00	168.70	168.70	7.
205C	3	2.8	5.5	5.5	5.0	5.0	5.5	16.00	44.80	213.50	213.50	5.
305C	3	2.8	2.5	2.5	2.0	3.5	3.0	8.00	22.40	235.90	235.90	5.
405C	3	2.7	1.5	2.5	2.5	2.0	3.0	7.00	18.90	254.80	254.80	
		20.6	4.0	4.3	4.0	4.4	4.4					

8. Juri Liechti, SKBE 2009

103B	3	1.6	5.0	6.5	6.0	6.0	5.5	17.50	28.00	28.00	28.00	5.
401B	3	1.4	6.0	5.0	5.0	5.5	5.0	15.50	21.70	49.70	49.70	8.
201B	3	1.8	4.5	4.5	5.0	5.0	4.5	14.00	25.20	74.90	74.90	7.
301C	3	1.8	3.5	4.5	4.5	4.0	4.0	12.50	22.50	97.40	97.40	8.
5211A	3	2.0	3.0	2.0	3.0	3.5	0.5	8.00	16.00	113.40	113.40	9.
105C	3	2.2	4.0	4.5	4.5	5.0	3.5	13.00	28.60	142.00	142.00	9.
403C	3	1.9	5.0	4.5	5.5	4.5	5.5	15.00	28.50	170.50	170.50	8.
203B	3	2.2	4.5	4.0	4.5	4.0	5.0	13.00	28.60	199.10	199.10	9.
5231D	3	2.0	2.0	1.5	4.0	3.0	4.5	9.00	18.00	217.10	217.10	
		16.9	4.2	4.1	4.7	4.5	4.2					

9. Lucas Wikstøl Andersen, KSTK 2009

103B	3	1.6	4.5	4.0	5.5	5.5	5.5	15.50	24.80	24.80	24.80	8.
201A	3	1.9	4.5	5.5	4.5	4.5	5.0	14.00	26.60	51.40	51.40	7.
301C	3	1.8	3.5	3.5	4.5	5.0	4.0	12.00	21.60	73.00	73.00	9.
401B	3	1.4	5.5	6.5	5.5	5.0	4.0	16.00	22.40	95.40	95.40	9.
5231D	3	2.0	3.5	4.0	3.5	3.0	4.0	11.00	22.00	117.40	117.40	8.
105C	3	2.2	5.0	6.0	6.0	5.5	5.5	17.00	37.40	154.80	154.80	8.
303C	3	2.0	2.5	2.5	2.5	2.5	3.0	7.50	15.00	169.80	169.80	9.
403C	3	1.9	5.5	5.5	5.0	4.5	5.0	15.50	29.45	199.25	199.25	8.
5132D	3	2.1	0.5	0.5	1.0	0.5	0.5	1.50	3.15	202.40	202.40	
		16.9	3.9	4.2	4.2	4.0	4.1					

10. Cory White, WWDC 2008

103C	3	1.5	5.0	4.5	4.5	5.0	5.0	14.50	21.75	21.75	21.75	9.
301C	3	1.8	4.0	3.5	4.0	4.5	4.0	12.00	21.60	43.35	43.35	10.
401C	3	1.3	5.5	4.0	5.5	5.0	5.5	16.00	20.80	64.15	64.15	10.
201C	3	1.7	4.0	5.5	4.5	4.0	4.5	13.00	22.10	86.25	86.25	10.
5231D	3	2.0	0.0	0.5	0.0	0.5	0.5	1.00	2.00	88.25	88.25	10.
105C	3	2.2	4.0	5.0	4.5	5.0	4.5	14.00	30.80	119.05	119.05	10.
203C	3	1.9	1.5	1.0	2.0	1.0	1.0	3.50	6.65	125.70	125.70	10.
403C	3	1.9	5.0	5.0	4.5	4.5	5.0	14.50	27.55	153.25	153.25	10.
5211A	3	2.0	2.0	1.0	0.5	3.5	4.0	6.50	13.00	166.25	166.25	
		16.3	3.4	3.3	3.3	3.7	3.8					

Judges

1. Nathan Kim SWE
2. Arne Tellefsen NOR
3. POLAND POL
4. Francisco Parga SUI
5. Nicolai Fjord Larsen DEN

Referee Nicolai Fjord Larsen DEN

Secretary Hannah Starling NOR

Detailed Results

Bergen Open 2023

AdO Arena, 5/4/23

Women, platform syncro

1. Tveit-Sletten / Tveit-Sletten, BStK 2004/2004

301B	10	301B	10	2.0	7.0	6.0	4.0	4.0	6.0	6.5	6.5	17.40	34.80	34.80	34.80	2.
201B	5	201B	5	2.0	6.0	6.0	6.0	5.5	6.0	7.0	6.0	18.60	37.20	72.00	72.00	1.
405B	10	405B	10	2.8	5.0	5.0	4.5	4.5	5.5	5.5	6.0	15.90	44.52	116.52	116.52	1.
5251B	10	5251B	10	2.6	5.5	5.0	5.5	5.0	6.0	6.0	5.5	16.80	43.68	160.20	160.20	1.
105B	10	105B	10	2.3	6.5	6.5	6.5	6.0	6.5	7.0	7.0	20.10	46.23	206.43	206.43	
				11.7	6.0	5.7	5.3	5.0	6.0	6.4	6.2					

2. Monsen Welande / Monsen Welande, BStK 2001/2001

301C	5	301C	5	2.0	6.0	6.5	5.0	5.0	5.5	7.0	6.5	18.00	36.00	36.00	36.00	1.
201B	5	201B	5	2.0	4.5	4.0	5.0	4.5	4.5	5.5	5.5	14.70	29.40	65.40	65.40	2.
5231D	5	5231D	5	2.1	5.0	5.0	4.0	4.0	6.0	6.0	6.0	16.20	34.02	99.42	99.42	2.
105B	10	105B	10	2.3	6.5	5.5	6.0	5.5	5.5	5.5	5.0	16.50	37.95	137.37	137.37	2.
405C	10	405C	10	2.5	5.0	5.0	5.5	5.0	6.0	6.5	6.5	17.40	43.50	180.87	180.87	
				10.9	5.4	5.2	5.1	4.8	5.5	6.1	5.9					

Judges

1. Ramon de Meijer NED (A)
2. FRANCE FRA (A)
3. THUN SUI (B)
4. Kamilla Veres HUN (B)
5. JÖNKÖPING SWE (syncro)
6. Arne Tellefsen NOR (syncro)
7. GENÈVE SUI (syncro)

Referee Jann Siefken AUT

Secretary Vårin Renate Andvik Holm NOR

Detailed Results

Bergen Open 2023

AdO Arena, 5/4/23

Boys, 3 meters syncro

1. Zach Welsh / Jake Welsh, MVN 2006/2006

201B	3	201B	3	2.0	6.5	6.0	7.5	7.5	7.5	8.0	7.0	21.90	43.80	43.80	43.80	1.
301B	3	301B	3	2.0	6.0	6.0	8.0	7.5	7.5	8.0	7.5	21.90	43.80	87.60	87.60	1.
405B	3	405B	3	3.0	6.5	7.0	6.5	7.0	7.0	7.0	7.0	20.70	62.10	149.70	149.70	1.
107B	3	107B	3	3.1	7.0	7.0	6.5	6.0	6.0	7.0	7.0	20.10	62.31	212.01	212.01	1.
5152B	3	5152B	3	3.0	7.0	7.5	7.0	6.5	6.0	7.0	8.0	21.00	63.00	275.01	275.01	
				13.1	6.6	6.7	7.1	6.9	6.8	7.4	7.3					

2. P. Saur Hubred / F. Barenius, MKK/SPIF 2007/2006

103B	3	103B	3	2.0	7.0	7.5	7.0	7.0	7.0	7.5	7.5	21.60	43.20	43.20	43.20	2.
401B	3	401B	3	2.0	7.5	7.5	7.5	7.5	7.0	7.0	8.0	22.20	44.40	87.60	87.60	1.
205C	3	205C	3	2.8	6.0	6.5	3.0	4.5	5.5	5.5	5.5	16.20	45.36	132.96	132.96	2.
305C	3	305C	3	2.8	6.5	6.5	5.5	6.0	6.5	6.0	7.0	19.20	53.76	186.72	186.72	2.
107C	3	107C	3	2.8	6.5	7.0	6.0	6.5	6.5	6.5	7.0	19.80	55.44	242.16	242.16	
				12.4	6.7	7.0	5.8	6.3	6.5	6.5	7.0					

3. Jackson Lipscomb / Nolan Rooker, MVN 2006/2006

401B	3	401B	3	2.0	6.5	7.0	8.0	6.0	6.5	8.0	7.5	21.30	42.60	42.60	42.60	3.
201B	3	201B	3	2.0	7.0	6.5	8.0	7.0	6.5	6.5	7.5	20.70	41.40	84.00	84.00	3.
5152B	3	5152B	3	3.0	3.0	3.0	6.0	5.5	5.0	5.5	4.5	14.10	42.30	126.30	126.30	3.
5235D	3	5235D	3	2.8	5.5	5.5	6.0	6.0	6.0	7.0	6.5	18.60	52.08	178.38	178.38	3.
305C	3	305C	3	2.8	5.0	5.0	6.0	7.0	6.5	6.5	6.5	18.30	51.24	229.62	229.62	
				12.6	5.4	5.4	6.8	6.3	6.1	6.7	6.5					

Carl Larmark / Axel Walther, POS 2005/2005

101B	3	101B	3	2.0											4.
301B	3	301B	3	2.0											4.
5152B	3	5152B	3	3.0											4.
405C	3	405C	3	2.7											4.
107C	3	107C	3	2.8											
				12.5											

Judges

1. Jann Siefken AUT (A)
2. Espen Nordby NOR (A)
3. Anna Maja Holm Thorsen NOR (B)
4. Moa Gyllenstierna SWE (B)
5. Ale Pikturniene LTU (syncro)
6. Iveta Jirkova CZE (syncro)
7. Peter Axtelius SWE (syncro)

Referee Arne Tellefsen NOR

Secretary Vårin Renate Andvik Holm NOR

Detailed Results

Bergen Open 2023

AdO Arena, 5/4/23

Girls, 3 meters synchro

1. Odessa Käck / Aada Liikkanen, FIN 2005/2008

5231D	3	5231D	3	2.0	7.0	7.0	7.0	6.5	7.5	7.0	7.0	21.30	42.60	42.60	42.60	2.
401B	3	401B	3	2.0	7.0	7.0	6.5	6.5	7.0	6.5	7.0	20.40	40.80	83.40	83.40	5.
405C	3	405C	3	2.7	5.5	5.5	6.0	5.5	6.5	6.5	6.5	18.30	49.41	132.81	132.81	3.
105B	3	105B	3	2.4	6.5	6.0	6.0	5.0	6.0	7.0	6.5	18.90	45.36	178.17	178.17	1.
205C	3	205C	3	2.8	5.0	4.5	5.5	6.0	6.5	6.5	6.5	18.00	50.40	228.57	228.57	
				11.9	6.2	6.0	6.2	5.9	6.7	6.7	6.7					

2. Lara El Batt / Louna Iacazzi, GN 2006/2005

201B	3	201B	3	2.0	7.0	7.0	6.0	6.0	7.5	7.5	7.5	21.30	42.60	42.60	42.60	2.
401B	3	401B	3	2.0	8.0	7.0	6.5	7.0	7.0	7.0	7.0	21.00	42.00	84.60	84.60	1.
105B	3	105B	3	2.4	7.0	6.5	6.0	7.0	7.0	6.5	7.0	20.40	48.96	133.56	133.56	2.
205C	3	205C	3	2.8	5.5	4.5	4.0	4.0	6.0	5.0	5.5	15.00	42.00	175.56	175.56	3.
5233D	3	5233D	3	2.4	6.5	6.5	5.5	6.0	6.0	6.5	7.0	19.20	46.08	221.64	221.64	
				11.6	6.8	6.3	5.6	6.0	6.7	6.5	6.8					

3. Sheridan Smith / Ella Roselli, MVN 2005/2005

401B	3	401B	3	2.0	7.0	6.0	7.5	6.5	7.5	7.5	7.0	21.30	42.60	42.60	42.60	2.
103B	3	103B	3	2.0	6.5	7.0	6.0	6.5	7.0	7.0	7.5	20.70	41.40	84.00	84.00	3.
205C	3	205C	3	2.8	6.0	5.5	5.0	5.0	6.0	6.5	6.0	17.40	48.72	132.72	132.72	4.
305C	3	305C	3	2.8	6.0	6.0	4.0	4.0	6.0	5.5	5.5	16.20	45.36	178.08	178.08	2.
5152B	3	5152B	3	3.0	5.0	4.0	4.0	4.5	5.0	5.5	5.0	14.40	43.20	221.28	221.28	
				12.6	6.1	5.7	5.3	5.3	6.3	6.4	6.2					

4. Signe Stahl / Anna Torstensson, MKK 2007/2007

201B	3	201B	3	2.0	7.0	7.5	7.5	7.5	7.0	7.5	7.5	22.20	44.40	44.40	44.40	1.
301B	3	301B	3	2.0	6.0	7.0	7.0	7.0	6.0	6.5	7.0	20.10	40.20	84.60	84.60	1.
405C	3	405C	3	2.7	5.5	6.0	6.0	7.0	5.5	6.5	7.0	18.60	50.22	134.82	134.82	1.
205C	3	205C	3	2.8	3.5	3.0	4.5	4.5	4.5	5.5	4.5	13.50	37.80	172.62	172.62	4.
105B	3	105B	3	2.4	6.0	6.5	7.0	7.0	6.0	6.5	6.5	19.50	46.80	219.42	219.42	
				11.9	5.6	6.0	6.4	6.6	5.8	6.5	6.5					

5. E. Repo / O. Jääskeläinen, FIN 2007/2008

201B	3	201B	3	2.0	7.0	6.5	6.0	6.5	7.5	7.0	7.0	20.70	41.40	41.40	41.40	6.
301B	3	301B	3	2.0	6.0	6.0	5.0	6.0	6.0	6.0	6.0	18.00	36.00	77.40	77.40	8.
405C	3	405C	3	2.7	5.0	6.0	6.0	6.0	6.5	7.0	6.0	18.90	51.03	128.43	128.43	5.
205C	3	205C	3	2.8	4.5	3.5	5.0	4.5	5.5	6.0	5.5	15.60	43.68	172.11	172.11	5.
5233D	3	5233D	3	2.4	6.5	5.5	5.5	5.0	6.0	6.0	6.0	17.40	41.76	213.87	213.87	
				11.9	5.8	5.5	5.5	5.6	6.3	6.4	6.1					

6. Johnsson Stjerns / Torstensson, MKK 2005/2005

201B	3	201B	3	2.0	7.0	7.0	7.0	6.0	7.0	7.0	7.5	21.30	42.60	42.60	42.60	2.
401B	3	401B	3	2.0	6.5	7.0	7.0	7.0	6.0	7.0	7.5	20.70	41.40	84.00	84.00	3.
105B	3	105B	3	2.4	6.0	7.0	5.0	5.0	5.5	6.0	6.0	17.10	41.04	125.04	125.04	7.
205C	3	205C	3	2.8	3.5	3.5	5.0	4.5	5.5	6.0	5.5	15.00	42.00	167.04	167.04	6.
5233D	3	5233D	3	2.4	6.0	6.5	6.0	6.0	5.5	6.5	7.0	18.60	44.64	211.68	211.68	
				11.6	5.8	6.2	6.0	5.7	5.9	6.5	6.7					

7. Urte Valeisaite / Vita Slajute, LTU 2005/2006

401B 3	401B 3	2.0	7.0	6.5	6.5	7.0	7.0	6.5	6.5	20.10	40.20	40.20	40.20	8.
201B 3	201B 3	2.0	6.5	6.5	6.0	6.5	6.5	6.5	6.5	19.50	39.00	79.20	79.20	6.
105B 3	105B 3	2.4	6.5	6.0	6.0	5.5	6.0	7.0	7.0	19.20	46.08	125.28	125.28	6.
403B 3	403B 3	2.1	6.5	6.5	6.0	7.0	6.0	6.0	6.0	18.60	39.06	164.34	164.34	7.
5233D 3	5233D 3	2.4	5.5	6.0	5.0	6.0	6.5	6.5	6.5	18.60	44.64	208.98	208.98	
10.9 6.4 6.3 5.9 6.4 6.4 6.5 6.5														

8. Emma Kelly / Panna Gyovai, HUN 2008/2006

201B 3	201B 3	2.0	6.5	6.0	6.5	6.0	7.0	7.0	6.5	19.80	39.60	39.60	39.60	9.
5231D 3	5231D 3	2.0	6.0	6.0	5.5	5.0	6.0	6.0	6.0	17.70	35.40	75.00	75.00	9.
105B 3	105B 3	2.4	6.5	6.0	5.0	4.5	6.0	6.5	6.0	17.70	42.48	117.48	117.48	9.
405C 3	405C 3	2.7	3.5	3.0	4.0	4.0	5.5	5.0	5.0	13.80	37.26	154.74	154.74	8.
205C 3	205C 3	2.8	4.0	4.0	5.0	5.5	6.5	7.0	6.0	17.10	47.88	202.62	202.62	
11.9 5.3 5.0 5.2 5.0 6.2 6.3 5.9														

9. K. DuCroux Murinova / Z. Jules, LPACA 2005/2005

5231D 3	5231D 3	2.0	7.0	7.0	6.0	6.0	7.5	7.0	6.5	20.40	40.80	40.80	40.80	7.
103B 3	103B 3	2.0	7.0	6.5	6.0	5.5	6.5	6.0	6.5	18.90	37.80	78.60	78.60	7.
105B 3	105B 3	2.4	5.5	5.5	5.0	5.5	6.5	5.5	6.0	17.40	41.76	120.36	120.36	8.
405C 3	405C 3	2.7	3.0	3.0	3.0	3.5	5.0	5.0	4.5	12.30	33.21	153.57	153.57	9.
205C 3	205C 3	2.8	3.5	3.0	4.0	4.5	5.5	5.5	5.0	14.10	39.48	193.05	193.05	
11.9 5.2 5.0 4.8 5.0 6.2 5.8 5.7														

10. Hanna Andersson / Leia Olsson, POS 2005/2006

401B 3	401B 3	2.0	6.5	6.0	6.5	6.0	6.5	6.5	6.5	19.20	38.40	38.40	38.40	10.
201B 3	201B 3	2.0	6.0	6.0	5.5	5.0	6.0	6.0	6.0	17.70	35.40	73.80	73.80	10.
5231D 3	5231D 3	2.0	5.5	6.0	5.0	4.5	5.5	6.0	5.5	16.50	33.00	106.80	106.80	10.
105B 3	105B 3	2.4	5.0	6.0	4.0	4.0	5.0	5.5	5.0	14.70	35.28	142.08	142.08	10.
403B 3	403B 3	2.1	5.0	6.0	5.5	5.0	6.0	6.0	6.0	17.10	35.91	177.99	177.99	
10.5 5.6 6.0 5.3 4.9 5.8 6.0 5.8														

11. Nora Bergsten / Zoe Lundin, GSIM/VSS 2009/2009

103B 3	103B 3	2.0	5.5	6.0	6.0	6.0	6.5	6.0	6.0	18.30	36.60	36.60	36.60	11.
401B 3	401B 3	2.0	6.5	7.0	4.5	4.5	5.5	5.0	4.5	15.60	31.20	67.80	67.80	11.
5132D 3	5132D 3	2.1	6.0	6.0	5.5	5.5	5.5	6.0	5.5	17.10	35.91	103.71	103.71	11.
303C 3	303C 3	2.0	6.0	6.0	4.5	5.0	5.5	5.0	5.5	16.20	32.40	136.11	136.11	11.
105B 3	105B 3	2.4	5.5	4.5	1.5	2.0	5.0	4.5	4.0	12.00	28.80	164.91	164.91	
10.5 5.9 5.9 4.4 4.6 5.6 5.3 5.1														

12. Meret Bachmann / Sophie Fürst, VZW 2008/2007

201B 3	201B 3	2.0	5.5	4.5	4.0	4.5	6.0	5.5	5.0	15.30	30.60	30.60	30.60	12.
301B 3	301B 3	2.0	3.5	3.0	5.5	4.5	5.0	5.0	4.5	13.50	27.00	57.60	57.60	12.
403B 3	403B 3	2.1	4.0	4.0	4.5	4.0	6.0	5.0	5.5	14.70	30.87	88.47	88.47	12.
203B 3	203B 3	2.2	5.0	5.0	2.5	3.0	5.5	4.0	4.0	12.90	28.38	116.85	116.85	12.
105B 3	105B 3	2.4	3.5	3.5	4.5	5.0	5.5	5.0	5.5	14.40	34.56	151.41	151.41	
10.7 4.3 4.0 4.2 4.2 5.6 4.9 4.9														

Judges

1. Jann Siefken AUT (A)
2. Espen Nordby NOR (A)
3. Anna Maja Holm Thorsen NOR (B)
4. Moa Gyllenstierna SWE (B)
5. Ale Pikturniene LTU (syncro)
6. Iveta Jirkova CZE (syncro)
7. Peter Axtelius SWE (syncro)

Referee Arne Tellefsen NOR**Secretary** Vårin Renate Andvik Holm NOR

Detailed Results

Bergen Open 2023

AdO Arena, 5/5/23

B Boys, 1 meter

1. Axel Sinclair, GSIM 2008

201B	1	1.6	6.5	6.0	6.5	6.5	6.0	19.00	30.40	30.40	30.40	3.
301B	1	1.7	7.0	6.5	7.0	5.5	7.0	20.50	34.85	65.25	65.25	2.
103B	1	1.7	7.0	6.5	7.0	6.5	6.0	20.00	34.00	99.25	99.25	2.
401B	1	1.5	8.5	8.0	8.0	7.0	6.5	23.00	34.50	133.75	133.75	1.
5132D	1	2.2	6.5	6.0	7.0	5.5	6.5	19.00	41.80	175.55	175.55	1.
105B	1	2.6	7.0	6.0	6.5	6.0	6.5	19.00	49.40	224.95	224.95	1.
203B	1	2.3	4.0	4.0	4.0	3.5	3.5	11.50	26.45	251.40	251.40	2.
303B	1	2.4	4.5	4.0	5.0	4.5	4.0	13.00	31.20	282.60	282.60	1.
403B	1	2.4	7.5	7.5	7.5	7.0	7.0	22.00	52.80	335.40	335.40	
		18.4	6.5	6.1	6.5	5.8	5.9					

2. Baptiste Allamanno, FRA 2009

103B	1	1.7	7.0	7.5	7.0	7.0	7.0	21.00	35.70	35.70	35.70	1.
201B	1	1.6	6.0	7.0	7.0	6.0	6.0	19.00	30.40	66.10	66.10	1.
401A	1	1.8	5.5	6.5	6.5	6.5	5.5	18.50	33.30	99.40	99.40	1.
301B	1	1.7	6.0	6.0	6.5	6.0	6.0	18.00	30.60	130.00	130.00	2.
5132D	1	2.2	6.5	6.0	5.5	6.0	6.0	18.00	39.60	169.60	169.60	2.
105B	1	2.6	5.0	6.0	5.5	6.5	5.5	17.00	44.20	213.80	213.80	2.
403B	1	2.4	6.0	6.5	7.0	6.0	5.5	18.50	44.40	258.20	258.20	1.
303C	1	2.1	3.0	3.5	4.5	4.0	3.5	11.00	23.10	281.30	281.30	2.
5233D	1	2.5	6.0	6.5	6.5	6.5	6.5	19.50	48.75	330.05	330.05	
		18.6	5.7	6.2	6.2	6.1	5.7					

3. Erik Passerone, VZW 2009

401A	1	1.8	4.5	4.5	6.0	5.0	5.5	15.00	27.00	27.00	27.00	8.
103B	1	1.7	4.0	6.0	6.5	6.0	5.5	17.50	29.75	56.75	56.75	4.
201B	1	1.6	5.5	4.0	5.0	4.5	5.0	14.50	23.20	79.95	79.95	5.
301B	1	1.7	5.0	4.0	5.5	5.0	4.5	14.50	24.65	104.60	104.60	4.
5132D	1	2.2	6.0	6.0	6.0	4.5	6.0	18.00	39.60	144.20	144.20	4.
5134D	1	2.6	6.0	5.5	6.0	4.5	6.0	17.50	45.50	189.70	189.70	4.
403B	1	2.4	5.5	6.0	6.5	6.0	5.5	17.50	42.00	231.70	231.70	3.
303B	1	2.4	6.0	7.0	7.0	6.5	7.0	20.50	49.20	280.90	280.90	3.
105B	1	2.6	6.0	6.0	5.5	5.0	5.0	16.50	42.90	323.80	323.80	
		19.0	5.4	5.4	6.0	5.2	5.6					

4. Linus Ikonen, GSIM 2008

103B	1	1.7	6.0	6.0	6.0	6.0	5.5	18.00	30.60	30.60	30.60	2.
201B	1	1.6	5.5	6.0	6.0	5.0	5.5	17.00	27.20	57.80	57.80	3.
301B	1	1.7	5.5	6.5	6.5	7.0	6.0	19.00	32.30	90.10	90.10	3.
401A	1	1.8	5.5	6.0	5.0	6.5	4.5	16.50	29.70	119.80	119.80	3.
5132D	1	2.2	7.0	7.0	6.5	6.0	6.0	19.50	42.90	162.70	162.70	3.
105B	1	2.6	4.5	5.0	5.0	5.5	4.0	14.50	37.70	200.40	200.40	3.
303C	1	2.1	2.0	3.5	3.5	3.5	3.0	10.00	21.00	221.40	221.40	4.
403B	1	2.4	5.5	6.5	6.0	7.0	6.0	18.50	44.40	265.80	265.80	4.
5233D	1	2.5	3.5	4.5	5.0	5.5	3.5	13.00	32.50	298.30	298.30	
		18.6	5.0	5.7	5.5	5.8	4.9					

5. Lenny Wirz, SKBE 2008

401B	1	1.5	5.0	4.5	5.5	6.0	5.5	16.00	24.00	24.00	24.00	10.
103B	1	1.7	5.5	6.0	6.0	5.5	6.0	17.50	29.75	53.75	53.75	5.
201B	1	1.6	5.0	6.5	5.0	6.0	6.0	17.00	27.20	80.95	80.95	4.
301B	1	1.7	3.0	4.0	4.0	5.0	4.5	12.50	21.25	102.20	102.20	6.
5231D	1	2.1	6.0	6.5	6.0	7.0	6.0	18.50	38.85	141.05	141.05	5.
105C	1	2.4	3.0	4.0	4.0	5.5	3.5	11.50	27.60	168.65	168.65	6.
403C	1	2.2	4.5	4.5	5.0	6.0	4.5	14.00	30.80	199.45	199.45	5.
203C	1	2.0	5.5	6.0	6.0	4.0	5.0	16.50	33.00	232.45	232.45	5.
303C	1	2.1	4.5	4.5	5.5	4.5	5.0	14.00	29.40	261.85	261.85	
17.3 4.7 5.2 5.2 5.5 5.1												

6. Mael Schaerz, Thu 2008

103B	1	1.7	4.5	5.5	6.0	6.0	6.0	17.50	29.75	29.75	29.75	4.
201B	1	1.6	3.5	4.5	4.5	6.0	4.5	13.50	21.60	51.35	51.35	7.
301B	1	1.7	4.0	5.5	5.0	4.5	5.5	15.00	25.50	76.85	76.85	6.
401B	1	1.5	5.5	6.0	6.0	6.0	6.0	18.00	27.00	103.85	103.85	5.
5331D	1	2.2	3.0	3.5	3.5	4.5	3.0	10.00	22.00	125.85	125.85	6.
105B	1	2.6	6.0	6.5	6.5	7.0	5.5	19.00	49.40	175.25	175.25	5.
203B	1	2.3	2.5	2.5	3.0	2.5	2.5	7.50	17.25	192.50	192.50	6.
403B	1	2.4	4.0	5.5	5.5	5.0	6.0	16.00	38.40	230.90	230.90	6.
5132D	1	2.2	4.0	5.0	5.0	4.5	3.5	13.50	29.70	260.60	260.60	
18.2 4.1 4.9 5.0 5.1 4.7												

7. Zaid Nazif, MVN 2008

103B	1	1.7	5.0	6.0	5.5	6.0	5.0	16.50	28.05	28.05	28.05	6.
201C	1	1.5	4.0	4.0	5.0	4.5	4.0	12.50	18.75	46.80	46.80	9.
301C	1	1.6	3.0	4.5	4.0	4.0	3.5	11.50	18.40	65.20	65.20	9.
401B	1	1.5	6.0	7.0	6.5	6.0	6.5	19.00	28.50	93.70	93.70	7.
5231D	1	2.1	2.5	4.5	4.0	4.5	4.0	12.50	26.25	119.95	119.95	7.
5223D	1	2.3	2.0	3.0	4.0	4.0	1.5	9.00	20.70	140.65	140.65	7.
203C	1	2.0	5.0	6.0	6.0	5.5	5.5	17.00	34.00	174.65	174.65	7.
303C	1	2.1	3.0	3.5	3.0	3.5	3.5	10.00	21.00	195.65	195.65	7.
403C	1	2.2	5.0	5.0	5.5	5.0	5.0	15.00	33.00	228.65	228.65	
17.0 3.9 4.8 4.8 4.8 4.3												

8. Cory White, WWDC 2008

103C	1	1.6	4.0	5.5	5.0	5.5	5.0	15.50	24.80	24.80	24.80	9.
301C	1	1.6	3.0	3.5	3.0	4.0	3.5	10.00	16.00	40.80	40.80	10.
401C	1	1.4	4.0	4.5	4.5	5.0	4.0	13.00	18.20	59.00	59.00	10.
201C	1	1.5	4.5	5.0	5.0	5.0	5.0	15.00	22.50	81.50	81.50	10.
5231D	1	2.1	3.5	4.5	4.5	4.0	4.0	12.50	26.25	107.75	107.75	9.
104C	1	2.2	1.5	3.0	4.0	2.0	3.0	8.00	17.60	125.35	125.35	8.
203C	1	2.0	4.0	5.0	4.5	5.0	4.5	14.00	28.00	153.35	153.35	8.
303C	1	2.1	3.5	3.5	4.0	3.5	4.0	11.00	23.10	176.45	176.45	9.
403C	1	2.2	3.5	4.5	4.5	4.5	3.5	12.50	27.50	203.95	203.95	
16.7 3.5 4.3 4.3 4.3 4.1												

9. Juri Liechti, SKBE 2009

103B	1	1.7	5.0	5.5	6.0	6.0	6.0	17.50	29.75	29.75	29.75	4.
401B	1	1.5	4.5	6.0	5.0	5.5	5.5	16.00	24.00	53.75	53.75	5.
201B	1	1.6	3.5	4.0	4.5	4.0	4.5	12.50	20.00	73.75	73.75	7.
301C	1	1.6	3.0	4.0	4.0	4.0	4.5	12.00	19.20	92.95	92.95	8.
5122D	1	1.9	4.5	5.0	5.0	4.0	4.5	14.00	26.60	119.55	119.55	8.
105C	1	2.4	0.0	0.0	0.0	0.0	0.0	F 0.00	0.00	119.55	119.55	10.
403C	1	2.2	4.5	5.5	5.0	5.0	4.5	14.50	31.90	151.45	151.45	9.
203C	1	2.0	4.5	5.5	5.0	5.0	6.0	15.50	31.00	182.45	182.45	8.
302C	1	1.6	4.0	4.0	4.5	4.0	5.0	12.50	20.00	202.45	202.45	
16.5 3.7 4.4 4.3 4.2 4.5												

10. Lucas Wikstøl Andersen, KSTK 2009

103B	1	1.7	4.5	5.5	5.5	5.0	6.0	16.00	27.20	27.20	27.20	7.
201C	1	1.5	4.5	5.5	4.0	4.0	5.0	13.50	20.25	47.45	47.45	8.
301C	1	1.6	4.0	4.5	3.5	3.5	4.5	12.00	19.20	66.65	66.65	8.
401B	1	1.5	4.0	4.0	4.0	3.5	4.0	12.00	18.00	84.65	84.65	9.
5231D	1	2.1	1.0	2.5	2.5	2.5	2.5	7.50	15.75	100.40	100.40	10.
105C	1	2.4	2.5	3.0	3.5	3.5	3.5	10.00	24.00	124.40	124.40	9.
203C	1	2.0	0.5	1.5	1.5	1.0	0.5	3.00	6.00	130.40	130.40	10.
303C	1	2.1	4.0	5.5	4.5	5.0	4.5	14.00	29.40	159.80	159.80	10.
403C	1	2.2	3.0	4.5	4.5	4.0	4.0	12.50	27.50	187.30	187.30	
		17.1	3.1	4.1	3.7	3.6	3.8					

Judges

1. Lina Damgaard SWE
2. Espen Nordby NOR
3. John Appleman USA
4. Nicolai Fjord Larsen DEN
5. Francisco Parga SUI

Referee Lina Damgaard SWE

Secretary Vårin Renate Andvik Holm NOR

Detailed Results

Bergen Open 2023

AdO Arena, 5/5/23

B Girls, 3 meters

1. Chloe Gao, AUS 2008

103B	3	1.6	7.0	7.0	7.0	7.5	7.0	21.00	33.60	33.60	33.60	4.
403B	3	2.1	6.0	6.5	6.5	6.0	6.5	19.00	39.90	73.50	73.50	3.
201B	3	1.8	7.0	7.0	6.5	7.0	7.0	21.00	37.80	111.30	111.30	2.
301B	3	1.9	6.5	5.5	6.0	5.5	6.0	17.50	33.25	144.55	144.55	4.
5132D	3	2.1	7.0	6.5	6.5	6.5	5.5	19.50	40.95	185.50	185.50	3.
205C	3	2.8	5.5	4.5	5.5	5.0	4.5	15.00	42.00	227.50	227.50	3.
305C	3	2.8	7.0	6.5	7.0	6.5	6.5	20.00	56.00	283.50	283.50	2.
405C	3	2.7	6.5	6.5	5.5	6.0	5.5	18.00	48.60	332.10	332.10	

17.8 6.6 6.3 6.3 6.3 6.1

2. Elly Ekeback, JSS 2008

103B	3	1.6	6.5	6.0	7.0	7.0	7.0	20.50	32.80	32.80	32.80	6.
201B	3	1.8	5.0	7.0	6.5	6.5	6.5	19.50	35.10	67.90	67.90	8.
301B	3	1.9	6.0	6.5	6.5	6.5	7.0	19.50	37.05	104.95	104.95	7.
403B	3	2.1	6.5	6.5	7.0	6.5	6.5	19.50	40.95	145.90	145.90	2.
5132D	3	2.1	6.5	7.5	7.5	8.0	7.0	22.00	46.20	192.10	192.10	1.
105B	3	2.4	6.0	6.5	6.0	6.5	6.0	18.50	44.40	236.50	236.50	1.
205C	3	2.8	4.5	4.5	5.0	4.5	4.5	13.50	37.80	274.30	274.30	4.
305C	3	2.8	4.5	4.5	6.0	5.5	5.0	15.00	42.00	316.30	316.30	

17.5 5.7 6.1 6.4 6.4 6.2

3. Aada Liikkanen, FIN 2008

103B	3	1.6	6.5	6.5	6.0	6.5	6.0	19.00	30.40	30.40	30.40	10.
403B	3	2.1	7.0	6.5	6.5	7.0	6.5	20.00	42.00	72.40	72.40	5.
201B	3	1.8	7.0	6.5	6.5	6.5	6.0	19.50	35.10	107.50	107.50	4.
301B	3	1.9	6.5	6.0	6.5	7.0	6.5	19.50	37.05	144.55	144.55	4.
5231D	3	2.0	6.5	6.5	5.5	6.5	6.0	19.00	38.00	182.55	182.55	5.
5233D	3	2.4	6.5	6.0	6.0	6.5	5.5	18.50	44.40	226.95	226.95	4.
405C	3	2.7	6.0	6.0	6.0	6.5	5.0	18.00	48.60	275.55	275.55	3.
205C	3	2.8	5.5	4.5	4.5	4.5	5.0	14.00	39.20	314.75	314.75	

17.3 6.4 6.1 5.9 6.4 5.8

4. Tereza Jelinkova, Czech 2008

201B	3	1.8	6.5	7.0	6.5	7.0	7.0	20.50	36.90	36.90	36.90	3.
301B	3	1.9	7.0	7.5	7.0	7.0	7.5	21.50	40.85	77.75	77.75	1.
103B	3	1.6	7.0	6.5	6.5	6.0	6.5	19.50	31.20	108.95	108.95	3.
403B	3	2.1	7.0	7.0	6.5	6.5	6.0	20.00	42.00	150.95	150.95	1.
5132D	3	2.1	6.5	6.5	7.0	6.0	6.0	19.00	39.90	190.85	190.85	2.
405C	3	2.7	3.5	4.5	4.0	3.5	3.5	11.00	29.70	220.55	220.55	5.
205C	3	2.8	5.0	4.0	5.0	3.5	5.0	14.00	39.20	259.75	259.75	5.
305C	3	2.8	5.5	5.5	6.0	5.0	6.0	17.00	47.60	307.35	307.35	

17.8 6.0 6.1 6.1 5.6 5.9

103B	3	1.6	6.0	6.5	6.0	6.0	6.0	18.00	28.80	28.80	28.80	12.00
403B	3	2.1	6.5	7.0	6.5	7.0	6.5	20.00	42.00	70.80	70.80	7.00
201B	3	1.8	6.5	6.0	6.5	6.0	6.5	19.00	34.20	105.00	105.00	6.00
301B	3	1.9	7.0	7.5	7.0	7.5	7.0	21.50	40.85	145.85	145.85	3.00
5231D	3	2.0	6.0	7.0	6.5	6.0	6.0	18.50	37.00	182.85	182.85	4.00
405B	3	3.0	5.5	5.0	5.5	6.0	6.0	17.00	51.00	233.85	233.85	2.00
205B	3	3.0	6.0	6.5	6.0	6.5	6.5	19.00	57.00	290.85	290.85	1.00
5152B	3	3.0	1.5	2.0	2.0	1.5	1.5	5.00	15.00	305.85	305.85	
		18.4	5.6	5.9	5.8	5.8	5.8					

103B	3	1.6	5.5	6.5	6.5	6.5	6.5	19.50	31.20	31.20	31.20	8.
403B	3	2.1	6.0	6.5	6.5	6.5	6.0	19.00	39.90	71.10	71.10	6.
201B	3	1.8	5.0	6.0	6.0	6.0	6.5	18.00	32.40	103.50	103.50	8.
301B	3	1.9	5.0	6.0	6.0	6.0	6.0	18.00	34.20	137.70	137.70	8.
5231D	3	2.0	5.5	6.5	6.0	5.5	6.0	17.50	35.00	172.70	172.70	7.
5233D	3	2.4	5.0	5.0	6.0	5.5	6.0	16.50	39.60	212.30	212.30	6.
405C	3	2.7	4.5	4.0	4.5	4.5	4.5	13.50	36.45	248.75	248.75	6.
105B	3	2.4	5.5	5.5	6.0	6.0	6.0	17.50	42.00	290.75	290.75	
		16.9	5.3	5.8	5.9	5.8	5.9					

103B	3	1.6	6.5	7.0	7.0	7.0	21.00	33.60	33.60	33.60	4.
403B	3	2.1	5.5	6.5	6.5	6.5	19.00	39.90	73.50	73.50	3.
201B	3	1.8	6.0	6.0	6.0	6.0	18.00	32.40	105.90	105.90	5.
301B	3	1.9	5.5	6.5	6.5	6.5	19.00	36.10	142.00	142.00	6.
5231D	3	2.0	5.5	5.0	5.5	5.5	16.50	33.00	175.00	175.00	6.
303C	3	2.0	3.5	3.5	3.5	3.5	10.50	21.00	196.00	196.00	11.
105B	3	2.4	6.5	7.0	6.0	6.5	19.50	46.80	242.80	242.80	8.
405C	3	2.7	5.0	5.0	6.0	5.5	16.00	43.20	286.00	286.00	
		16.5	5.5	5.8	5.9	5.9					

103B	3	1.6	5.5	5.5	6.0	5.5	6.0	17.00	27.20	27.20	27.20	20.
201B	3	1.8	6.5	6.5	6.5	6.0	6.0	19.00	34.20	61.40	61.40	16.
301B	3	1.9	6.5	6.5	6.5	6.0	5.5	19.00	36.10	97.50	97.50	10.
403B	3	2.1	6.0	6.5	6.0	6.0	6.0	18.00	37.80	135.30	135.30	9.
5231D	3	2.0	6.5	7.0	6.0	6.0	6.0	18.50	37.00	172.30	172.30	8.
205C	3	2.8	3.5	3.0	3.5	3.0	3.5	10.00	28.00	200.30	200.30	9.
305C	3	2.8	3.5	4.5	3.5	4.0	4.0	11.50	32.20	232.50	232.50	12.
405C	3	2.7	6.5	6.5	6.5	6.5	6.5	19.50	52.65	285.15	285.15	
		17.7	5.6	5.8	5.6	5.4	5.4					

403B	3	2.1	7.0	6.5	5.5	6.0	6.5	19.00	39.90	39.90	39.90	1.
201B	3	1.8	6.5	6.5	6.5	6.0	6.0	19.00	34.20	74.10	74.10	2.
301B	3	1.9	7.0	6.5	7.0	6.0	7.0	20.50	38.95	113.05	113.05	1.
103B	3	1.6	6.5	5.5	5.5	5.5	5.5	16.50	26.40	139.45	139.45	7.
5231D	3	2.0	6.0	5.5	5.0	5.0	5.5	16.00	32.00	171.45	171.45	9.
105B	3	2.4	6.0	5.0	4.5	5.0	4.5	14.50	34.80	206.25	206.25	7.
405C	3	2.7	6.0	5.5	4.5	5.5	4.5	15.50	41.85	248.10	248.10	7.
205C	3	2.8	4.0	4.5	4.0	4.5	4.0	12.50	35.00	283.10	283.10	
		17.3	6.1	5.7	5.3	5.4	5.4					

103B	3	1.6	6.0	6.0	6.0	6.0	6.0	18.00	28.80	28.80	28.80	12.
403B	3	2.1	6.0	6.0	5.0	5.5	5.5	17.00	35.70	64.50	64.50	12.
201B	3	1.8	6.0	6.0	6.0	6.0	5.5	18.00	32.40	96.90	96.90	11.
301B	3	1.9	5.5	5.0	6.0	5.0	5.5	16.00	30.40	127.30	127.30	12.
5231D	3	2.0	6.0	5.5	6.0	6.0	6.0	18.00	36.00	163.30	163.30	12.
105B	3	2.4	6.5	5.5	5.5	5.5	4.5	16.50	39.60	202.90	202.90	8.
205C	3	2.8	4.0	3.5	4.0	3.5	3.5	11.00	30.80	233.70	233.70	11.
405C	3	2.7	5.5	6.0	5.5	6.0	5.5	17.00	45.90	279.60	279.60	
		17.3	5.7	5.4	5.5	5.4	5.3					

103B	3	1.6	6.0	5.5	5.0	6.0	6.0	17.50	28.00	28.00	28.00	17.50
201B	3	1.8	6.0	5.5	5.5	5.5	5.5	16.50	29.70	57.70	57.70	17.50
301B	3	1.9	6.0	5.5	6.0	6.0	6.5	18.00	34.20	91.90	91.90	16.50
403B	3	2.1	6.0	5.5	5.5	5.0	5.5	16.50	34.65	126.55	126.55	13.50
5231D	3	2.0	6.5	5.5	6.0	5.5	5.5	17.00	34.00	160.55	160.55	14.00
203B	3	2.2	6.0	5.5	5.5	5.0	5.0	16.00	35.20	195.75	195.75	12.00
105B	3	2.4	5.5	4.5	5.5	4.5	5.0	15.00	36.00	231.75	231.75	13.00
5233D	3	2.4	5.5	4.5	5.5	4.5	5.5	15.50	37.20	268.95	268.95	
		16.4	5.9	5.3	5.6	5.3	5.6					

103B	3	1.6	6.0	6.0	6.5	7.0	6.5	19.00	30.40	30.40	30.40	10.
201B	3	1.8	5.5	6.0	6.5	6.0	6.0	18.00	32.40	62.80	62.80	13.
301B	3	1.9	5.0	5.5	5.0	5.5	5.5	16.00	30.40	93.20	93.20	15.
403B	3	2.1	6.0	6.5	6.5	6.0	6.0	18.50	38.85	132.05	132.05	11.
5132D	3	2.1	6.0	6.0	6.0	6.5	6.0	18.00	37.80	169.85	169.85	10.
205C	3	2.8	2.5	2.5	3.5	2.5	2.5	7.50	21.00	190.85	190.85	15.
305C	3	2.8	6.0	6.5	6.0	6.0	6.5	18.50	51.80	242.65	242.65	9.
5152B	3	3.0	2.5	2.0	3.5	3.0	3.0	8.50	25.50	268.15	268.15	
		18.1	4.9	5.1	5.4	5.3	5.3					

103B	3	1.6	4.0	4.5	5.0	4.5	5.5	14.00	22.40	22.40	22.40	24.00
201B	3	1.8	3.5	3.5	3.5	4.0	4.0	11.00	19.80	42.20	42.20	25.00
301B	3	1.9	6.0	6.0	6.0	6.0	6.0	18.00	34.20	76.40	76.40	23.00
403B	3	2.1	6.0	6.0	6.5	6.5	6.0	18.50	38.85	115.25	115.25	21.00
5231D	3	2.0	5.0	5.0	5.5	5.5	5.5	16.00	32.00	147.25	147.25	20.00
105B	3	2.4	6.0	6.0	5.5	6.0	6.0	18.00	43.20	190.45	190.45	17.00
405C	3	2.7	4.5	4.5	5.5	5.0	5.5	15.00	40.50	230.95	230.95	14.00
5233D	3	2.4	5.0	5.0	5.0	5.0	5.5	15.00	36.00	266.95	266.95	
		16.9	5.0	5.1	5.3	5.3	5.5					

103B	3	1.6	6.5	6.5	6.0	6.5	6.5	19.50	31.20	31.20	31.20	8.
201B	3	1.8	5.5	6.0	5.5	6.0	6.5	17.50	31.50	62.70	62.70	14.
301B	3	1.9	3.5	5.5	6.0	5.5	5.5	16.50	31.35	94.05	94.05	13.
403B	3	2.1	6.0	6.5	5.5	6.5	6.0	18.50	38.85	132.90	132.90	10.
5132D	3	2.1	5.0	5.0	6.0	5.5	5.5	16.00	33.60	166.50	166.50	11.
303C	3	2.0	3.5	4.0	5.0	5.0	5.0	14.00	28.00	194.50	194.50	13.
405C	3	2.7	3.5	3.5	5.0	3.5	3.0	10.50	28.35	222.85	222.85	15.
105B	3	2.4	6.0	6.0	5.5	6.5	6.0	18.00	43.20	266.05	266.05	
		16.6	4.9	5.4	5.6	5.6	5.5					

103B	3	1.6	6.0	6.5	6.0	6.0	6.0	18.00	28.80	28.80	28.80	12.
403B	3	2.1	5.5	5.5	6.0	6.0	6.0	17.50	36.75	65.55	65.55	11.
201B	3	1.8	4.5	5.5	5.5	5.5	5.5	16.50	29.70	95.25	95.25	12.
301B	3	1.9	4.5	4.5	5.5	5.0	4.5	14.00	26.60	121.85	121.85	15.
5132D	3	2.1	6.0	6.0	5.5	5.5	5.5	17.00	35.70	157.55	157.55	16.
5233D	3	2.4	5.5	6.0	6.0	5.0	6.0	17.50	42.00	199.55	199.55	10.
203B	3	2.2	6.0	5.5	6.0	6.0	6.0	18.00	39.60	239.15	239.15	10.
105B	3	2.4	3.5	3.5	4.0	3.5	3.5	10.50	25.20	264.35	264.35	
		16.5	5.2	5.4	5.6	5.3	5.4					

103B	3	1.6	5.5	6.0	6.0	5.5	5.5	17.00	27.20	27.20	27.20	20.
201B	3	1.8	4.0	3.5	4.5	4.0	4.0	12.00	21.60	48.80	48.80	22.
301B	3	1.9	6.0	5.0	6.0	5.5	6.0	17.50	33.25	82.05	82.05	20.
403B	3	2.1	5.5	6.0	6.5	6.0	5.5	17.50	36.75	118.80	118.80	17.
5132D	3	2.1	5.5	5.0	5.0	5.5	5.5	16.00	33.60	152.40	152.40	18.
203C	3	1.9	6.0	5.5	6.5	6.0	6.0	18.00	34.20	186.60	186.60	18.
303C	3	2.0	4.0	4.0	4.0	4.0	4.0	12.00	24.00	210.60	210.60	19.
105B	3	2.4	6.5	7.0	6.5	7.0	7.0	20.50	49.20	259.80	259.80	
		15.8	5.4	5.3	5.6	5.4	5.4					

23. Seraina Bach, Thu 2008

403B	3	2.1	4.0	4.5	4.0	4.5	4.0	12.50	26.25	26.25	26.25	22.
103B	3	1.6	5.0	5.0	5.5	5.5	5.5	16.00	25.60	51.85	51.85	20.
201B	3	1.8	4.5	5.0	5.0	5.0	5.0	15.00	27.00	78.85	78.85	22.
301B	3	1.9	3.0	3.0	3.0	3.0	3.0	9.00	17.10	95.95	95.95	24.
5231D	3	2.0	4.5	4.5	5.0	5.5	5.5	15.00	30.00	125.95	125.95	23.
105C	3	2.2	3.0	3.5	3.5	3.5	3.5	10.50	23.10	149.05	149.05	24.
203B	3	2.2	4.0	4.5	4.0	4.0	4.0	12.00	26.40	175.45	175.45	23.
5132D	3	2.1	5.0	4.5	5.0	5.0	5.0	15.00	31.50	206.95	206.95	
<i>15.9 4.1 4.3 4.4 4.5 4.4</i>												

24. Lena Buerki, Thu 2008

201B	3	1.8	4.0	4.0	4.0	4.5	4.0	12.00	21.60	21.60	21.60	25.
301B	3	1.9	3.5	3.5	4.0	4.0	3.5	11.00	20.90	42.50	42.50	24.
403C	3	1.9	5.5	5.0	5.0	5.0	5.5	15.50	29.45	71.95	71.95	25.
5231D	3	2.0	4.0	4.5	5.0	5.5	4.5	14.00	28.00	99.95	99.95	23.
103B	3	1.6	4.5	4.5	5.0	5.0	4.5	14.00	22.40	122.35	122.35	24.
203C	3	1.9	4.5	4.0	4.0	5.0	4.0	12.50	23.75	146.10	146.10	25.
303C	3	2.0	5.0	4.5	5.0	4.5	4.5	14.00	28.00	174.10	174.10	24.
105C	3	2.2	3.0	3.0	4.0	2.5	2.0	8.50	18.70	192.80	192.80	
<i>15.3 4.3 4.1 4.5 4.5 4.1</i>												

25. Nelli Perkiö, FIN 2009

201B	3	1.8	5.0	5.5	5.0	5.5	6.0	16.00	28.80	28.80	28.80	12.
301B	3	1.9	3.5	4.0	3.5	4.0	4.0	11.50	21.85	50.65	50.65	21.
5231D	3	2.0	4.0	4.0	5.0	4.0	4.0	12.00	24.00	74.65	74.65	24.
103B	3	1.6	3.5	4.0	4.5	3.5	4.0	11.50	18.40	93.05	93.05	25.
401B	3	1.4	5.0	6.0	6.5	6.0	6.0	18.00	25.20	118.25	118.25	25.
403B	3	2.1	5.0	5.0	5.5	5.5	5.5	16.00	33.60	151.85	151.85	23.
105B	3	2.4	1.5	2.0	3.5	1.0	1.5	5.00	12.00	163.85	163.85	25.
303C	3	2.0	0.0	0.0	0.0	0.0	0.0	F 0.00	0.00	163.85	163.85	
<i>15.2 3.4 3.8 4.2 3.7 3.9</i>												

26. Elisabeth Hoff, KSTK 2009

103B	3	1.6	3.5	3.5	3.5	3.5	3.5	10.50	16.80	16.80	16.80	26.
201B	3	1.8	4.5	4.5	4.0	4.5	4.0	13.00	23.40	40.20	40.20	26.
301B	3	1.9	3.5	3.5	3.5	3.5	3.5	10.50	19.95	60.15	60.15	26.
403C	3	1.9	1.5	2.0	3.0	2.5	3.5	7.50	14.25	74.40	74.40	26.
5211A	3	2.0	4.0	3.5	3.0	4.5	3.5	11.00	22.00	96.40	96.40	26.
105C	3	2.2	1.0	1.0	0.0	0.5	0.5	2.00	4.40	100.80	100.80	26.
405C	3	2.7	0.5	1.5	1.5	0.5	0.5	2.50	6.75	107.55	107.55	26.
202B	3	1.7	3.5	2.5	3.0	2.0	3.5	9.00	15.30	122.85	122.85	
<i>15.8 2.8 2.8 2.7 2.7 2.8</i>												

Judges

1. Jann Siefken AUT
2. Ramon de Meijer NED
3. Peter Kupka NOR
4. Tania Piekkanen FIN
5. Ale Pikturniene LTU

Referee Ale Pikturniene LTU**Secretary** Hannah Starling NOR

Detailed Results

Bergen Open 2023

AdO Arena, 5/5/23

C Girls, platform

1. Veera Piekkanen, VanDi

103B	7.5	1.6	6.0	6.0	6.0	6.5	6.0	18.00	28.80	28.80	28.80	1.
403B	7.5	2.1	6.0	5.5	6.0	6.0	5.5	17.50	36.75	65.55	65.55	1.
201B	7.5	1.8	4.5	4.0	4.5	4.5	4.0	13.00	23.40	88.95	88.95	1.
5231D	7.5	2.0	6.0	5.0	6.5	6.5	7.0	19.00	38.00	126.95	126.95	1.
105C	5	2.4	2.5	2.5	2.0	3.5	2.5	7.50	18.00	144.95	144.95	2.
405C	7.5	2.7	4.0	4.0	4.5	4.0	4.5	12.50	33.75	178.70	178.70	
12.6 4.8 4.5 4.9 5.2 4.9												

2. Yuna Hulkenberg, ADT 2010

401B	5	1.5	6.5	6.0	6.0	6.5	6.5	19.00	28.50	28.50	28.50	2.
103B	5	1.7	6.5	5.5	5.5	6.0	6.0	17.50	29.75	58.25	58.25	2.
301C	5	1.6	6.5	6.0	5.5	6.0	6.5	18.50	29.60	87.85	87.85	2.
612B	5	1.7	4.0	4.5	3.5	6.0	3.5	12.00	20.40	108.25	108.25	2.
403C	5	2.2	6.5	7.0	7.0	6.5	7.0	20.50	45.10	153.35	153.35	1.
5231D	5	2.1	3.5	5.0	3.5	1.5	5.0	12.00	25.20	178.55	178.55	
10.8 5.6 5.7 5.2 5.4 5.8												

3. Linn Andenæs, Osl 2010

103B	5	1.7	4.5	4.5	4.5	5.0	6.0	14.00	23.80	23.80	23.80	3.
201C	5	1.5	6.0	6.0	5.5	5.5	6.0	17.50	26.25	50.05	50.05	3.
301C	5	1.6	3.5	5.0	5.5	4.5	4.5	14.00	22.40	72.45	72.45	3.
401B	5	1.5	5.5	4.0	5.5	4.0	4.5	14.00	21.00	93.45	93.45	3.
403C	5	2.2	4.0	4.5	5.0	4.5	5.0	14.00	30.80	124.25	124.25	3.
5132D	5	2.2	6.0	5.5	6.0	6.5	6.5	18.50	40.70	164.95	164.95	
10.7 4.9 4.9 5.3 5.0 5.4												

4. Meeri Manninen, VanDi

401B	5	1.5	4.0	4.5	4.0	4.5	4.0	12.50	18.75	18.75	18.75	6.
201B	5	1.6	6.5	4.5	4.5	4.5	6.0	15.00	24.00	42.75	42.75	4.
301B	5	1.7	4.5	4.0	4.0	4.5	4.5	13.00	22.10	64.85	64.85	4.
103B	7.5	1.6	4.5	5.0	5.5	4.5	4.5	14.00	22.40	87.25	87.25	4.
5231D	7.5	2.0	5.5	5.5	4.5	5.0	5.0	15.50	31.00	118.25	118.25	4.
403C	5	2.2	4.0	4.5	5.0	4.5	3.5	13.00	28.60	146.85	146.85	
10.6 4.8 4.7 4.6 4.6 4.6												

5. Malla Lågas, VanDi 2010

401B	7.5	1.4	5.5	5.5	5.5	4.5	4.5	15.50	21.70	21.70	21.70	4.
201B	5	1.6	3.5	3.0	2.5	3.5	3.0	9.50	15.20	36.90	36.90	6.
301C	5	1.6	3.5	3.5	3.5	4.0	3.0	10.50	16.80	53.70	53.70	6.
103B	5	1.7	4.5	4.0	5.0	4.5	4.5	13.50	22.95	76.65	76.65	6.
403C	5	2.2	5.5	4.5	5.0	4.0	4.0	13.50	29.70	106.35	106.35	5.
612B	7.5	1.8	5.5	6.0	5.5	6.0	5.0	17.00	30.60	136.95	136.95	
10.3 4.7 4.4 4.5 4.4 4.0												

6. Oline Kjellsen, Osl 2010

101B	5	1.3	5.5	4.5	4.5	5.0	5.5	15.00	19.50	19.50	19.50	5.
201C	5	1.5	4.5	5.0	4.5	5.5	5.0	14.50	21.75	41.25	41.25	5.
401B	5	1.5	4.5	4.5	4.5	4.5	4.5	13.50	20.25	61.50	61.50	5.
5211A	5	1.8	4.0	2.0	2.0	5.0	3.0	9.00	16.20	77.70	77.70	5.
103C	5	1.6	4.5	4.5	5.0	5.0	5.5	14.50	23.20	100.90	100.90	6.
612C	5	1.5	2.0	3.5	3.0	3.5	3.5	10.00	15.00	115.90	115.90	
9.2 4.2 4.0 3.9 4.8 4.5												

Judges

1. POLAND POL
2. Iveta Jirkova CZE
3. THUN SUI
4. Kamilla Veres HUN
5. Arne Tellefsen NOR

Referee Arne Tellefsen NOR

Secretary Vårin Renate Andvik Holm NOR

Detailed Results

Bergen Open 2023

AdO Arena, 5/5/23

A Girls, platform

1. Ella Roselli, MVN 2005

103B	10	1.6	7.0	7.5	7.5	7.5	7.5	22.50	36.00	36.00	36.00	3.
403B	10	2.0	7.0	6.5	6.5	6.5	6.5	19.50	39.00	75.00	75.00	2.
612B	10	1.9	7.0	7.5	6.5	7.0	7.0	21.00	39.90	114.90	114.90	2.
5231D	10	2.0	6.5	4.5	6.5	6.5	6.5	19.50	39.00	153.90	153.90	3.
105B	5	2.6	6.0	6.5	6.0	6.5	6.5	19.00	49.40	203.30	203.30	2.
205C	5	3.0	5.0	5.0	6.0	6.0	6.5	17.00	51.00	254.30	254.30	2.
6243D	10	3.2	7.0	6.0	6.0	7.0	7.0	20.00	64.00	318.30	318.30	2.
5253B	10	3.2	6.0	6.0	6.5	6.5	7.0	19.00	60.80	379.10	379.10	

19.5 6.4 6.2 6.4 6.7 6.8

2. Ellie Cole, AUS 2006

103B	7.5	1.6	5.5	6.0	5.5	5.0	5.5	16.50	26.40	26.40	26.40	19.
201B	7.5	1.8	7.5	8.0	7.5	8.0	8.0	23.50	42.30	68.70	68.70	8.
301B	7.5	1.9	7.0	6.0	5.5	5.5	6.5	18.00	34.20	102.90	102.90	12.
403B	7.5	2.1	6.5	6.5	5.5	6.5	6.5	19.50	40.95	143.85	143.85	5.
407C	10	3.2	7.5	7.0	6.5	7.5	8.0	22.00	70.40	214.25	214.25	1.
305C	10	2.8	7.5	7.0	7.0	7.0	7.0	21.00	58.80	273.05	273.05	1.
5253B	10	3.2	5.5	6.0	6.5	5.5	5.0	17.00	54.40	327.45	327.45	1.
205C	5	3.0	4.5	4.5	4.5	3.5	4.5	13.50	40.50	367.95	367.95	

19.6 6.4 6.4 6.1 6.1 6.4

3. Hannah Puranen, FIN 2006

201B	7.5	1.8	6.0	6.5	6.5	5.5	6.5	19.00	34.20	34.20	34.20	6.
301B	7.5	1.9	4.5	3.5	4.0	4.0	5.0	12.50	23.75	57.95	57.95	18.
612B	7.5	1.8	7.0	7.0	7.0	6.0	7.0	21.00	37.80	95.75	95.75	16.
403B	7.5	2.1	6.0	6.0	6.5	6.0	6.0	18.00	37.80	133.55	133.55	14.
624B	10	2.8	7.0	6.5	7.0	7.0	7.0	21.00	58.80	192.35	192.35	7.
205B	10	2.9	6.0	6.0	5.5	6.0	6.0	18.00	52.20	244.55	244.55	4.
405B	10	2.8	5.0	5.5	5.5	5.5	6.0	16.50	46.20	290.75	290.75	3.
107C	10	2.7	5.0	5.0	5.5	5.0	4.5	15.00	40.50	331.25	331.25	

18.8 5.8 5.8 5.9 5.6 6.0

4. Amanda Lundin, SPIF 2005

103B	10	1.6	6.0	6.5	6.5	6.5	7.0	19.50	31.20	31.20	31.20	11.
301B	10	1.9	6.5	6.5	6.5	6.0	7.0	19.50	37.05	68.25	68.25	9.
403B	10	2.0	4.5	6.5	6.0	6.5	6.5	19.00	38.00	106.25	106.25	9.
5231D	10	2.0	5.5	6.0	5.5	6.0	6.0	17.50	35.00	141.25	141.25	8.
305C	10	2.8	5.5	5.0	4.5	4.5	5.0	14.50	40.60	181.85	181.85	10.
624B	10	2.8	4.5	5.0	4.0	4.5	4.5	13.50	37.80	219.65	219.65	11.
405B	10	2.8	6.0	6.5	6.5	6.0	6.5	19.00	53.20	272.85	272.85	7.
205B	10	2.9	6.0	6.5	6.5	6.0	6.5	19.00	55.10	327.95	327.95	

18.8 5.6 6.1 5.8 5.8 6.1

103B	10	1.6	6.0	7.5	7.0	6.5	6.5	20.00	32.00	32.00	32.00	10.
301B	10	1.9	6.5	6.5	7.0	6.0	6.0	19.00	36.10	68.10	68.10	10.
403B	7.5	2.1	6.5	7.0	6.5	6.5	6.5	19.50	40.95	109.05	109.05	4.
5231D	7.5	2.0	7.0	7.0	7.0	7.0	6.5	21.00	42.00	151.05	151.05	4.
5251B	10	2.6	6.5	6.5	6.5	5.5	7.0	19.50	50.70	201.75	201.75	4.
205C	7.5	2.8	3.0	2.5	2.5	1.5	2.5	7.50	21.00	222.75	222.75	7.
405C	7.5	2.7	6.5	7.0	7.0	7.0	6.0	20.50	55.35	278.10	278.10	4.
107C	10	2.7	5.5	5.5	6.0	6.5	6.5	18.00	48.60	326.70	326.70	
		18.4	5.9	6.2	6.2	5.8	5.9					

103B	10	1.6	8.0	8.0	7.5	7.5	7.5	23.00	36.80	36.80	36.80	2.
201B	10	1.8	6.5	6.0	5.5	6.5	6.0	18.50	33.30	70.10	70.10	5.
301B	10	1.9	7.0	6.5	6.5	6.5	7.0	20.00	38.00	108.10	108.10	5.
5231D	10	2.0	8.0	8.0	7.5	8.0	7.5	23.50	47.00	155.10	155.10	2.
405C	7.5	2.7	4.5	5.5	4.5	5.0	5.0	14.50	39.15	194.25	194.25	6.
205B	10	2.9	1.5	3.5	1.5	1.0	1.5	4.50	13.05	207.30	207.30	15.
305C	10	2.8	8.0	7.5	7.0	6.5	7.0	21.50	60.20	267.50	267.50	8.
5251B	10	2.6	6.5	6.5	7.5	7.0	6.5	20.00	52.00	319.50	319.50	
		18.3	6.3	6.4	5.9	6.0	6.0					

201B	10	1.8	7.5	8.5	7.5	7.5	8.0	23.00	41.40	41.40	41.40	1.
301B	10	1.9	7.5	7.5	7.0	7.0	7.5	22.00	41.80	83.20	83.20	1.
103B	10	1.6	7.0	6.5	7.0	7.0	7.0	21.00	33.60	116.80	116.80	1.
403B	10	2.0	7.0	7.0	7.0	6.5	7.0	21.00	42.00	158.80	158.80	1.
614B	10	2.4	6.0	6.0	6.0	6.5	6.0	18.00	43.20	202.00	202.00	3.
405B	10	2.8	6.5	6.5	4.5	4.5	6.0	17.00	47.60	249.60	249.60	3.
205C	7.5	2.8	2.5	3.5	3.0	3.0	3.5	9.50	26.60	276.20	276.20	5.
5253B	10	3.2	4.5	4.0	4.0	4.5	4.0	12.50	40.00	316.20	316.20	
		18.5	6.1	6.2	5.8	5.8	6.1					

201B	7.5	1.8	5.5	6.5	6.0	6.0	7.0	18.50	33.30	33.30	33.30	9.
301B	7.5	1.9	4.5	5.0	4.5	5.0	5.0	14.50	27.55	60.85	60.85	16.
101B	10	1.5	6.0	6.0	4.5	7.0	5.0	17.00	25.50	86.35	86.35	17.
401B	10	1.4	8.0	8.0	8.0	8.0	9.0	24.00	33.60	119.95	119.95	17.
405B	10	2.8	6.0	5.5	5.5	7.0	6.5	18.00	50.40	170.35	170.35	16.
205C	7.5	2.8	6.0	5.5	5.5	6.5	6.0	17.50	49.00	219.35	219.35	12.
305C	10	2.8	6.5	6.0	6.5	7.0	7.5	20.00	56.00	275.35	275.35	6.
5253B	10	3.2	3.5	4.5	4.0	3.5	4.0	11.50	36.80	312.15	312.15	
	18.2	5.8	5.9	5.6	6.3	6.3						

403B	10	2.0	5.5	6.0	6.0	6.0	6.0	18.00	36.00	36.00	36.00	3.
103B	10	1.6	7.0	7.0	7.5	7.0	7.0	21.00	33.60	69.60	69.60	7.
301B	10	1.9	7.5	7.0	8.0	7.0	7.5	22.00	41.80	111.40	111.40	3.
612B	10	1.9	5.5	4.5	5.5	3.5	5.5	15.50	29.45	140.85	140.85	9.
105B	7.5	2.4	6.0	6.0	6.5	6.0	5.5	18.00	43.20	184.05	184.05	9.
205C	7.5	2.8	6.5	6.0	5.5	6.0	6.5	18.50	51.80	235.85	235.85	5.
305C	10	2.8	4.0	3.5	3.5	4.5	3.5	11.00	30.80	266.65	266.65	9.
405B	10	2.8	5.0	5.5	4.5	4.5	5.0	14.50	40.60	307.25	307.25	
		18.2	5.9	5.7	5.9	5.6	5.8					

103B	10	1.6	6.5	6.5	7.0	6.5	6.0	19.50	31.20	31.20	31.20	11.
403B	10	2.0	6.5	6.5	6.5	7.0	7.0	20.00	40.00	71.20	71.20	4.
301B	7.5	1.9	7.0	6.0	6.5	6.0	6.5	19.00	36.10	107.30	107.30	6.
5231D	7.5	2.0	5.0	5.0	5.5	5.5	5.0	15.50	31.00	138.30	138.30	10.
105B	7.5	2.4	7.0	6.5	6.5	6.0	7.0	20.00	48.00	186.30	186.30	8.
405C	7.5	2.7	4.0	4.0	4.0	5.0	4.5	12.50	33.75	220.05	220.05	9.
614B	10	2.4	6.5	5.5	6.0	5.5	7.0	18.00	43.20	263.25	263.25	12.
5233D	5	2.5	6.0	6.0	5.5	7.0	5.5	17.50	43.75	307.00	307.00	
		17.5	6.1	5.8	5.9	6.1	6.1					

103B	10	1.6	6.0	5.5	6.5	6.5	6.0	18.50	29.60	29.60	29.60	14.
403B	10	2.0	6.5	6.0	6.0	7.0	6.5	19.00	38.00	67.60	67.60	11.
301B	10	1.9	6.0	5.0	6.0	6.5	7.0	18.50	35.15	102.75	102.75	13.
5231D	10	2.0	5.5	5.5	4.5	6.5	5.5	16.50	33.00	135.75	135.75	12.
105B	10	2.3	6.0	5.5	6.5	7.0	6.0	18.50	42.55	178.30	178.30	11.
405C	10	2.5	6.0	5.5	5.5	6.5	5.5	17.00	42.50	220.80	220.80	8.
5251B	10	2.6	5.5	5.5	5.5	6.5	5.5	16.50	42.90	263.70	263.70	11.
614B	10	2.4	5.5	5.0	5.5	6.5	6.5	17.50	42.00	305.70	305.70	
		17.3	5.9	5.4	5.8	6.6	6.1					

403B	7.5	2.1	5.5	6.0	5.5	6.0	5.5	17.00	35.70	35.70	35.70	5.
612B	7.5	1.8	6.5	6.0	6.5	6.0	7.0	19.00	34.20	69.90	69.90	6.
201B	7.5	1.8	6.5	6.0	7.0	6.5	7.0	20.00	36.00	105.90	105.90	10.
301B	7.5	1.9	6.5	6.0	7.0	6.0	6.5	19.00	36.10	142.00	142.00	7.
303C	5	2.1	4.0	4.0	4.0	3.5	4.5	12.00	25.20	167.20	167.20	17.
105B	7.5	2.4	5.0	5.0	4.5	4.5	5.0	14.50	34.80	202.00	202.00	16.
6241B	10	2.7	6.0	6.0	6.0	6.5	6.5	18.50	49.95	251.95	251.95	14.
5152B	10	2.9	6.5	5.5	6.0	6.0	5.5	17.50	50.75	302.70	302.70	
	17.7	5.8	5.6	5.8	5.6	5.9						

103B	7.5	1.6	7.0	7.0	7.0	7.0	21.00	33.60	33.60	33.60	7.
403B	7.5	2.1	6.0	6.5	6.5	5.0	18.00	37.80	71.40	71.40	3.
201B	7.5	1.8	6.5	6.5	6.0	6.5	19.50	35.10	106.50	106.50	8.
301B	7.5	1.9	5.5	6.0	5.5	4.5	16.50	31.35	137.85	137.85	11.
107B	10	3.0	4.5	4.0	4.5	4.0	13.00	39.00	176.85	176.85	12.
407C	10	3.2	5.0	4.5	3.5	4.5	13.50	43.20	220.05	220.05	9.
5253B	10	3.2	4.5	4.0	4.0	4.0	12.00	38.40	258.45	258.45	13.
303C	5	2.1	6.0	6.5	5.5	6.5	18.50	38.85	297.30	297.30	
	18.9	5.6	5.6	5.3	5.3	5.3					

103B	10	1.6	7.0	7.0	6.5	7.0	21.00	33.60	33.60	33.60	7.
301B	10	1.9	6.5	5.5	5.5	6.5	17.50	33.25	66.85	66.85	12.
612B	10	1.9	6.0	7.0	7.0	7.5	21.00	39.90	106.75	106.75	7.
403B	10	2.0	6.0	6.0	6.0	7.0	18.50	37.00	143.75	143.75	6.
205B	10	2.9	6.5	5.5	5.5	6.5	17.50	50.75	194.50	194.50	5.
107C	10	2.7	4.5	4.5	3.0	4.0	12.00	32.40	226.90	226.90	6.
614B	10	2.4	4.5	5.5	6.0	5.0	16.00	38.40	265.30	265.30	10.
5152B	10	2.9	4.5	3.5	3.5	3.5	10.50	30.45	295.75	295.75	
		18.3	5.7	5.6	5.4	5.9					

103B	10	1.6	6.0	6.5	6.5	6.5	5.5	19.00	30.40	30.40	30.40	13.
301B	10	1.9	6.0	6.5	6.5	6.5	5.5	19.00	36.10	66.50	66.50	13.
403B	10	2.0	6.5	6.5	6.5	6.5	6.5	19.50	39.00	105.50	105.50	11.
5231D	10	2.0	4.5	4.5	5.0	4.0	4.0	13.00	26.00	131.50	131.50	15.
405C	7.5	2.7	5.0	6.0	4.5	4.5	5.0	14.50	39.15	170.65	170.65	15.
205B	10	2.9	2.5	4.0	2.0	2.0	2.5	7.00	20.30	190.95	190.95	17.
305C	10	2.8	6.5	6.0	7.0	5.5	6.5	19.00	53.20	244.15	244.15	16.
5233D	7.5	2.4	5.5	6.0	4.5	6.0	4.5	16.00	38.40	282.55	282.55	
		18.3	5.3	5.8	5.3	5.2	5.0					

103B	7.5	1.6	6.0	6.0	5.0	5.0	6.0	17.00	27.20	27.20	27.20	18.
403B	7.5	2.1	5.5	6.0	6.0	5.5	5.5	17.00	35.70	62.90	62.90	15.
301B	7.5	1.9	6.0	6.5	6.0	6.0	6.0	18.00	34.20	97.10	97.10	15.
5231D	7.5	2.0	5.5	6.0	5.5	5.5	5.5	16.50	33.00	130.10	130.10	16.
5233D	7.5	2.4	5.5	6.0	6.0	5.5	6.0	17.50	42.00	172.10	172.10	13.
203B	5	2.3	5.0	5.5	5.0	5.5	5.5	16.00	36.80	208.90	208.90	14.
105B	7.5	2.4	5.0	4.5	4.5	6.0	5.5	15.00	36.00	244.90	244.90	15.
405C	7.5	2.7	4.5	4.5	4.5	6.0	4.5	13.50	36.45	281.35	281.35	
	17.4	5.4	5.6	5.3	5.6	5.6						

17. Hanna Andersson, POS 2005

103B	10	1.6	5.5	5.5	5.0	5.5	5.0	16.00	25.60	25.60	25.60	20.
403B	10	2.0	6.0	6.5	6.5	6.5	6.5	19.50	39.00	64.60	64.60	14.
301B	10	1.9	6.0	6.0	6.0	6.5	6.5	18.50	35.15	99.75	99.75	14.
201B	10	1.8	6.5	6.5	6.5	7.0	7.5	20.00	36.00	135.75	135.75	12.
5231D	10	2.0	5.5	6.0	6.0	4.5	6.0	17.50	35.00	170.75	170.75	14.
105B	7.5	2.4	6.0	6.0	5.5	6.0	6.5	18.00	43.20	213.95	213.95	13.
203B	5	2.3	3.5	4.5	4.0	4.0	4.5	12.50	28.75	242.70	242.70	17.
303C	5	2.1	5.5	6.5	5.5	5.5	5.5	16.50	34.65	277.35	277.35	
16.1 5.6 5.9 5.6 5.7 6.0												

18. Nura Krpo, BST 2006

103B	7.5	1.6	6.0	6.0	6.0	6.0	6.0	18.00	28.80	28.80	28.80	16.
201B	5	1.6	5.5	5.5	5.0	5.5	6.0	16.50	26.40	55.20	55.20	19.
301B	5	1.7	5.5	5.5	5.0	5.5	6.5	16.50	28.05	83.25	83.25	20.
403C	5	2.2	4.5	5.5	4.5	5.0	5.5	15.00	33.00	116.25	116.25	18.
612B	7.5	1.8	5.0	5.0	4.5	5.0	5.5	15.00	27.00	143.25	143.25	18.
105B	7.5	2.4	5.5	5.0	6.0	5.0	6.0	16.50	39.60	182.85	182.85	18.
405C	7.5	2.7	2.5	3.0	2.0	2.5	3.5	8.00	21.60	204.45	204.45	18.
203C	5	2.0	4.5	4.5	4.5	5.0	4.5	13.50	27.00	231.45	231.45	
16.0 4.9 5.0 4.7 4.9 5.4												

19. Sophie Fürst, VZW 2007

103B	7.5	1.6	4.5	4.5	4.0	4.5	4.0	13.00	20.80	20.80	20.80	24.
403B	7.5	2.1	4.5	4.5	5.5	5.5	4.0	14.50	30.45	51.25	51.25	22.
201B	5	1.6	5.5	6.0	5.5	6.0	6.0	17.50	28.00	79.25	79.25	22.
301B	5	1.7	3.5	3.5	3.0	3.5	4.0	10.50	17.85	97.10	97.10	23.
5231D	5	2.1	6.0	6.0	5.5	6.0	5.5	17.50	36.75	133.85	133.85	20.
203B	5	2.3	3.0	3.5	3.0	4.5	3.0	9.50	21.85	155.70	155.70	21.
405C	7.5	2.7	4.0	5.0	4.5	5.0	4.5	14.00	37.80	193.50	193.50	19.
105B	7.5	2.4	4.0	4.0	4.5	4.5	4.0	12.50	30.00	223.50	223.50	
16.5 4.4 4.6 4.4 4.9 4.4												

20. Iris Eriksson Linderöth, GSIM 2006

103B	7.5	1.6	6.0	5.5	6.5	6.0	6.0	18.00	28.80	28.80	28.80	16.
201C	7.5	1.7	4.5	4.5	4.0	4.5	4.0	13.00	22.10	50.90	50.90	23.
301C	7.5	1.8	5.0	5.5	5.0	5.0	5.5	15.50	27.90	78.80	78.80	23.
612B	7.5	1.8	4.5	3.5	4.0	3.5	4.0	11.50	20.70	99.50	99.50	22.
403C	5	2.2	5.5	5.0	5.5	6.0	5.5	16.50	36.30	135.80	135.80	19.
105C	7.5	2.2	4.5	4.5	4.0	4.5	5.0	13.50	29.70	165.50	165.50	19.
5132D	7.5	2.1	5.0	4.5	4.5	4.0	4.0	13.00	27.30	192.80	192.80	20.
203B	5	2.3	4.0	4.5	4.0	4.0	4.0	12.00	27.60	220.40	220.40	
15.7 4.9 4.7 4.7 4.7 4.8												

21. My Tufvesson, POS 2007

103B	10	1.6	6.0	6.0	6.5	5.5	6.5	18.50	29.60	29.60	29.60	14.
403B	10	2.0	4.0	4.0	3.5	4.0	4.0	12.00	24.00	53.60	53.60	20.
201B	7.5	1.8	5.5	5.5	6.0	6.0	6.5	17.50	31.50	85.10	85.10	18.
5231D	7.5	2.0	4.0	5.0	4.0	5.5	4.5	13.50	27.00	112.10	112.10	19.
301C	10	1.8	3.5	4.0	3.0	4.0	4.0	11.50	20.70	132.80	132.80	22.
405C	10	2.5	4.0	3.5	2.5	4.0	3.0	10.50	26.25	159.05	159.05	20.
105B	10	2.3	4.5	4.0	4.0	4.0	4.5	12.50	28.75	187.80	187.80	21.
5132D	7.5	2.1	4.5	5.0	4.5	4.5	5.0	14.00	29.40	217.20	217.20	
16.1 4.5 4.6 4.3 4.7 4.8												

22. Hanna Thuestad Langeland, BStK 2007

103B	7.5	1.6	5.0	5.0	5.5	5.0	5.5	15.50	24.80	24.80	24.80	22.
403C	5	2.2	5.0	5.5	5.5	6.0	5.0	16.00	35.20	60.00	60.00	17.
201C	5	1.5	6.0	5.5	5.0	5.5	5.0	16.00	24.00	84.00	84.00	19.
301C	5	1.6	4.0	5.0	4.5	4.0	4.0	12.50	20.00	104.00	104.00	20.
5231D	7.5	2.0	5.0	4.0	5.0	4.0	5.0	14.00	28.00	132.00	132.00	23.
6102B	7.5	2.5	0.0	0.0	0.0	0.0	0.0	F 0.00	0.00	132.00	132.00	24.
105C	7.5	2.2	5.0	4.5	4.5	5.0	4.5	14.00	30.80	162.80	162.80	24.
405C	10	2.5	5.5	5.0	5.0	5.5	6.0	16.00	40.00	202.80	202.80	
16.1 4.4 4.3 4.4 4.4 4.4												

23. Erle Nygjerde, BST 2005

103B	7.5	1.6	6.0	5.5	4.5	5.0	5.5	16.00	25.60	25.60	25.60	20.
201C	5	1.5	5.5	5.5	5.5	5.5	5.5	16.50	24.75	50.35	50.35	24.
301C	5	1.6	4.5	5.5	5.5	5.5	6.0	16.50	26.40	76.75	76.75	24.
401B	5	1.5	3.0	2.5	2.0	2.0	2.0	6.50	9.75	86.50	86.50	24.
612B	7.5	1.8	6.5	6.5	5.5	6.0	6.5	19.00	34.20	120.70	120.70	24.
403C	5	2.2	3.5	3.5	3.5	4.0	3.5	10.50	23.10	143.80	143.80	23.
105C	7.5	2.2	4.5	4.0	4.0	5.0	4.5	13.00	28.60	172.40	172.40	23.
5231D	7.5	2.0	5.0	5.0	4.5	5.0	4.5	14.50	29.00	201.40	201.40	
	14.4	4.8	4.8	4.4	4.8	4.8						

24. Leia Olsson, POS 2006

401B	7.5	1.4	5.5	5.5	5.5	5.5	5.0	16.50	23.10	23.10	23.10	23.
201B	7.5	1.8	5.5	6.0	5.0	5.0	6.0	16.50	29.70	52.80	52.80	21.
301B	7.5	1.9	5.0	4.5	5.0	4.5	5.0	14.50	27.55	80.35	80.35	21.
103B	10	1.6	4.5	4.5	4.0	5.0	4.5	13.50	21.60	101.95	101.95	21.
403B	10	2.0	5.0	5.5	5.0	5.5	5.0	15.50	31.00	132.95	132.95	21.
203C	5	2.0	3.5	4.0	3.5	4.0	3.5	11.00	22.00	154.95	154.95	22.
105C	7.5	2.2	3.0	3.0	2.5	3.5	2.5	8.50	18.70	173.65	173.65	22.
5132D	7.5	2.1	4.5	4.5	4.0	4.0	5.0	13.00	27.30	200.95	200.95	
	15.0	4.6	4.7	4.3	4.6	4.6						

Ingeborg Larsson, POS 2007

103B	7.5	1.6										25.
401B	5	1.5										25.
201B	5	1.6										25.
5231D	5	2.1										25.
301C	5	1.6										25.
5132D	5	2.2										25.
203C	5	2.0										25.
403C	5	2.2										25.
	14.8											

Judges

1. GENÈVE SUI
2. Elin Berg SWE
3. Angelique de Vroome NED
4. Nicolai Fjord Larsen DEN
5. AUSTRALIA AUS

Referee AUSTRALIA AUS**Secretary** Vårin Renate Andvik Holm NOR

Detailed Results

Bergen Open 2023

AdO Arena, 5/5/23

Men, 3 meters syncro

1. A. Rzeszutek / K. Lesiak, POL 1991/1996

201B	3	201B	3	2.0	8.0	8.0	7.5	7.5	7.5	7.0	8.0	22.80	45.60	45.60	45.60	1.
301B	3	301B	3	2.0	7.5	8.5	7.5	8.0	7.5	7.5	8.0	23.10	46.20	91.80	91.80	1.
107B	3	107B	3	3.1	5.0	6.0	7.0	7.0	6.5	6.5	6.5	19.50	60.45	152.25	152.25	1.
407C	3	407C	3	3.4	7.0	6.5	5.0	4.5	6.0	6.5	6.0	18.00	61.20	213.45	213.45	1.
5154B	3	5154B	3	3.4	5.5	6.0	6.0	7.5	6.0	6.5	7.0	18.90	64.26	277.71	277.71	1.
109C	3	109C	3	3.8	4.0	4.0	3.0	2.0	3.0	3.5	6.0	11.70	44.46	322.17	322.17	
				17.7	6.2	6.5	6.0	6.1	6.1	6.3	6.9					

2. R. Roop-Iliste / J. Stoltz, SPIF 2002/2000

201B	3	201B	3	2.0	7.5	7.5	7.0	7.5	7.5	8.0	7.5	22.80	45.60	45.60	45.60	1.
301B	3	301B	3	2.0	6.0	7.5	7.0	8.0	8.0	7.5	7.5	22.50	45.00	90.60	90.60	2.
405C	3	405C	3	2.7	4.5	5.0	7.0	7.0	6.0	6.5	6.5	18.60	50.22	140.82	140.82	2.
107C	3	107C	3	2.8	7.0	7.0	6.5	5.5	6.5	6.0	6.5	19.50	54.60	195.42	195.42	2.
5152B	3	5152B	3	3.0	6.5	7.0	7.5	7.0	6.5	6.5	7.0	20.40	61.20	256.62	256.62	2.
205B	3	205B	3	3.0	5.0	5.0	7.5	7.5	6.0	6.5	7.0	19.20	57.60	314.22	314.22	
				15.5	6.1	6.5	7.1	7.1	6.8	6.8	7.0					

Judges

1. Iveta Jirkova CZE (A)
2. Anna Maja Holm Thorsen NOR (A)
3. Tania Piekkanen FIN (B)
4. JÖNKÖPING SWE (B)
5. Arne Tellefsen NOR (syncro)
6. Ale Pikturniene LTU (syncro)
7. Francisco Parga SUI (syncro)

Referee Jann Siefken AUT

Secretary Vårin Renate Andvik Holm NOR

Detailed Results

Bergen Open 2023

AdO Arena, 5/5/23

Women, 3 meters syncro

1. Nilsson Garip / Widerström, MKK/POS 2003/2004

101B	3	101B	3	2.0	7.0	7.5	8.0	8.0	7.5	8.0	8.0	23.40	46.80	46.80	46.80	1.
301B	3	301B	3	2.0	7.0	7.5	8.5	8.0	8.0	8.0	8.5	24.00	48.00	94.80	94.80	1.
205B	3	205B	3	3.0	7.0	6.0	7.0	7.5	7.0	7.0	7.5	21.30	63.90	158.70	158.70	1.
5152B	3	5152B	3	3.0	5.0	5.0	7.0	7.5	6.0	5.5	7.0	18.30	54.90	213.60	213.60	1.
405C	3	405C	3	2.7	6.0	5.0	5.5	5.5	6.5	7.0	6.5	18.60	50.22	263.82	263.82	
				12.7	6.4	6.2	7.2	7.3	7.0	7.1	7.5					

2. Celine van Duijn / Inge Jansen, NED 1992/1994

103B	3	103B	3	2.0	3.5	6.0	5.0	5.0	4.0	5.5	4.5	14.40	28.80	28.80	28.80	6.
301B	3	301B	3	2.0	7.0	8.0	7.5	7.0	7.0	6.0	7.0	20.70	41.40	70.20	70.20	4.
205B	3	205B	3	3.0	6.5	6.0	5.5	5.0	6.5	6.0	7.0	18.60	55.80	126.00	126.00	2.
5152B	3	5152B	3	3.0	6.5	7.0	5.5	5.0	6.5	5.0	7.0	18.30	54.90	180.90	180.90	2.
405B	3	405B	3	3.0	5.5	6.5	6.5	6.0	7.0	6.0	7.0	19.50	58.50	239.40	239.40	
				13.0	5.8	6.7	6.0	5.6	6.2	5.7	6.5					

3. T. Jelinkova / I. Medkova, Czech 2008/2004

5231D	3	5231D	3	2.0	6.0	5.5	6.0	6.5	6.5	6.5	7.0	19.20	38.40	38.40	38.40	2.
301B	3	301B	3	2.0	6.5	5.5	6.0	5.5	6.5	6.5	7.0	18.90	37.80	76.20	76.20	2.
105B	3	105B	3	2.4	6.5	6.0	4.5	4.0	6.5	6.0	6.5	17.70	42.48	118.68	118.68	3.
405C	3	405C	3	2.7	4.5	4.0	3.5	3.0	5.0	5.0	4.0	12.90	34.83	153.51	153.51	3.
205C	3	205C	3	2.8	3.5	4.0	4.5	4.0	4.5	6.0	6.0	14.70	41.16	194.67	194.67	
				11.9	5.4	5.0	4.9	4.6	5.8	6.0	6.1					

4. Oona Abbema / Iris de Heer, ADT 2002/2005

201B	3	201B	3	2.0	6.5	6.0	5.5	6.0	6.0	6.0	6.0	18.00	36.00	36.00	36.00	3.
301B	3	301B	3	2.0	5.5	5.5	6.0	5.0	6.5	6.0	6.0	17.70	35.40	71.40	71.40	3.
105B	3	105B	3	2.4	6.0	6.0	5.0	6.0	6.0	6.0	6.0	18.00	43.20	114.60	114.60	4.
403B	3	403B	3	2.1	6.0	5.5	6.0	5.0	6.0	6.5	5.0	17.40	36.54	151.14	151.14	4.
5233D	3	5233D	3	2.4	6.0	6.0	5.0	5.0	6.5	6.0	6.5	18.00	43.20	194.34	194.34	
				10.9	6.0	5.8	5.5	5.4	6.2	6.1	5.9					

5. Lara El Batt / Louna Iacazzi, GN 2006/2005

301B	3	301B	3	2.0	1.0	1.0	5.5	5.5	3.5	4.5	1.5	9.60	19.20	19.20	19.20	7.
401B	3	401B	3	2.0	6.0	5.5	6.5	6.5	6.0	6.0	6.5	18.60	37.20	56.40	56.40	7.
105B	3	105B	3	2.4	6.0	6.0	5.5	6.0	6.5	6.0	7.0	18.90	45.36	101.76	101.76	5.
205C	3	205C	3	2.8	5.5	5.0	2.5	2.0	5.0	5.5	4.0	13.20	36.96	138.72	138.72	5.
5233D	3	5233D	3	2.4	6.0	6.0	6.5	5.5	6.0	6.0	6.0	18.00	43.20	181.92	181.92	
				11.6	4.9	4.7	5.3	5.1	5.4	5.6	5.0					

6. Urte Valeisaite / Vita Slajute, LTU 2005/2006

201B	3	201B	3	2.0	6.0	6.5	5.0	5.0	6.5	6.0	5.5	17.40	34.80	34.80	34.80	4.
301B	3	301B	3	2.0	4.5	4.5	4.0	4.0	3.5	3.0	4.0	11.40	22.80	57.60	57.60	6.
105B	3	105B	3	2.4	6.5	5.5	5.5	5.5	6.0	6.5	6.5	18.00	43.20	100.80	100.80	6.
403B	3	403B	3	2.1	6.5	6.0	6.0	6.0	5.5	6.0	4.5	16.80	35.28	136.08	136.08	6.
5233D	3	5233D	3	2.4	5.5	5.0	5.5	5.5	6.0	6.5	6.0	17.70	42.48	178.56	178.56	
				10.9	5.8	5.5	5.2	5.2	5.5	5.6	5.3					

7. Monsen Welande / Monsen Welande, BStK 2001/2001

301B	3	301B	3	2.0	4.5	4.5	5.0	5.5	6.0	6.5	6.0	16.80	33.60	33.60	33.60	5.
201B	3	201B	3	2.0	5.5	5.0	5.0	4.5	5.5	6.0	5.0	15.90	31.80	65.40	65.40	5.
5231D	3	5231D	3	2.0	5.0	4.0	4.5	4.0	5.5	6.0	6.0	15.60	31.20	96.60	96.60	7.
403B	3	403B	3	2.1	4.0	4.5	5.0	5.0	4.5	5.5	5.0	14.70	30.87	127.47	127.47	7.
105C	3	105C	3	2.2	5.0	4.5	4.5	4.0	6.0	6.0	5.5	15.90	34.98	162.45	162.45	
				10.3	4.8	4.5	4.8	4.6	5.5	6.0	5.5					

Judges

1. Iveta Jirkova CZE (A)
2. Anna Maja Holm Thorsen NOR (A)
3. Tania Piekkanen FIN (B)
4. JÖNKÖPING SWE (B)
5. Arne Tellefsen NOR (syncro)
6. Ale Pikturniene LTU (syncro)
7. Francisco Parga SUI (syncro)

Referee Jann Siefken AUT

Secretary Vårin Renate Andvik Holm NOR

Detailed Results

Bergen Open 2023

AdO Arena, 5/5/23

Boys, platform syncro

1. Albin Helling / Axel Sinclair, GSIM 2008/2008

103B	10	103B	10	2.0	6.0	6.5	7.5	6.5	7.5	8.0	7.0	21.30	42.60	42.60	42.60	1.
301B	7.5	301B	7.5	2.0	7.0	5.5	7.0	7.5	7.5	7.0	8.0	21.90	43.80	86.40	86.40	1.
105B	7.5	105B	7.5	2.4	6.5	6.5	6.0	6.0	7.5	7.5	7.0	20.70	49.68	136.08	136.08	1.
205C	7.5	205C	7.5	2.8	6.5	6.5	6.0	6.5	7.5	7.0	6.5	20.40	57.12	193.20	193.20	1.
405C	7.5	405C	7.5	2.7	6.0	5.5	5.5	5.5	6.0	6.5	6.0	17.70	47.79	240.99	240.99	
				11.9	6.4	6.1	6.4	6.4	7.2	7.2	6.9					

Judges

1. Anna Maja Holm Thorsen NOR (A)
2. John Appleman USA (A)
3. JÖNKÖPING SWE (B)
4. GENÈVE SUI (B)
5. Ramon de Meijer NED (syncro)
6. Kamilla Veres HUN (syncro)
7. Nathan Kim SWE (syncro)

Referee Jann Siefken AUT

Secretary Vårin Renate Andvik Holm NOR

Detailed Results

Bergen Open 2023

AdO Arena, 5/5/23

Girls, platform syncro

1. E. Ekebäck / L. Gustavsson, JSS/GSIM 2008/2005

103B	10	103B	10	2.0	7.0	7.0	8.5	8.0	7.0	6.5	8.0	21.90	43.80	43.80	43.80	1.
301B	10	301B	10	2.0	7.5	6.0	8.0	8.5	5.0	5.5	7.0	19.80	39.60	83.40	83.40	1.
5132D	5	5132D	5	2.2	5.5	7.0	6.5	6.0	7.0	6.5	7.5	20.10	44.22	127.62	127.62	1.
405C	7.5	405C	7.5	2.7	5.0	5.5	6.5	7.0	7.0	6.5	6.5	19.20	51.84	179.46	179.46	1.
105B	7.5	105B	7.5	2.4	5.0	5.5	7.0	6.0	6.5	6.0	7.0	18.60	44.64	224.10	224.10	
11.3 6.0 6.2 7.3 7.1 6.5 6.2 7.2																

2. Jackowicz-Korc / Pettersson Wib, POS 2008/2007

103B	7.5	103B	7.5	2.0	6.5	7.5	6.0	6.5	7.0	7.0	6.5	20.10	40.20	40.20	40.20	2.
301B	7.5	301B	7.5	2.0	6.0	5.5	5.0	6.0	6.5	7.0	5.5	18.30	36.60	76.80	76.80	2.
5233D	7.5	5233D	7.5	2.4	6.0	6.0	6.5	6.0	6.5	6.5	6.5	18.90	45.36	122.16	122.16	2.
105B	7.5	105B	7.5	2.4	4.5	4.5	4.5	5.0	6.0	6.0	5.5	15.90	38.16	160.32	160.32	3.
405C	7.5	405C	7.5	2.7	5.5	5.0	4.5	5.5	6.5	6.0	5.5	17.10	46.17	206.49	206.49	
11.5 5.7 5.7 5.3 5.8 6.5 6.5 5.9																

3. Johnsson Stjernström / Lundin, MKK/SPIF 2005/2005

103B	10	103B	10	2.0	4.0	5.5	7.0	7.0	6.0	7.5	6.0	19.20	38.40	38.40	38.40	3.
301B	10	301B	10	2.0	6.5	6.5	6.0	5.5	6.5	6.0	7.0	19.20	38.40	76.80	76.80	2.
403B	5	403B	5	2.4	5.5	6.0	5.0	5.5	7.0	6.5	7.0	18.90	45.36	122.16	122.16	2.
305C	10	305C	10	2.8	5.5	4.5	4.5	4.5	6.5	5.5	6.0	16.20	45.36	167.52	167.52	2.
205B	10	205B	10	2.9	3.0	3.5	6.0	5.5	4.0	4.5	4.5	13.20	38.28	205.80	205.80	
12.1 4.9 5.2 5.7 5.6 6.0 6.0 6.1																

4. V. Piekkanen / M. Manninen, VanDi ?/?

401B	7.5	401B	7.5	2.0	5.0	6.0	4.5	6.0	6.0	5.5	7.0	17.70	35.40	35.40	35.40	4.
201B	5	201B	5	2.0	4.5	5.0	4.0	4.5	5.5	5.0	5.0	14.70	29.40	64.80	64.80	4.
103B	7.5	103B	7.5	1.6	5.5	5.5	4.0	5.0	5.0	4.5	5.0	15.00	24.00	88.80	88.80	4.
5231D	7.5	5231D	7.5	2.0	4.5	5.5	4.0	4.5	5.5	5.0	5.0	14.70	29.40	118.20	118.20	4.
403C	5	403C	5	2.2	3.5	4.5	5.0	4.0	5.0	5.5	5.0	14.40	31.68	149.88	149.88	
9.8 4.6 5.3 4.3 4.8 5.4 5.1 5.4																

Erle Nygjerde / Nura Krpo, BST 2005/2006

103B	5	103B	5	2.0												5.
201C	5	201C	5	2.0												5.
301C	5	301C	5	1.6												5.
403C	5	403C	5	2.2												5.
5231D	5	5231D	5	2.1												
9.9																

Judges

1. Anna Maja Holm Thorsen NOR (A)
2. John Appleman USA (A)
3. JÖNKÖPING SWE (B)
4. GENÈVE SUI (B)
5. Ramon de Meijer NED (syncro)
6. Kamilla Veres HUN (syncro)
7. Nathan Kim SWE (syncro)

Referee Jann Siefken AUT

Secretary Vårin Renate Andvik Holm NOR

Detailed Results

Bergen Open 2023

AdO Arena, 5/5/23

Men, 1 meter

1. Andrzej Rzeszutek, POL 1991

413B	1	2.9	7.0	6.0	6.0	6.5	7.0	19.50	56.55	56.55	56.55	2.
405C	1	3.1	7.0	7.0	6.5	7.5	7.0	21.00	65.10	121.65	121.65	1.
107C	1	3.0	7.0	7.0	7.0	6.5	7.0	21.00	63.00	184.65	184.65	2.
205C	1	3.0	6.0	6.0	5.5	6.0	5.5	17.50	52.50	237.15	237.15	1.
305C	1	3.0	6.5	6.5	6.0	6.5	6.0	19.00	57.00	294.15	294.15	2.
5152B	1	3.2	6.0	6.0	6.0	6.5	6.5	18.50	59.20	353.35	353.35	
		18.2	6.6	6.4	6.2	6.6	6.5					

2. Kacper Lesiak, POL 1996

405C	1	3.1	7.5	8.0	7.5	7.5	8.0	23.00	71.30	71.30	71.30	1.
107C	1	3.0	4.5	4.5	3.5	3.5	5.0	12.50	37.50	108.80	108.80	3.
305C	1	3.0	8.0	8.0	7.5	7.5	8.5	23.50	70.50	179.30	179.30	3.
205C	1	3.0	6.0	6.0	7.0	6.5	6.5	19.00	57.00	236.30	236.30	3.
105B	1	2.6	7.5	7.5	7.5	7.0	7.5	22.50	58.50	294.80	294.80	1.
5152B	1	3.2	4.5	4.5	4.5	4.0	4.0	13.00	41.60	336.40	336.40	
		17.9	6.3	6.4	6.3	6.0	6.6					

3. Dariush Lotfi, AUT 2001

205C	1	3.0	4.5	5.0	5.5	6.0	5.5	16.00	48.00	48.00	48.00	7.
5335D	1	3.0	5.5	6.0	6.0	5.5	5.5	17.00	51.00	99.00	99.00	5.
107C	1	3.0	6.5	7.5	6.5	6.5	7.5	20.50	61.50	160.50	160.50	5.
305C	1	3.0	6.5	6.5	6.0	6.0	5.5	18.50	55.50	216.00	216.00	5.
405C	1	3.1	7.5	7.0	7.0	7.0	7.0	21.00	65.10	281.10	281.10	3.
5333D	1	2.6	7.0	6.0	7.0	7.0	6.5	20.50	53.30	334.40	334.40	
		17.7	6.3	6.3	6.3	6.3	6.3					

4. Isak Børslie, BStK 2006

105B	1	2.6	7.0	7.0	8.0	7.5	7.0	21.50	55.90	55.90	55.90	3.
405C	1	3.1	7.0	7.0	7.0	7.0	6.5	21.00	65.10	121.00	121.00	2.
107C	1	3.0	7.0	6.5	7.0	7.5	8.0	21.50	64.50	185.50	185.50	1.
305C	1	3.0	5.5	5.5	6.5	5.5	6.0	17.00	51.00	236.50	236.50	2.
203B	1	2.3	6.0	6.0	7.0	6.5	6.0	18.50	42.55	279.05	279.05	4.
5134D	1	2.6	7.0	7.0	7.0	7.0	7.5	21.00	54.60	333.65	333.65	
		16.6	6.6	6.5	7.1	6.8	6.8					

5. Nikolaj Schaller, AUT 2000

5134D	1	2.6	6.5	6.0	7.5	7.5	6.5	20.50	53.30	53.30	53.30	4.
105B	1	2.6	7.0	7.0	7.5	7.0	7.0	21.00	54.60	107.90	107.90	4.
405C	1	3.1	6.0	6.5	5.5	6.0	6.0	18.00	55.80	163.70	163.70	4.
107C	1	3.0	5.5	5.5	6.0	6.5	7.0	18.00	54.00	217.70	217.70	4.
203B	1	2.3	5.5	6.0	7.0	6.0	6.5	18.50	42.55	260.25	260.25	5.
305C	1	3.0	5.5	6.0	6.0	6.0	5.5	17.50	52.50	312.75	312.75	
		16.6	6.0	6.2	6.6	6.5	6.4					

6. Jacob Stoltz, SPIF 2000

203B	1	2.3	6.0	6.0	5.5	5.5	5.5	17.00	39.10	39.10	39.10	11.
305C	1	3.0	5.5	6.0	5.5	5.5	5.5	16.50	49.50	88.60	88.60	10.
5134D	1	2.6	6.5	6.0	7.0	6.5	7.0	20.00	52.00	140.60	140.60	7.
405C	1	3.1	6.5	6.0	5.5	6.0	6.0	18.00	55.80	196.40	196.40	6.
105B	1	2.6	7.0	7.0	8.0	7.0	7.0	21.00	54.60	251.00	251.00	6.
403B	1	2.4	8.0	8.5	7.5	8.0	7.5	23.50	56.40	307.40	307.40	
		16.0	6.6	6.6	6.5	6.4	6.4					

Gwendal Bisch, FRA 1998

203B	1	2.3	14.
107C	1	3.0	14.
305C	1	3.0	14.
5335D	1	3.0	14.
405C	1	3.1	14.
5136D	1	3.1	
		17.5	

Judges

1. Ale Pikturniene LTU
2. FRANCE FRA
3. Peter Axtelius SWE
4. Angelique de Vroome NED
5. Satu Pirhonen FIN

Referee Ale Pikturniene LTU

Secretary Vårin Renate Andvik Holm NOR

Detailed Results

Bergen Open 2023

AdO Arena, 5/5/23

Women, 3 meters

1. Emilia Nilsson Garip, MKK 2003

205B	3	3.0	6.5	6.5	6.5	6.5	6.0	19.50	58.50	58.50	58.50	1.00
107B	3	3.1	7.0	7.0	7.0	7.0	6.0	21.00	65.10	123.60	123.60	1.00
305B	3	3.0	5.0	5.5	5.0	3.5	4.5	14.50	43.50	167.10	167.10	1.00
5152B	3	3.0	6.5	6.5	7.0	6.5	6.5	19.50	58.50	225.60	225.60	1.00
405B	3	3.0	4.0	4.0	4.5	4.5	3.0	12.50	37.50	263.10	263.10	
		<i>15.1</i>	<i>5.8</i>	<i>5.9</i>	<i>6.0</i>	<i>5.6</i>	<i>5.2</i>					

2. Lauren Hallaselkä, FIN 2003

5152B	3	3.0	6.5	6.5	6.0	6.5	6.0	19.00	57.00	57.00	57.00	2.
107C	3	2.8	5.0	4.5	4.5	5.5	5.0	14.50	40.60	97.60	97.60	3.
205B	3	3.0	4.5	5.5	5.0	5.0	5.5	15.50	46.50	144.10	144.10	3.
305B	3	3.0	7.0	7.0	7.0	6.5	7.0	21.00	63.00	207.10	207.10	2.
405B	3	3.0	6.0	5.0	5.5	5.5	5.5	16.50	49.50	256.60	256.60	
		14.8	5.8	5.7	5.6	5.8	5.8					

3. Celine van Duijn, NED 1992

405B	3	3.0	5.5	7.0	6.0	5.5	6.0	17.50	52.50	52.50	52.50	3.
107B	3	3.1	6.0	5.5	6.0	6.0	5.5	17.50	54.25	106.75	106.75	2.
205B	3	3.0	6.0	6.0	5.0	5.5	5.5	17.00	51.00	157.75	157.75	2.
305B	3	3.0	3.0	3.5	5.0	3.5	3.5	10.50	31.50	189.25	189.25	3.
5152B	3	3.0	6.0	6.0	6.5	5.5	6.0	18.00	54.00	243.25	243.25	
		15.1	5.3	5.6	5.7	5.2	5.3					

4. Caroline Sofie Kupka, BStK 2003

205C	3	2.8	4.5	4.5	4.5	5.0	6.0	14.00	39.20	39.20	39.20	12.00
305C	3	2.8	6.5	6.5	5.5	7.0	6.0	19.00	53.20	92.40	92.40	4.00
405C	3	2.7	3.5	3.5	4.5	4.5	4.0	12.00	32.40	124.80	124.80	6.00
5152B	3	3.0	5.0	4.0	5.0	5.0	5.5	15.00	45.00	169.80	169.80	5.00
105B	3	2.4	7.0	7.0	6.5	7.5	7.0	21.00	50.40	220.20	220.20	
		13.7	5.3	5.1	5.2	5.8	5.7					

5. Tereza Jelinkova, Czech 2008

5233D	3	2.4	6.0	6.0	6.0	6.0	6.5	18.00	43.20	43.20	43.20	8.00
105B	3	2.4	5.5	5.5	5.5	5.0	6.0	16.50	39.60	82.80	82.80	9.00
405C	3	2.7	5.5	5.0	5.0	4.5	5.5	15.50	41.85	124.65	124.65	7.00
205C	3	2.8	5.0	4.0	5.0	4.5	5.0	14.50	40.60	165.25	165.25	9.00
305C	3	2.8	5.5	6.0	6.0	6.0	6.0	18.00	50.40	215.65	215.65	
		<i>13.1</i>	<i>5.5</i>	<i>5.3</i>	<i>5.5</i>	<i>5.2</i>	<i>5.8</i>					

6. Eliska Mikynova, Czech 2005

105B	3	2.4	6.0	5.5	5.5	5.5	6.0	17.00	40.80	40.80	40.80	9.
405C	3	2.7	5.0	4.5	6.0	5.5	5.5	16.00	43.20	84.00	84.00	8.
205C	3	2.8	5.0	5.0	6.0	6.0	6.0	17.00	47.60	131.60	131.60	4.
305C	3	2.8	5.5	5.0	5.5	5.0	6.0	16.00	44.80	176.40	176.40	4.
5233D	3	2.4	4.0	5.0	5.0	4.5	5.5	14.50	34.80	211.20	211.20	
		<i>13.1</i>	<i>5.1</i>	<i>5.0</i>	<i>5.6</i>	<i>5.3</i>	<i>5.8</i>					

405C	3	2.7	5.0	6.0	5.5	4.0	4.5	15.00	40.50	40.50	40.50	10.50
105B	3	2.4	6.5	6.5	6.0	6.0	5.5	18.50	44.40	84.90	84.90	7.50
5134D	3	2.5	5.5	5.0	5.0	5.5	5.5	16.00	40.00	124.90	124.90	5.50
205C	3	2.8	6.0	6.0	4.5	4.5	4.5	15.00	42.00	166.90	166.90	7.50
305C	3	2.8	5.5	5.5	5.0	5.0	5.0	15.50	43.40	210.30	210.30	
		<i>13.2</i>	<i>5.7</i>	<i>5.8</i>	<i>5.2</i>	<i>5.0</i>	<i>5.0</i>					

405C	3	2.7	6.0	6.0	5.5	5.5	5.0	17.00	45.90	45.90	45.90	5.
205B	3	3.0	5.0	4.5	4.5	5.0	4.0	14.00	42.00	87.90	87.90	6.
305B	3	3.0	3.5	3.5	3.0	3.0	3.5	10.00	30.00	117.90	117.90	10.
5152B	3	3.0	6.0	5.5	5.0	6.0	5.0	16.50	49.50	167.40	167.40	6.
107C	3	2.8	4.0	4.5	5.0	5.0	5.0	14.50	40.60	208.00	208.00	
		14.5	4.9	4.8	4.6	4.9	4.5					

105B	3	2.4	6.0	6.5	6.0	6.0	6.5	18.50	44.40	44.40	44.40	7.
405C	3	2.7	6.0	5.5	6.0	5.5	5.5	17.00	45.90	90.30	90.30	5.
205C	3	2.8	3.5	3.5	4.5	3.5	3.5	10.50	29.40	119.70	119.70	8.
305C	3	2.8	5.5	4.5	5.5	5.5	5.5	16.50	46.20	165.90	165.90	8.
5233D	3	2.4	6.0	5.5	6.0	5.5	6.0	17.50	42.00	207.90	207.90	
		<i>13.1</i>	<i>5.4</i>	<i>5.1</i>	<i>5.6</i>	<i>5.2</i>	<i>5.4</i>					

105B	3	2.4	6.5	6.5	6.5	6.0	6.5	19.50	46.80	46.80	46.80	4.
205B	3	3.0	2.5	3.0	3.0	3.5	2.0	8.50	25.50	72.30	72.30	13.
305B	3	3.0	4.5	4.5	5.0	4.0	3.0	13.00	39.00	111.30	111.30	13.
405C	3	2.7	6.5	6.5	6.0	5.5	6.0	18.50	49.95	161.25	161.25	10.
5132D	3	2.1	6.5	7.0	6.5	6.5	7.0	20.00	42.00	203.25	203.25	
		13.2	5.3	5.5	5.4	5.1	4.9					

5134D	3	2.5	4.5	5.5	5.5	4.5	4.0	14.50	36.25	36.25	36.25	17.
305C	3	2.8	2.5	3.0	3.0	2.5	1.0	8.00	22.40	58.65	58.65	19.
205C	3	2.8	5.0	5.0	5.5	5.0	4.5	15.00	42.00	100.65	100.65	17.
405C	3	2.7	5.5	4.5	6.0	5.5	5.5	16.50	44.55	145.20	145.20	14.
105B	3	2.4	6.5	6.0	6.0	6.5	6.5	19.00	45.60	190.80	190.80	
		13.2	4.8	4.8	5.2	4.8	4.3					

5233D	3	2.4	6.0	6.5	5.5	5.0	5.0	16.50	39.60	39.60	39.60	11.00
105B	3	2.4	6.0	6.0	5.5	5.5	6.0	17.50	42.00	81.60	81.60	10.00
305C	3	2.8	4.5	5.0	4.0	4.0	4.5	13.00	36.40	118.00	118.00	9.00
205C	3	2.8	3.5	3.5	4.0	3.5	3.5	10.50	29.40	147.40	147.40	12.00
405C	3	2.7	5.0	5.5	5.5	5.0	4.0	15.50	41.85	189.25	189.25	
		13.1	5.0	5.3	4.9	4.6	4.6					

405C	3	2.7	6.0	5.5	5.5	5.5	5.5	16.50	44.55	44.55	44.55	6.
107C	3	2.8	2.0	3.0	3.5	4.0	3.5	10.00	28.00	72.55	72.55	12.
301B	3	1.9	7.0	7.0	6.5	6.0	7.5	20.50	38.95	111.50	111.50	12.
205C	3	2.8	5.0	5.5	4.5	5.5	5.5	16.00	44.80	156.30	156.30	11.
5152B	3	3.0	2.0	3.0	3.5	3.5	3.5	10.00	30.00	186.30	186.30	
		<i>13.2</i>	<i>4.4</i>	<i>4.8</i>	<i>4.7</i>	<i>4.9</i>	<i>5.1</i>					

405B	3	3.0	4.0	5.0	4.0	4.5	4.5	13.00	39.00	39.00	39.00	13.00
107C	3	2.8	2.0	2.5	2.0	2.5	2.5	7.00	19.60	58.60	58.60	20.00
205C	3	2.8	5.5	5.5	6.0	5.5	5.5	16.50	46.20	104.80	104.80	16.00
305C	3	2.8	4.5	3.5	4.0	4.0	4.5	12.50	35.00	139.80	139.80	16.00
5335D	3	2.9	4.0	5.0	5.0	4.0	4.5	13.50	39.15	178.95	178.95	
		<i>14.3</i>	<i>4.0</i>	<i>4.3</i>	<i>4.2</i>	<i>4.1</i>	<i>4.3</i>					

15. Ivana Medkova, Czech 2004

5233D	3	2.4	5.0	5.0	5.5	5.5	5.5	16.00	38.40	38.40	38.40	14.
105B	3	2.4	4.5	5.0	5.0	6.0	5.5	15.50	37.20	75.60	75.60	11.
405C	3	2.7	4.0	3.5	5.0	4.5	4.0	12.50	33.75	109.35	109.35	15.
205C	3	2.8	3.5	3.0	4.5	5.0	4.5	12.50	35.00	144.35	144.35	15.
305C	3	2.8	3.5	2.5	4.0	4.0	4.0	11.50	32.20	176.55	176.55	

13.1 4.1 3.8 4.8 5.0 4.7

16. Lina Galaasen Lund, BST 1998

405C	3	2.7	4.5	4.5	4.5	5.0	4.0	13.50	36.45	36.45	36.45	16.
301B	3	1.9	6.0	5.5	6.0	5.0	5.5	17.00	32.30	68.75	68.75	14.
205C	3	2.8	5.5	5.5	5.0	5.0	5.5	16.00	44.80	113.55	113.55	11.
5231D	3	2.0	5.0	4.5	5.5	6.0	5.5	16.00	32.00	145.55	145.55	13.
107C	3	2.8	3.0	2.5	3.5	2.5	2.0	8.00	22.40	167.95	167.95	

12.2 4.8 4.5 4.9 4.7 4.5

17. Maya Belanger, MVN 2003

405C	3	2.7	4.5	4.0	4.5	4.0	4.0	12.50	33.75	33.75	33.75	20.
107C	3	2.8	3.0	3.0	3.5	3.5	3.5	10.00	28.00	61.75	61.75	17.
5152B	3	3.0	6.5	6.0	4.5	5.5	5.0	16.50	49.50	111.25	111.25	14.
305C	3	2.8	2.5	3.0	4.0	3.0	2.5	8.50	23.80	135.05	135.05	17.
205B	3	3.0	3.0	3.5	3.5	3.5	2.5	10.00	30.00	165.05	165.05	

14.3 3.9 3.9 4.0 3.9 3.5

18. Cara Albiez, AUT 2005

5233D	3	2.4	3.5	4.0	3.5	4.5	4.5	12.00	28.80	28.80	28.80	21.
105B	3	2.4	6.0	5.0	5.0	5.0	5.5	15.50	37.20	66.00	66.00	16.
205B	3	3.0	3.0	3.0	3.0	3.5	2.5	9.00	27.00	93.00	93.00	19.
405C	3	2.7	4.5	5.0	4.5	5.0	4.5	14.00	37.80	130.80	130.80	18.
305C	3	2.8	3.5	4.0	4.0	3.5	3.5	11.00	30.80	161.60	161.60	

13.3 4.1 4.2 4.0 4.3 4.1

19. Aline Baumgartner, SKBE 2003

403B	3	2.1	5.5	6.0	5.0	6.0	6.0	17.50	36.75	36.75	36.75	15.
201B	3	1.8	5.5	5.5	6.0	5.5	5.5	16.50	29.70	66.45	66.45	15.
301B	3	1.9	5.0	4.0	4.5	4.5	5.0	14.00	26.60	93.05	93.05	18.
105B	3	2.4	2.5	3.0	3.5	3.5	2.5	9.00	21.60	114.65	114.65	19.
5233D	3	2.4	4.5	5.0	5.0	5.5	5.0	15.00	36.00	150.65	150.65	

10.6 4.6 4.7 4.8 5.0 4.8

20. Fredrika Hansson, SPIF 2002

405C	3	2.7	4.5	4.0	4.5	4.0	4.5	13.00	35.10	35.10	35.10	18.
305C	3	2.8	1.5	3.0	2.0	2.0	2.5	6.50	18.20	53.30	53.30	22.
205C	3	2.8	2.5	2.5	3.0	2.5	4.0	8.00	22.40	75.70	75.70	22.
105B	3	2.4	6.0	5.5	5.0	5.0	5.5	16.00	38.40	114.10	114.10	20.
5233D	3	2.4	4.5	4.5	4.5	4.0	5.5	13.50	32.40	146.50	146.50	

13.1 3.8 3.9 3.8 3.5 4.4

21. Lina G. Indrebø, KSTK 1995

105B	3	2.4	4.5	4.5	5.0	5.0	5.5	14.50	34.80	34.80	34.80	19.
205C	3	2.8	3.0	2.5	2.5	3.0	3.0	8.50	23.80	58.60	58.60	20.
305C	3	2.8	2.0	1.5	2.5	2.5	2.5	7.00	19.60	78.20	78.20	21.
404C	3	2.4	3.0	1.5	2.0	2.0	2.5	6.50	15.60	93.80	93.80	22.
5233D	3	2.4	3.5	4.0	4.0	3.5	3.5	11.00	26.40	120.20	120.20	

12.8 3.2 2.8 3.2 3.2 3.4

22. Tonje Monsen Weland, BStK 2001

105C	3	2.2	5.0	4.5	4.0	4.5	4.0	13.00	28.60	28.60	28.60	22.
404C	3	2.4	4.5	4.0	4.5	4.5	4.5	13.50	32.40	61.00	61.00	18.
203B	3	2.2	4.5	4.5	4.5	5.5	4.5	13.50	29.70	90.70	90.70	20.
5231D	3	2.0	4.0	2.5	4.0	4.5	2.5	10.50	21.00	111.70	111.70	21.
303B	3	2.3	0.5	0.5	1.0	0.5	0.5	1.50	3.45	115.15	115.15	

11.1 3.7 3.2 3.6 3.9 3.2

Emily Francis, AUS 2008

405B	3	3.0	23.
107C	3	2.8	23.
205B	3	3.0	23.
305B	3	3.0	23.
5152B	3	3.0	
14.8			

Kaja Skrzek, POL 1998

105B	3	2.4	23.
405B	3	3.0	23.
305C	3	2.8	23.
205B	3	3.0	23.
5152B	3	3.0	
14.2			

Silje Monsen Welanders, BStK 2001

105B	3	2.4	23.
403B	3	2.1	23.
301B	3	1.9	23.
203B	3	2.2	23.
5231D	3	2.0	
10.6			

Judges

1. Julie Synnøve Thorsen NOR
2. Elin Berg SWE
3. AUSTRALIA AUS
4. Jann Siefken AUT
5. Iveta Jirkova CZE

Referee Iveta Jirkova CZE

Secretary Vårin Renate Andvik Holm NOR

Detailed Results

Bergen Open 2023

AdO Arena, 5/5/23

Mixed, 3 meters syncro

1. I. Børslien / C. Kupka, BStK 2006/2003

401B	3	401B	3	2.0	7.5	7.5	7.5	7.5	7.5	8.0	7.5	22.80	45.60	45.60	45.60	1.
103B	3	103B	3	2.0	7.0	7.5	7.0	7.0	7.0	7.5	6.5	21.00	42.00	87.60	87.60	1.
305C	3	305C	3	2.8	7.0	7.0	6.0	6.5	7.5	7.0	7.0	21.00	58.80	146.40	146.40	1.
5152B	3	5152B	3	3.0	6.0	7.0	5.5	6.5	7.0	7.0	7.0	20.10	60.30	206.70	206.70	1.
205C	3	205C	3	2.8	5.0	6.0	6.5	6.5	7.0	7.0	7.5	20.40	57.12	263.82	263.82	
				12.6	6.5	7.0	6.5	6.8	7.2	7.3	7.1					

2. Isac Faxius / Sofia Torstensson, MKK 2004/2005

301B	3	301B	3	2.0	6.0	6.5	6.0	5.0	7.0	6.0	6.0	18.60	37.20	37.20	37.20	2.
5231D	3	5231D	3	2.0	6.0	6.0	6.5	6.5	7.0	7.0	6.0	19.50	39.00	76.20	76.20	2.
405C	3	405C	3	2.7	4.5	4.0	6.5	6.5	5.5	5.0	5.5	16.20	43.74	119.94	119.94	2.
205C	3	205C	3	2.8	5.5	6.0	6.5	5.5	6.0	5.5	5.5	17.10	47.88	167.82	167.82	2.
105B	3	105B	3	2.4	7.0	6.5	4.5	4.0	6.5	5.0	6.5	17.40	41.76	209.58	209.58	
				11.9	5.8	5.8	6.0	5.5	6.4	5.7	5.9					

3. Nico Julmy / Aline Baumgartner, Fri/SKBE 2007/2003

201B	3	201B	3	2.0	5.0	6.0	6.0	7.0	6.0	6.5	6.5	18.60	37.20	37.20	37.20	2.
301B	3	301B	3	2.0	6.0	5.5	6.5	6.5	7.0	6.5	6.0	19.20	38.40	75.60	75.60	3.
5233D	3	5233D	3	2.4	5.0	5.0	4.0	6.0	5.5	5.5	6.0	16.20	38.88	114.48	114.48	3.
105B	3	105B	3	2.4	4.5	5.0	6.5	5.5	5.5	6.5	6.0	17.10	41.04	155.52	155.52	3.
403B	3	403B	3	2.1	6.5	5.5	7.0	6.5	6.5	7.0	7.0	20.10	42.21	197.73	197.73	
				10.9	5.4	5.4	6.0	6.3	6.1	6.4	6.3					

Julio Centurion / Louna Iacazzi, GN 2003/2005

201B	3	201B	3	2.0												4.
301B	3	301B	3	2.0												4.
403B	3	403B	3	2.1												4.
5233D	3	5233D	3	2.4												4.
105B	3	105B	3	2.4												
				10.9												

Judges

1. Moa Gyllenstierna SWE (A)
2. POLAND POL (A)
3. Julie Synnøve Thorsen NOR (B)
4. ZURICH SUI (B)
5. Kamilla Veres HUN (syncro)
6. Lina Damgaard SWE (syncro)
7. Cilingir Cagla FIN (syncro)

Referee Jann Siefken AUT

Secretary Vårin Renate Andvik Holm NOR

Detailed Results

Bergen Open 2023

AdO Arena, 5/6/23

A Boys, 1 meter

1. Isak Børslien, BStK 2006

401A	1	1.8	7.0	7.0	7.0	7.5	7.5	21.50	38.70	38.70	38.70	2.
103B	1	1.7	6.5	7.0	7.0	7.0	7.5	21.00	35.70	74.40	74.40	2.
201B	1	1.6	7.0	7.0	7.0	7.5	7.0	21.00	33.60	108.00	108.00	1.
301B	1	1.7	7.0	7.0	7.5	7.0	7.5	21.50	36.55	144.55	144.55	1.
5132D	1	2.2	7.0	7.0	7.0	7.5	7.5	21.50	47.30	191.85	191.85	1.
405C	1	3.1	6.5	5.0	6.5	6.0	6.5	19.00	58.90	250.75	250.75	1.
107C	1	3.0	7.5	7.5	7.0	8.0	7.5	22.50	67.50	318.25	318.25	1.
305C	1	3.0	5.5	4.5	6.0	6.0	6.5	17.50	52.50	370.75	370.75	1.
203B	1	2.3	6.5	6.5	6.5	6.0	6.5	19.50	44.85	415.60	415.60	1.
5134D	1	2.6	7.0	8.0	7.5	8.5	8.0	23.50	61.10	476.70	476.70	
		23.0	6.8	6.7	6.9	7.1	7.2					

2. Zach Welsh, MVN 2006

103B	1	1.7	7.0	7.5	7.0	7.0	6.5	21.00	35.70	35.70	35.70	4.
201B	1	1.6	7.5	8.0	8.0	7.5	7.0	23.00	36.80	72.50	72.50	3.
301B	1	1.7	5.0	5.5	6.0	6.0	5.0	16.50	28.05	100.55	100.55	5.
401B	1	1.5	8.0	8.0	8.5	8.0	7.0	24.00	36.00	136.55	136.55	3.
5233D	1	2.5	6.5	7.0	7.0	7.0	7.0	21.00	52.50	189.05	189.05	2.
405C	1	3.1	6.5	5.5	5.0	6.5	6.0	18.00	55.80	244.85	244.85	2.
107C	1	3.0	5.5	4.5	5.0	6.0	5.5	16.00	48.00	292.85	292.85	3.
205C	1	3.0	7.0	7.0	6.0	6.5	6.5	20.00	60.00	352.85	352.85	2.
305C	1	3.0	5.0	7.0	5.5	6.5	6.0	18.00	54.00	406.85	406.85	2.
5152B	1	3.2	7.0	7.0	6.5	7.5	7.5	21.50	68.80	475.65	475.65	
		24.3	6.5	6.7	6.5	6.9	6.4					

3. Matthew Hibbert, NED 2006

401B	1	1.5	6.5	6.5	7.0	6.5	7.0	20.00	30.00	30.00	30.00	14.
103B	1	1.7	7.0	7.5	7.0	7.0	7.0	21.00	35.70	65.70	65.70	10.
201B	1	1.6	7.0	7.5	7.0	7.0	7.5	21.50	34.40	100.10	100.10	6.
301B	1	1.7	6.5	6.5	6.0	6.5	6.5	19.50	33.15	133.25	133.25	9.
5233D	1	2.5	6.5	7.0	6.5	6.5	6.0	19.50	48.75	182.00	182.00	4.
105B	1	2.6	6.5	7.0	6.5	7.0	7.5	20.50	53.30	235.30	235.30	4.
405C	1	3.1	6.0	6.5	6.5	7.0	6.5	19.50	60.45	295.75	295.75	2.
203B	1	2.3	6.0	7.0	6.5	6.0	7.0	19.50	44.85	340.60	340.60	3.
305C	1	3.0	4.5	4.5	4.5	5.0	4.5	13.50	40.50	381.10	381.10	3.
5333D	1	2.6	7.0	7.0	7.5	7.0	7.5	21.50	55.90	437.00	437.00	
		22.6	6.4	6.7	6.5	6.6	6.7					

4. Nolan Rooker, MVN 2006

103C	1	1.6	6.0	6.0	5.5	6.5	5.5	17.50	28.00	28.00	28.00	17.
201B	1	1.6	7.0	7.0	7.0	7.0	7.5	21.00	33.60	61.60	61.60	14.
303C	1	2.1	6.0	6.5	6.0	7.0	6.5	19.00	39.90	101.50	101.50	3.
401B	1	1.5	7.0	6.5	6.0	7.5	7.0	20.50	30.75	132.25	132.25	11.
5132D	1	2.2	6.0	5.0	5.5	7.5	6.5	18.00	39.60	171.85	171.85	10.
105B	1	2.6	6.0	7.0	6.0	7.0	6.5	19.50	50.70	222.55	222.55	7.
203B	1	2.3	7.0	6.5	6.5	7.5	7.0	20.50	47.15	269.70	269.70	7.
305C	1	3.0	6.0	5.5	5.5	6.0	6.0	17.50	52.50	322.20	322.20	4.
405C	1	3.1	6.0	4.5	5.0	4.5	5.0	14.50	44.95	367.15	367.15	5.
5233D	1	2.5	6.5	7.0	6.5	6.5	7.0	20.00	50.00	417.15	417.15	
		22.5	6.4	6.2	6.0	6.7	6.5					

401B	1	1.5	7.0	7.0	7.5	7.5	7.0	21.50	32.25	32.25	32.25	11.00
201B	1	1.6	6.5	7.0	7.0	7.0	7.0	21.00	33.60	65.85	65.85	9.00
301B	1	1.7	6.0	7.5	7.5	6.0	6.5	20.00	34.00	99.85	99.85	8.00
103B	1	1.7	6.0	7.0	6.0	6.5	7.0	19.50	33.15	133.00	133.00	10.00
5233D	1	2.5	7.0	7.0	7.5	7.0	7.0	21.00	52.50	185.50	185.50	3.00
105B	1	2.6	6.5	7.0	6.5	7.0	7.5	20.50	53.30	238.80	238.80	3.00
203B	1	2.3	6.5	6.5	6.0	6.5	6.5	19.50	44.85	283.65	283.65	4.00
305C	1	3.0	1.0	1.5	1.5	1.5	1.5	4.50	13.50	297.15	297.15	11.00
405C	1	3.1	7.0	7.0	7.5	8.0	7.0	21.50	66.65	363.80	363.80	7.00
5134D	1	2.6	7.0	6.5	6.5	7.0	7.0	20.50	53.30	417.10	417.10	
		22.6	6.1	6.4	6.4	6.4	6.4					

103B	1	1.7	6.5	6.5	6.0	7.0	7.0	20.00	34.00	34.00	34.00	7.
401B	1	1.5	7.5	7.0	7.5	7.5	7.5	22.50	33.75	67.75	67.75	5.
201B	1	1.6	6.5	6.5	6.5	6.5	6.0	19.50	31.20	98.95	98.95	12.
301B	1	1.7	6.5	6.5	7.0	7.0	7.0	20.50	34.85	133.80	133.80	6.
5231D	1	2.1	6.0	6.0	6.5	6.5	6.5	19.00	39.90	173.70	173.70	8.
5233D	1	2.5	6.5	6.5	6.5	7.0	6.5	19.50	48.75	222.45	222.45	8.
203B	1	2.3	7.0	7.0	7.0	7.5	7.0	21.00	48.30	270.75	270.75	6.
303B	1	2.4	6.0	6.0	6.0	6.5	7.0	18.50	44.40	315.15	315.15	6.
405C	1	3.1	4.5	4.5	6.0	5.0	5.0	14.50	44.95	360.10	360.10	8.
105B	1	2.6	6.5	7.0	6.0	7.0	7.0	20.50	53.30	413.40	413.40	
		21.5	6.4	6.4	6.5	6.8	6.7					

103B	1	1.7	6.5	6.0	6.5	6.5	7.5	19.50	33.15	33.15	33.15	9.
201B	1	1.6	7.0	6.5	8.0	6.0	6.5	20.00	32.00	65.15	65.15	11.
301B	1	1.7	6.0	6.0	6.5	6.5	6.5	19.00	32.30	97.45	97.45	14.
401B	1	1.5	7.5	7.0	7.0	6.5	6.5	20.50	30.75	128.20	128.20	12.
5132D	1	2.2	3.5	6.0	6.5	6.0	5.5	17.50	38.50	166.70	166.70	13.
203B	1	2.3	5.5	6.0	6.0	5.0	5.5	17.00	39.10	205.80	205.80	14.
305C	1	3.0	6.5	6.5	6.5	6.5	6.5	19.50	58.50	264.30	264.30	8.
403B	1	2.4	6.5	7.0	7.0	6.5	7.0	20.50	49.20	313.50	313.50	8.
5134D	1	2.6	6.5	6.5	7.0	6.0	6.5	19.50	50.70	364.20	364.20	6.
107C	1	3.0	5.5	5.5	5.0	4.5	4.5	15.00	45.00	409.20	409.20	
		22.0	6.1	6.3	6.6	6.0	6.3					

103B	1	1.7	6.5	6.0	5.5	7.0	6.5	19.00	32.30	32.30	32.30	10.
201B	1	1.6	6.5	6.5	7.0	6.5	5.5	19.50	31.20	63.50	63.50	13.
301B	1	1.7	7.0	7.0	7.5	7.0	7.5	21.50	36.55	100.05	100.05	7.
401B	1	1.5	7.0	7.5	7.5	7.5	7.5	22.50	33.75	133.80	133.80	6.
5132D	1	2.2	6.5	6.0	4.5	6.5	6.0	18.50	40.70	174.50	174.50	7.
105B	1	2.6	6.5	7.0	6.0	7.0	6.5	20.00	52.00	226.50	226.50	5.
405C	1	3.1	5.5	5.0	5.0	5.5	6.0	16.00	49.60	276.10	276.10	5.
203B	1	2.3	6.5	6.0	6.5	7.0	6.0	19.00	43.70	319.80	319.80	5.
305C	1	3.0	6.0	6.0	5.5	5.5	5.5	17.00	51.00	370.80	370.80	4.
5233D	1	2.5	6.0	4.5	5.5	4.5	5.0	15.00	37.50	408.30	408.30	
		22.2	6.4	6.2	6.1	6.4	6.2					

201B	1	1.6	6.5	5.5	6.5	6.5	6.5	19.50	31.20	31.20	31.20	13.
301B	1	1.7	6.5	7.0	7.0	7.5	7.0	21.00	35.70	66.90	66.90	7.
103B	1	1.7	6.5	7.0	6.0	6.0	6.0	18.50	31.45	98.35	98.35	13.
401A	1	1.8	6.5	6.5	6.5	7.0	7.0	20.00	36.00	134.35	134.35	5.
5331D	1	2.2	6.5	6.0	6.0	6.5	7.0	19.00	41.80	176.15	176.15	6.
105B	1	2.6	6.5	7.0	6.0	6.0	6.0	18.50	48.10	224.25	224.25	6.
405C	1	3.1	4.0	4.5	4.5	4.0	4.0	12.50	38.75	263.00	263.00	9.
203B	1	2.3	7.0	7.5	6.5	7.5	7.5	22.00	50.60	313.60	313.60	7.
303B	1	2.4	6.0	6.0	6.0	6.5	7.0	18.50	44.40	358.00	358.00	9.
5333D	1	2.6	6.0	6.0	5.5	5.5	6.5	17.50	45.50	403.50	403.50	
		22.0	6.2	6.3	6.1	6.3	6.5					

401A	1	1.8	7.5	8.0	7.0	7.0	5.5	21.50	38.70	38.70	38.70	2.
103C	1	1.6	5.0	6.0	6.0	6.0	6.0	18.00	28.80	67.50	67.50	6.
201A	1	1.7	6.5	7.0	6.0	5.0	6.5	19.00	32.30	99.80	99.80	9.
301B	1	1.7	4.0	5.5	5.5	5.0	5.5	16.00	27.20	127.00	127.00	13.
5132D	1	2.2	6.0	7.0	6.5	6.5	7.0	20.00	44.00	171.00	171.00	11.
5134D	1	2.6	6.5	6.5	5.5	6.0	5.5	18.00	46.80	217.80	217.80	10.
203B	1	2.3	6.0	6.5	6.0	6.0	6.5	18.50	42.55	260.35	260.35	10.
303B	1	2.4	4.0	5.0	5.0	5.0	5.5	15.00	36.00	296.35	296.35	12.
405C	1	3.1	6.5	6.5	7.0	6.0	6.0	19.00	58.90	355.25	355.25	10.
105B	1	2.6	4.5	6.5	6.0	6.5	5.5	18.00	46.80	402.05	402.05	
		22.0	5.7	6.5	6.1	5.9	6.0					

201B	1	1.6	7.0	6.5	7.0	7.0	7.0	21.00	33.60	33.60	33.60	8.
301B	1	1.7	6.0	6.0	6.5	7.0	6.5	19.00	32.30	65.90	65.90	8.
401A	1	1.8	6.5	6.0	6.5	7.0	7.0	20.00	36.00	101.90	101.90	2.
103B	1	1.7	6.5	6.0	6.5	7.0	7.0	20.00	34.00	135.90	135.90	4.
5231D	1	2.1	5.5	6.5	6.0	6.0	6.0	18.00	37.80	173.70	173.70	8.
203B	1	2.3	6.0	5.0	4.5	5.5	5.0	15.50	35.65	209.35	209.35	13.
303B	1	2.4	4.5	6.0	5.5	6.0	6.0	17.50	42.00	251.35	251.35	14.
403B	1	2.4	6.5	7.0	6.0	6.5	7.0	20.00	48.00	299.35	299.35	10.
5134D	1	2.6	6.0	5.5	6.0	7.0	6.5	18.50	48.10	347.45	347.45	11.
105B	1	2.6	6.0	6.5	6.5	7.0	7.0	20.00	52.00	399.45	399.45	
		21.2	6.1	6.1	6.1	6.6	6.5					

103B	1	1.7	7.0	6.0	7.0	7.5	7.0	21.00	35.70	35.70	35.70	4.
201B	1	1.6	7.0	7.0	7.0	7.5	7.5	21.50	34.40	70.10	70.10	4.
301B	1	1.7	5.5	5.0	5.5	7.0	6.0	17.00	28.90	99.00	99.00	11.
401A	1	1.8	7.0	6.5	7.0	7.5	7.0	21.00	37.80	136.80	136.80	2.
5132D	1	2.2	6.0	6.0	6.0	7.5	7.0	19.00	41.80	178.60	178.60	5.
203B	1	2.3	6.5	6.5	6.0	6.5	6.0	19.00	43.70	222.30	222.30	9.
305C	1	3.0	3.5	3.5	3.5	4.5	5.5	11.50	34.50	256.80	256.80	12.
5333D	1	2.6	5.0	4.5	4.5	5.5	4.5	14.00	36.40	293.20	293.20	13.
403B	1	2.4	5.5	6.0	5.5	6.0	6.5	17.50	42.00	335.20	335.20	12.
105B	1	2.6	5.0	6.5	5.5	6.5	6.5	18.50	48.10	383.30	383.30	
		<i>21.9</i>	<i>5.8</i>	<i>5.8</i>	<i>5.8</i>	<i>6.6</i>	<i>6.4</i>					

401B	1	1.5	6.5	6.5	5.5	7.0	6.5	19.50	29.25	29.25	29.25	16.
103B	1	1.7	5.5	6.0	5.5	6.0	6.5	17.50	29.75	59.00	59.00	16.
201B	1	1.6	6.5	6.0	5.5	7.0	6.5	19.00	30.40	89.40	89.40	16.
301B	1	1.7	6.0	6.0	5.0	7.0	6.5	18.50	31.45	120.85	120.85	14.
5233D	1	2.5	6.0	6.0	5.5	6.5	6.0	18.00	45.00	165.85	165.85	14.
403B	1	2.4	6.5	6.5	6.5	6.5	6.5	19.50	46.80	212.65	212.65	12.
105B	1	2.6	5.5	7.0	3.5	6.5	6.0	18.00	46.80	259.45	259.45	11.
203B	1	2.3	5.5	6.5	6.0	6.0	5.5	17.50	40.25	299.70	299.70	9.
303B	1	2.4	5.0	5.5	4.5	4.5	5.0	14.50	34.80	334.50	334.50	13.
5333D	1	2.6	6.0	4.5	5.5	5.0	6.0	16.50	42.90	377.40	377.40	
		21.3	5.9	6.1	5.3	6.2	6.1					

103B	1	1.7	3.0	4.5	3.5	4.0	3.5	11.00	18.70	18.70	18.70	19.00
201B	1	1.6	6.5	6.5	6.5	5.5	6.0	19.00	30.40	49.10	49.10	19.00
301B	1	1.7	6.0	6.5	6.5	6.0	6.0	18.50	31.45	80.55	80.55	17.00
401A	1	1.8	6.5	7.0	7.0	7.5	6.5	20.50	36.90	117.45	117.45	15.00
5231D	1	2.1	5.5	5.5	5.0	5.5	5.5	16.50	34.65	152.10	152.10	15.00
105B	1	2.6	5.0	6.0	5.0	5.5	5.5	16.00	41.60	193.70	193.70	15.00
203B	1	2.3	5.5	6.0	5.5	5.5	6.0	17.00	39.10	232.80	232.80	16.00
303B	1	2.4	7.0	7.0	6.0	6.0	6.0	19.00	45.60	278.40	278.40	15.00
403B	1	2.4	6.0	6.5	6.5	6.0	6.0	18.50	44.40	322.80	322.80	14.00
5331D	1	2.2	6.5	6.5	7.5	6.5	7.0	20.00	44.00	366.80	366.80	
		20.8	5.8	6.2	5.9	5.8	5.8					

401A	1	1.8	6.5	6.0	6.0	7.0	6.5
201B	1	1.6	6.0	5.5	6.0	5.5	5.5
301B	1	1.7	6.0	5.5	5.5	5.5	5.5
103B	1	1.7	3.0	3.5	3.5	4.5	3.0
5132D	1	2.2	4.5	6.0	4.5	5.5	5.5
405C	1	3.1	6.0	5.5	6.5	4.5	5.5
205C	1	3.0	4.5	4.0	4.5	5.0	4.5
305C	1	3.0	2.0	2.5	3.0	3.0	3.5
107C	1	3.0	6.5	6.0	4.5	6.5	6.0
5233D	1	2.5	6.0	5.0	5.5	6.5	6.0
		23.6	5.1	5.0	5.0	5.4	5.2

23.6 5.1 5.0 5.0 5.4 5.2

103B	1	1.7	5.5	5.5	4.5	4.5	6.0
201B	1	1.6	6.5	6.0	6.0	6.0	5.5
301B	1	1.7	4.5	4.0	4.0	4.0	4.0
401A	1	1.8	6.5	6.5	7.0	6.5	6.5
5132D	1	2.2	5.5	4.5	5.0	6.5	5.5
105B	1	2.6	5.0	5.0	6.5	5.5	4.5
203B	1	2.3	4.5	6.0	4.5	6.0	5.5
305C	1	3.0	3.5	4.5	4.5	4.0	4.5
403B	1	2.4	6.5	6.5	6.0	6.0	6.5
5134D	1	2.6	5.5	5.5	6.0	7.0	6.0
		21.9	5.4	5.4	5.4	5.6	5.5

21.9 5.4 5.4 5.4 5.6 5.5

401B	1	1.5	7.0	7.5	7.0	6.5	7.0
103B	1	1.7	6.5	6.5	7.0	6.5	6.0
5132D	1	2.2	5.0	5.5	5.5	5.5	5.5
201B	1	1.6	7.0	7.0	6.0	7.0	6.5
301B	1	1.7	6.5	6.5	7.0	6.5	6.5
403B	1	2.4	6.5	7.0	6.0	7.0	7.0
105B	1	2.6	5.5	5.0	4.0	5.0	4.5
203B	1	2.3	3.5	3.5	3.5	4.0	4.0
303B	1	2.4	3.5	4.0	4.0	4.0	4.5
5233D	1	2.5	3.5	4.0	3.5	3.5	4.5
		20.9	5.5	5.7	5.4	5.6	5.6

20.9 5.5 5.7 5.4 5.6 5.6

5231D	1	2.1	6.5	6.0	6.5	6.5	6.0
403B	1	2.4	7.5	5.5	6.0	6.0	6.5
201B	1	1.6	4.0	3.0	3.0	3.5	3.0
301C	1	1.6	3.0	2.5	3.0	3.5	3.5
101B	1	1.3	5.0	5.0	5.0	5.5	5.0
105B	1	2.6	6.0	5.5	5.5	6.0	5.0
405C	1	3.1	4.5	4.5	5.5	5.0	5.0
203B	1	2.3	3.5	4.0	3.5	4.0	4.0
303B	1	2.4	5.5	5.5	5.5	5.0	4.5
5132D	1	2.2	4.5	4.5	4.5	4.5	5.0
		21.6	5.0	4.6	4.8	5.0	4.8

21.6 5.0 4.6 4.8 5.0 4.8

103B	1	1.7	6.5	5.5	6.0	6.0	5.0
201B	1	1.6	4.5	5.0	4.5	4.5	4.5
301B	1	1.7	4.5	4.5	4.0	5.0	4.5
401B	1	1.5	5.5	5.5	6.5	6.0	5.5
5132D	1	2.2	2.5	1.5	2.0	2.5	2.0
105B	1	2.6	4.0	3.5	4.0	4.5	4.5
203B	1	2.3	3.5	3.5	3.5	3.0	2.5
303B	1	2.4	3.5	3.5	3.5	3.5	3.5
403B	1	2.4	5.5	6.0	5.0	5.0	5.0
5231D	1	2.1	6.0	4.0	5.0	5.5	4.5
		20.5	4.6	4.3	4.4	4.6	4.2

20.5 4.6 4.3 4.4 4.6 4.2

Judges

1. Arne Tellefsen NOR
2. Francisco Parga SUI
3. Nicolai Fjord Larsen DEN
4. AUSTRALIA AUS
5. Elin Berg SWE

Referee Arne Tellefsen NOR

Secretary Vårin Renate Andvik Holm NOR

Detailed Results

Bergen Open 2023

AdO Arena, 5/6/23

A Girls, 3 meters

1. Avery Giese, MVN 2006

403B	3	2.1	7.0	7.5	7.0	7.0	7.0	21.00	44.10	44.10	44.10	1.
103B	3	1.6	7.0	7.0	8.0	8.0	7.5	22.50	36.00	80.10	80.10	1.
5331D	3	2.1	6.5	7.5	7.0	6.5	7.0	20.50	43.05	123.15	123.15	2.
201B	3	1.8	7.0	7.0	7.0	8.0	7.5	21.50	38.70	161.85	161.85	1.
301B	3	1.9	7.0	6.5	6.5	6.5	7.0	20.00	38.00	199.85	199.85	2.
105B	3	2.4	7.0	7.0	7.5	8.0	8.0	22.50	54.00	253.85	253.85	2.
405C	3	2.7	5.5	5.0	5.5	6.0	5.5	16.50	44.55	298.40	298.40	1.
305C	3	2.8	5.5	4.5	5.5	6.0	5.0	16.00	44.80	343.20	343.20	2.
5335D	3	2.9	7.5	7.0	7.5	8.0	7.5	22.50	65.25	408.45	408.45	
		20.3	6.7	6.6	6.8	7.1	6.9					

2. Signe Stahl, MKK 2007

201B	3	1.8	6.5	7.0	8.5	7.0	8.0	22.00	39.60	39.60	39.60	4.00
301B	3	1.9	6.5	7.0	7.0	6.5	7.0	20.50	38.95	78.55	78.55	2.00
403B	3	2.1	6.5	6.0	7.5	7.5	8.0	21.50	45.15	123.70	123.70	1.00
103B	3	1.6	8.0	7.0	7.5	7.5	7.0	22.00	35.20	158.90	158.90	2.00
5132D	3	2.1	7.0	7.0	7.0	7.5	7.0	21.00	44.10	203.00	203.00	1.00
405C	3	2.7	5.5	6.5	6.5	6.5	6.0	19.00	51.30	254.30	254.30	1.00
305C	3	2.8	4.0	4.5	5.0	4.5	4.0	13.00	36.40	290.70	290.70	2.00
205C	3	2.8	6.0	6.5	7.0	7.0	6.5	20.00	56.00	346.70	346.70	1.00
105B	3	2.4	6.0	6.0	6.5	6.0	6.0	18.00	43.20	389.90	389.90	
		20.2	6.2	6.4	6.9	6.7	6.6					

3. Ella Roselli, MVN 2005

401B	3	1.4	6.0	5.5	6.5	7.5	7.0	19.50	27.30	27.30	27.30	27.30
105B	3	2.4	6.0	6.0	6.0	6.5	6.0	18.00	43.20	70.50	70.50	70.50
201B	3	1.8	6.0	6.0	6.5	6.5	6.0	18.50	33.30	103.80	103.80	103.80
301B	3	1.9	5.5	5.0	5.0	6.0	5.5	16.00	30.40	134.20	134.20	134.20
5231D	3	2.0	7.0	7.0	7.0	7.5	7.0	21.00	42.00	176.20	176.20	176.20
107C	3	2.8	6.0	6.5	6.0	6.5	6.0	18.50	51.80	228.00	228.00	228.00
205C	3	2.8	7.0	7.0	7.0	6.5	7.0	21.00	58.80	286.80	286.80	286.80
305C	3	2.8	2.5	4.0	2.5	2.5	3.5	8.50	23.80	310.60	310.60	310.60
5235D	3	2.8	7.0	7.0	7.0	7.5	7.0	21.00	58.80	369.40	369.40	369.40
		20.7	5.9	6.0	5.9	6.3	6.1					

4. Juliette Landi, FRA 2007

103B	3	1.6	6.5	6.5	6.0	6.0	6.5	19.00	30.40	30.40	30.40	18.40
403B	3	2.1	6.5	6.0	6.5	6.0	6.5	19.00	39.90	70.30	70.30	8.40
201B	3	1.8	7.0	7.0	7.0	6.5	7.0	21.00	37.80	108.10	108.10	4.40
301B	3	1.9	6.0	6.5	7.0	7.0	6.0	19.50	37.05	145.15	145.15	4.40
5231D	3	2.0	6.0	6.0	6.0	5.5	6.0	18.00	36.00	181.15	181.15	6.40
405C	3	2.7	6.0	5.5	6.0	5.5	6.0	17.50	47.25	228.40	228.40	4.40
105B	3	2.4	6.5	6.5	6.0	6.0	7.0	19.00	45.60	274.00	274.00	4.40
205C	3	2.8	4.5	5.0	4.0	5.0	4.5	14.00	39.20	313.20	313.20	4.40
305C	3	2.8	6.5	6.5	6.0	5.0	7.0	19.00	53.20	366.40	366.40	
		20.1	6.2	6.2	6.1	5.8	6.3					

403B	3	2.1	6.5	6.5	6.0	5.0	6.0
103B	3	1.6	7.0	7.0	8.0	6.0	6.5
201B	3	1.8	5.5	5.5	5.5	4.5	5.5
301B	3	1.9	7.5	7.5	8.0	7.5	7.5
5231D	3	2.0	6.5	5.5	5.0	6.0	6.5
405C	3	2.7	5.5	5.0	5.5	4.5	6.0
107C	3	2.8	5.0	5.0	5.0	4.5	5.0
205C	3	2.8	6.5	6.5	6.5	7.0	6.5
5152B	3	3.0	4.0	4.0	5.0	4.5	4.5
		20.7	6.0	5.8	6.1	5.5	6.0

403B	3	2.1	6.0	6.5	6.5	6.5	6.5
201B	3	1.8	6.5	6.5	7.0	6.5	6.5
301B	3	1.9	6.5	6.0	6.5	6.0	6.5
103B	3	1.6	6.5	6.5	6.5	7.0	6.5
5132D	3	2.1	6.0	6.0	6.5	7.0	7.0
105B	3	2.4	5.5	6.0	6.0	6.0	5.5
205C	3	2.8	4.0	4.5	5.0	5.0	5.0
305C	3	2.8	4.5	4.0	4.0	4.0	5.5
405C	3	2.7	6.0	5.0	5.5	6.0	6.0
		20.2	5.7	5.7	5.9	6.0	6.1

11100 11101 01010 01011

103B	3	1.6	6.5	6.0	6.5	6.0	6.5
403B	3	2.1	6.0	6.0	6.0	6.0	5.5
201B	3	1.8	6.0	6.0	6.0	6.5	6.5
301B	3	1.9	7.0	6.5	7.0	7.0	6.5
5132D	3	2.1	7.0	7.0	6.5	7.0	6.5
405C	3	2.7	5.5	6.5	6.5	6.0	6.0
107C	3	2.8	4.0	4.5	3.5	3.5	3.5
205C	3	2.8	4.0	4.5	5.0	4.0	5.0
305C	3	2.8	5.5	5.5	5.5	6.0	5.5
		20.6	5.7	5.8	5.8	5.8	5.7

103B	3	1.6	6.5	6.5	6.0	6.0	6.5
201B	3	1.8	7.0	5.0	6.0	6.0	6.5
301B	3	1.9	6.5	6.0	6.0	6.0	6.0
403B	3	2.1	6.0	5.5	5.5	6.5	5.5
5132D	3	2.1	6.5	6.5	6.5	7.0	6.5
105B	3	2.4	6.0	6.0	6.0	6.5	6.0
205C	3	2.8	5.5	5.0	4.5	5.0	4.0
5233D	3	2.4	6.0	6.0	6.5	6.5	6.5
405C	3	2.7	5.5	5.0	4.5	5.5	5.5
		19.8	6.2	5.7	5.7	6.1	5.9

103B	3	1.6	6.0	5.5	6.0	5.0	6.0
403B	3	2.1	6.5	6.0	6.0	5.5	6.0
201B	3	1.8	6.5	6.5	6.0	5.0	5.5
301B	3	1.9	5.5	6.0	5.5	6.0	6.5
5132D	3	2.1	4.5	4.5	4.5	4.0	4.0
405B	3	3.0	4.5	5.0	3.5	3.5	4.0
205C	3	2.8	6.0	6.0	5.5	5.0	6.0
305C	3	2.8	5.5	5.5	6.0	6.0	6.5
5335D	3	2.9	5.5	5.5	5.5	5.5	5.5
		21.0	5.6	5.6	5.4	5.1	5.6

15. Cara Albiez, AUT 2005

103B	3	1.6	5.5	5.5	6.0	5.5	5.5	16.50	26.40	26.40	26.40	30.
201B	3	1.8	5.5	5.0	4.5	4.0	4.0	13.50	24.30	50.70	50.70	34.
301B	3	1.9	5.5	5.5	5.5	5.0	5.0	16.00	30.40	81.10	81.10	33.
403B	3	2.1	5.5	6.0	5.0	6.0	6.0	17.50	36.75	117.85	117.85	25.
5132D	3	2.1	5.5	5.5	5.5	5.5	5.5	16.50	34.65	152.50	152.50	25.
5233D	3	2.4	5.5	5.5	5.5	5.5	5.5	16.50	39.60	192.10	192.10	22.
205B	3	3.0	5.5	5.0	4.5	3.5	4.0	13.50	40.50	232.60	232.60	19.
405C	3	2.7	5.5	6.0	5.0	6.0	5.5	17.00	45.90	278.50	278.50	18.
305C	3	2.8	6.0	6.0	5.0	5.5	6.0	17.50	49.00	327.50	327.50	
		20.4	5.6	5.6	5.2	5.2	5.2					

16. Eszter Kovacs, HUN 2005

403B	3	2.1	7.0	6.5	6.0	6.0	5.5	18.50	38.85	38.85	38.85	5.
201B	3	1.8	5.5	5.5	6.0	5.0	6.0	17.00	30.60	69.45	69.45	9.
301B	3	1.9	6.5	6.0	6.0	5.0	5.5	17.50	33.25	102.70	102.70	9.
103B	3	1.6	6.5	6.5	6.0	6.0	6.0	18.50	29.60	132.30	132.30	16.
5231D	3	2.0	6.0	6.0	6.0	6.5	6.0	18.00	36.00	168.30	168.30	15.
5233D	3	2.4	6.0	6.5	6.0	5.0	6.0	18.00	43.20	211.50	211.50	15.
105B	3	2.4	5.5	6.0	5.0	5.0	6.0	16.50	39.60	251.10	251.10	14.
405C	3	2.7	3.5	3.5	3.5	3.0	3.5	10.50	28.35	279.45	279.45	17.
205C	3	2.8	5.5	5.5	5.5	5.5	5.5	16.50	46.20	325.65	325.65	
		19.7	5.8	5.8	5.6	5.2	5.6					

17. Sheridan Smith, MVN 2005

103B	3	1.6	6.0	6.5	6.5	6.5	6.5	19.50	31.20	31.20	31.20	14.
403B	3	2.1	6.0	6.0	6.5	6.5	7.0	19.00	39.90	71.10	71.10	6.
201B	3	1.8	6.0	6.5	6.5	7.0	6.5	19.50	35.10	106.20	106.20	6.
301B	3	1.9	7.0	7.0	7.0	7.5	6.5	21.00	39.90	146.10	146.10	3.
5132D	3	2.1	7.0	6.5	6.5	7.0	6.0	20.00	42.00	188.10	188.10	3.
5152B	3	3.0	4.0	4.0	3.0	4.5	4.5	12.50	37.50	225.60	225.60	7.
205C	3	2.8	3.0	3.5	3.5	3.5	3.0	10.00	28.00	253.60	253.60	10.
305C	3	2.8	3.0	4.0	3.5	3.5	3.5	10.50	29.40	283.00	283.00	16.
405C	3	2.7	5.5	5.5	4.5	4.5	5.0	15.00	40.50	323.50	323.50	
		20.8	5.3	5.5	5.3	5.6	5.4					

18. Laina Remund, SKBE 2005

201B	3	1.8	6.0	6.0	6.0	5.5	5.5	17.50	31.50	31.50	31.50	12.
301B	3	1.9	6.0	6.0	5.5	5.0	5.0	16.50	31.35	62.85	62.85	20.
103B	3	1.6	6.0	6.5	6.0	6.0	6.5	18.50	29.60	92.45	92.45	22.
403B	3	2.1	6.0	6.0	6.5	7.0	5.5	18.50	38.85	131.30	131.30	19.
5132D	3	2.1	6.0	6.0	5.5	6.0	5.5	17.50	36.75	168.05	168.05	16.
105B	3	2.4	4.0	5.5	4.5	5.0	4.0	13.50	32.40	200.45	200.45	18.
405C	3	2.7	4.5	5.5	5.5	5.0	5.0	15.50	41.85	242.30	242.30	16.
205C	3	2.8	5.0	5.0	5.0	5.0	5.5	15.00	42.00	284.30	284.30	14.
5235D	3	2.8	5.5	3.5	3.5	5.0	5.0	13.50	37.80	322.10	322.10	
		20.2	5.4	5.6	5.3	5.5	5.3					

19. Klara Johnsson Stjernström, MKK 2005

201B	3	1.8	5.5	6.0	6.0	6.0	6.0	18.00	32.40	32.40	32.40	11.
301B	3	1.9	6.0	6.5	6.0	6.0	6.5	18.50	35.15	67.55	67.55	12.
403B	3	2.1	5.0	5.5	5.0	4.5	4.0	14.50	30.45	98.00	98.00	15.
103B	3	1.6	5.5	5.0	5.5	5.5	4.5	16.00	25.60	123.60	123.60	23.
5231D	3	2.0	5.5	5.0	5.5	4.5	5.0	15.50	31.00	154.60	154.60	23.
305C	3	2.8	4.5	5.0	5.0	4.0	4.0	13.50	37.80	192.40	192.40	21.
205C	3	2.8	4.5	4.0	5.0	4.5	4.0	13.00	36.40	228.80	228.80	20.
105B	3	2.4	6.0	6.5	6.5	6.0	6.0	18.50	44.40	273.20	273.20	20.
5233D	3	2.4	5.5	6.0	5.5	6.0	6.0	17.50	42.00	315.20	315.20	
		19.8	5.3	5.5	5.6	5.2	5.1					

201B	3	1.8	6.0	6.0	5.5	5.5	5.5	17.00	30.60	30.60	30.60	16.00
301B	3	1.9	6.0	6.0	5.0	5.0	6.0	17.00	32.30	62.90	62.90	19.00
103B	3	1.6	5.5	5.5	5.0	5.5	5.5	16.50	26.40	89.30	89.30	23.00
403B	3	2.1	6.0	6.0	6.0	6.5	5.5	18.00	37.80	127.10	127.10	20.00
5231D	3	2.0	5.0	6.0	6.0	6.0	5.5	17.50	35.00	162.10	162.10	18.00
5233D	3	2.4	5.5	5.5	5.5	6.0	6.0	17.00	40.80	202.90	202.90	17.00
105B	3	2.4	5.0	5.5	5.0	5.5	6.0	16.00	38.40	241.30	241.30	17.00
405C	3	2.7	5.0	4.0	4.0	4.5	4.5	13.00	35.10	276.40	276.40	19.00
205C	3	2.8	4.0	4.0	4.0	4.0	4.0	12.00	33.60	310.00	310.00	
		<i>19.7</i>	<i>5.3</i>	<i>5.4</i>	<i>5.1</i>	<i>5.4</i>	<i>5.4</i>					

403B	3	2.1	6.5	6.5	6.0	6.5	6.0	19.00	39.90	39.90	39.90	3.
201B	3	1.8	6.0	6.0	5.5	5.0	6.0	17.50	31.50	71.40	71.40	5.
5231D	3	2.0	6.0	6.0	6.5	5.5	6.0	18.00	36.00	107.40	107.40	5.
301B	3	1.9	5.5	5.5	4.5	5.0	4.5	15.00	28.50	135.90	135.90	10.
103B	3	1.6	6.0	6.0	6.0	6.5	5.5	18.00	28.80	164.70	164.70	17.
105B	3	2.4	6.0	6.0	6.0	6.0	6.5	18.00	43.20	207.90	207.90	16.
205C	3	2.8	2.0	2.0	1.5	1.5	1.5	5.00	14.00	221.90	221.90	23.
405C	3	2.7	5.5	5.0	5.0	5.0	4.5	15.00	40.50	262.40	262.40	23.
5233D	3	2.4	6.5	6.0	6.0	6.0	6.0	18.00	43.20	305.60	305.60	
		19.7	5.6	5.4	5.2	5.2	5.2					

201B	3	1.8	6.0	6.5	5.5	5.0	5.5	17.00	30.60	30.60	30.60	16.00
301B	3	1.9	5.5	5.5	5.0	4.5	4.0	15.00	28.50	59.10	59.10	25.00
103B	3	1.6	5.5	5.5	5.0	5.0	4.5	15.50	24.80	83.90	83.90	29.00
5231D	3	2.0	6.0	5.0	5.0	4.5	4.5	14.50	29.00	112.90	112.90	31.00
403B	3	2.1	5.5	4.5	5.5	5.5	5.5	16.50	34.65	147.55	147.55	29.00
105B	3	2.4	5.5	5.5	5.5	5.5	5.5	16.50	39.60	187.15	187.15	24.00
405C	3	2.7	4.5	4.5	5.0	4.5	4.0	13.50	36.45	223.60	223.60	22.00
205C	3	2.8	5.0	5.5	6.0	5.5	6.0	17.00	47.60	271.20	271.20	21.00
305C	3	2.8	4.0	4.0	4.5	4.0	4.0	12.00	33.60	304.80	304.80	
		20.1	5.3	5.2	5.2	4.9	4.8					

201B	3	1.8	5.5	5.5	6.0	6.0	6.0	17.50	31.50	31.50	31.50	12.
301B	3	1.9	4.0	4.5	5.5	4.5	4.5	13.50	25.65	57.15	57.15	27.
403B	3	2.1	4.5	5.0	5.0	5.0	5.0	15.00	31.50	88.65	88.65	24.
103B	3	1.6	5.5	6.0	5.5	5.5	5.0	16.50	26.40	115.05	115.05	27.
5231D	3	2.0	5.5	5.0	6.0	5.5	6.0	17.00	34.00	149.05	149.05	27.
205C	3	2.8	3.5	4.0	3.5	3.5	3.5	10.50	29.40	178.45	178.45	28.
405C	3	2.7	5.0	5.5	5.5	5.0	5.0	15.50	41.85	220.30	220.30	24.
105B	3	2.4	5.5	6.0	6.0	5.5	5.5	17.00	40.80	261.10	261.10	24.
5233D	3	2.4	6.0	6.0	6.0	5.5	6.0	18.00	43.20	304.30	304.30	
		19.7	5.0	5.3	5.4	5.1	5.2					

403B	3	2.1	6.5	6.5	6.0	5.0	5.5	18.00	37.80	37.80	37.80	7.
201B	3	1.8	6.0	5.0	5.0	4.5	5.5	15.50	27.90	65.70	65.70	14.
5231D	3	2.0	6.0	6.0	6.0	5.5	6.0	18.00	36.00	101.70	101.70	10.
301B	3	1.9	6.0	5.5	5.0	5.5	5.5	16.50	31.35	133.05	133.05	15.
103B	3	1.6	6.0	6.0	5.5	6.0	5.0	17.50	28.00	161.05	161.05	19.
105B	3	2.4	5.5	5.0	5.5	5.0	6.0	16.00	38.40	199.45	199.45	19.
405C	3	2.7	3.5	3.5	4.0	3.5	3.5	10.50	28.35	227.80	227.80	21.
205C	3	2.8	4.0	3.5	4.0	3.5	4.5	11.50	32.20	260.00	260.00	25.
5233D	3	2.4	5.5	5.0	5.0	5.0	5.0	15.00	36.00	296.00	296.00	
		19.7	5.4	5.1	5.1	4.8	5.2					

403B	3	2.1	5.5	5.0	6.0	6.0	5.5	17.00	35.70	35.70	35.70	10.
103B	3	1.6	4.0	5.0	5.0	5.0	4.5	14.50	23.20	58.90	58.90	26.
201B	3	1.8	5.0	5.0	5.5	6.0	5.5	16.00	28.80	87.70	87.70	26.
301B	3	1.9	5.0	5.5	4.5	5.5	5.5	16.00	30.40	118.10	118.10	24.
5231D	3	2.0	6.0	6.0	5.5	6.0	5.5	17.50	35.00	153.10	153.10	24.
105B	3	2.4	4.5	5.0	4.5	5.5	5.5	15.00	36.00	189.10	189.10	23.
203B	3	2.2	3.0	3.5	3.0	3.5	2.5	9.50	20.90	210.00	210.00	28.
303C	3	2.0	4.5	4.5	3.5	4.0	4.5	13.00	26.00	236.00	236.00	29.
5132D	3	2.1	5.5	4.5	4.5	4.5	5.0	14.00	29.40	265.40	265.40	
		18.1	4.8	4.9	4.7	5.1	4.9					

103B	3	1.6	6.0	6.5	6.5	7.0	6.5	19.50	31.20	31.20	31.20	14.
403B	3	2.1	5.0	5.0	5.0	5.0	5.0	15.00	31.50	62.70	62.70	21.
201B	3	1.8	4.0	4.5	4.0	5.0	4.0	12.50	22.50	85.20	85.20	27.
301B	3	1.9	5.0	5.0	5.0	4.5	5.5	15.00	28.50	113.70	113.70	29.
5231D	3	2.0	5.0	6.0	6.0	6.5	6.0	18.00	36.00	149.70	149.70	26.
105B	3	2.4	4.5	4.5	5.0	4.5	4.0	13.50	32.40	182.10	182.10	27.
405C	3	2.7	5.0	5.5	4.5	4.5	4.0	14.00	37.80	219.90	219.90	25.
5233D	3	2.4	5.5	6.0	6.0	6.5	6.5	18.50	44.40	264.30	264.30	22.
303C	3	2.0	0.0	0.0	0.0	0.0	0.0	F 0.00	0.00	264.30	264.30	
		<i>18.9</i>	<i>4.4</i>	<i>4.8</i>	<i>4.7</i>	<i>4.8</i>	<i>4.6</i>					

103B	3	1.6	4.5	4.5	5.0	5.5	5.0	14.50	23.20	23.20	23.20	37.
403C	3	1.9	5.0	5.0	5.5	6.0	5.5	16.00	30.40	53.60	53.60	30.
201B	3	1.8	5.5	4.5	5.5	5.5	6.0	16.50	29.70	83.30	83.30	30.
301B	3	1.9	5.5	5.5	5.0	5.5	5.0	16.00	30.40	113.70	113.70	29.
5231D	3	2.0	5.0	4.5	4.5	4.5	5.0	14.00	28.00	141.70	141.70	31.
5132D	3	2.1	4.0	5.0	4.0	4.5	5.0	13.50	28.35	170.05	170.05	33.
203B	3	2.2	4.5	4.5	5.0	4.5	4.0	13.50	29.70	199.75	199.75	31.
303C	3	2.0	3.0	3.5	3.5	3.0	3.5	10.00	20.00	219.75	219.75	34.
105C	3	2.2	6.5	6.0	5.5	6.0	5.5	17.50	38.50	258.25	258.25	
		<i>17.7</i>	<i>4.8</i>	<i>4.8</i>	<i>4.8</i>	<i>5.0</i>	<i>4.9</i>					

103B	3	1.6	4.5	5.0	5.0	5.5	5.0	15.00	24.00	24.00	24.00	36.00
401B	3	1.4	3.0	4.5	5.5	5.0	5.5	15.00	21.00	45.00	45.00	37.50
201B	3	1.8	5.0	5.0	6.0	6.0	5.5	16.50	29.70	74.70	74.70	35.00
301B	3	1.9	5.5	5.5	5.0	5.0	5.0	15.50	29.45	104.15	104.15	34.00
5132D	3	2.1	5.5	5.5	5.0	5.5	5.0	16.00	33.60	137.75	137.75	34.00
5231D	3	2.0	3.5	5.0	4.0	5.0	5.0	14.00	28.00	165.75	165.75	34.00
203B	3	2.2	3.5	4.0	3.5	4.0	3.5	11.00	24.20	189.95	189.95	34.00
105B	3	2.4	4.5	5.0	4.5	4.5	5.0	14.00	33.60	223.55	223.55	33.00
403B	3	2.1	5.0	5.5	5.0	5.0	5.5	15.50	32.55	256.10	256.10	
		<i>17.5</i>	<i>4.4</i>	<i>5.0</i>	<i>4.8</i>	<i>5.1</i>	<i>5.0</i>					

103B	3	1.6	6.0	5.5	5.5	5.0	5.5	16.50	26.40	26.40	26.40	30.
201B	3	1.8	5.5	5.0	5.0	4.0	5.0	15.00	27.00	53.40	53.40	31.
301B	3	1.9	5.5	5.5	5.5	4.5	5.5	16.50	31.35	84.75	84.75	28.
401B	3	1.4	5.5	5.5	4.5	6.0	4.5	15.50	21.70	106.45	106.45	33.
5231D	3	2.0	5.5	5.5	5.5	6.0	5.5	16.50	33.00	139.45	139.45	32.
5132D	3	2.1	5.5	5.0	5.0	5.0	4.5	15.00	31.50	170.95	170.95	32.
403B	3	2.1	4.5	5.0	4.5	4.0	4.5	13.50	28.35	199.30	199.30	32.
203B	3	2.2	5.0	5.5	4.5	5.5	4.5	15.00	33.00	232.30	232.30	31.
303C	3	2.0	3.5	3.5	3.5	3.5	3.0	10.50	21.00	253.30	253.30	
		17.1	5.2	5.1	4.8	4.8	4.7					

35. Coralie Briano, MON 2007

103B	3	1.6	6.0	6.0	5.5	5.0	5.0	16.50	26.40	26.40	26.40	30.
201B	3	1.8	5.5	5.5	6.0	5.5	6.0	17.00	30.60	57.00	57.00	28.
301B	3	1.9	6.5	5.5	5.5	5.0	5.5	16.50	31.35	88.35	88.35	25.
401B	3	1.4	5.0	4.5	4.0	5.5	4.5	14.00	19.60	107.95	107.95	32.
5231D	3	2.0	5.5	4.5	5.0	5.0	6.0	15.50	31.00	138.95	138.95	33.
105B	3	2.4	4.5	5.5	5.5	4.5	4.5	14.50	34.80	173.75	173.75	30.
205C	3	2.8	0.0	0.0	0.0	0.0	0.0	F 0.00	0.00	173.75	173.75	36.
403B	3	2.1	5.5	6.0	5.5	6.0	5.5	17.00	35.70	209.45	209.45	36.
5132D	3	2.1	5.5	5.5	5.5	6.0	5.0	16.50	34.65	244.10	244.10	
18.1 4.9 4.8 4.7 4.7 4.7												

36. Iris Eriksson Linderöth, GSIM 2006

403B	3	2.1	5.0	4.5	4.5	4.5	4.0	13.50	28.35	28.35	28.35	24.
103B	3	1.6	4.0	4.0	4.0	4.5	4.0	12.00	19.20	47.55	47.55	36.
201B	3	1.8	4.0	4.0	4.0	4.0	4.0	12.00	21.60	69.15	69.15	37.
301B	3	1.9	4.0	4.5	3.5	4.5	5.0	13.00	24.70	93.85	93.85	36.
5231D	3	2.0	4.0	5.5	5.0	5.5	5.0	15.50	31.00	124.85	124.85	36.
5132D	3	2.1	4.5	5.0	5.0	4.0	4.0	13.50	28.35	153.20	153.20	36.
105B	3	2.4	4.5	4.5	5.0	5.0	4.5	14.00	33.60	186.80	186.80	35.
303C	3	2.0	3.5	4.5	4.0	4.0	3.5	11.50	23.00	209.80	209.80	35.
203B	3	2.2	4.0	4.0	4.0	3.0	3.5	11.50	25.30	235.10	235.10	
18.1 4.2 4.5 4.3 4.3 4.2												

37. Hanna Thuestad Langeland, BStK 2007

103B	3	1.6	5.5	5.5	5.5	6.0	5.5	16.50	26.40	26.40	26.40	30.
403C	3	1.9	4.0	3.5	4.0	4.0	3.5	11.50	21.85	48.25	48.25	35.
201B	3	1.8	4.0	4.0	4.0	4.0	4.0	12.00	21.60	69.85	69.85	36.
301B	3	1.9	4.0	4.0	4.0	4.0	3.5	12.00	22.80	92.65	92.65	37.
5231D	3	2.0	4.0	4.0	5.0	4.0	4.0	12.00	24.00	116.65	116.65	37.
203C	3	1.9	3.5	4.5	4.0	3.5	4.0	11.50	21.85	138.50	138.50	37.
105C	3	2.2	4.0	5.0	4.0	4.5	4.0	12.50	27.50	166.00	166.00	37.
404C	3	2.4	4.0	4.0	3.5	4.0	5.0	12.00	28.80	194.80	194.80	37.
5132D	3	2.1	2.5	3.0	2.5	3.0	3.0	8.50	17.85	212.65	212.65	
17.8 3.9 4.2 4.1 4.1 4.1												

Sienna Pambou Sunnfør, BStK 2007

401B	3	1.4										38.
103B	3	1.6										38.
201B	3	1.8										38.
301B	3	1.9										38.
5132D	3	2.1										38.
105B	3	2.4										38.
205C	3	2.8										38.
305C	3	2.8										38.
403B	3	2.1										
18.9												

Judges**Panel A****On Rounds 1, 2, 3, 6, 7**

1. Ale Pikturniene LTU
2. Peter Kupka NOR
3. Cilingir Cagla FIN
4. Jann Siefken AUT
5. Lina Damgaard SWE

Referee Lina Damgaard SWE**Secretary** Hannah Starling NOR**Panel B****On Rounds 4, 5, 8, 9**

1. THUN SUI
2. Angelique de Vroome NED
3. Iveta Jirkova CZE
4. Espen Nordby NOR
5. Tania Piekkannen FIN

Detailed Results

Bergen Open 2023

AdO Arena, 5/6/23

C Boys, platform

1. Aaro Piekkanen, VanDi

103B	7.5	1.6	5.5	6.0	6.0	5.0	5.0	16.50	26.40	26.40	26.40	2.
403B	7.5	2.1	5.0	6.0	6.0	5.5	5.5	17.00	35.70	62.10	62.10	1.
201B	5	1.6	5.0	6.0	6.0	6.0	7.0	18.00	28.80	90.90	90.90	1.
5231D	7.5	2.0	6.0	6.0	6.5	6.0	5.5	18.00	36.00	126.90	126.90	1.
5233D	7.5	2.4	5.5	6.5	6.0	6.0	6.0	18.00	43.20	170.10	170.10	1.
105B	7.5	2.4	5.5	5.0	6.0	6.0	6.0	17.50	42.00	212.10	212.10	1.
405C	7.5	2.7	6.0	7.0	6.5	6.5	6.5	19.50	52.65	264.75	264.75	
	14.8	5.5	6.1	6.1	5.9	5.9						

2. Elias Liikkanen, VanDi 2010

103B	7.5	1.6	6.0	6.0	6.0	6.0	6.0	18.00	28.80	28.80	28.80	1.
403B	7.5	2.1	4.5	5.0	4.5	5.0	5.5	14.50	30.45	59.25	59.25	2.
201B	5	1.6	5.0	6.0	5.5	5.5	6.5	17.00	27.20	86.45	86.45	2.
301B	5	1.7	4.5	5.5	6.0	5.5	6.0	17.00	28.90	115.35	115.35	2.
5132D	5	2.2	5.5	5.0	5.5	5.0	5.5	16.00	35.20	150.55	150.55	2.
105B	7.5	2.4	6.0	6.0	5.0	6.0	5.5	17.50	42.00	192.55	192.55	2.
405C	7.5	2.7	5.5	6.0	6.5	6.5	5.5	18.00	48.60	241.15	241.15	
	14.3	5.3	5.6	5.6	5.6	5.8						

3. Nicolai Motzfeldt, Osl 2011

101B	5	1.3	5.0	5.0	4.5	5.5	6.0	15.50	20.15	20.15	20.15	4.
201C	5	1.5	5.5	7.0	6.0	6.0	6.5	18.50	27.75	47.90	47.90	3.
301C	5	1.6	6.0	6.5	5.5	6.0	6.0	18.00	28.80	76.70	76.70	3.
401B	5	1.5	6.0	6.0	4.5	6.0	5.5	17.50	26.25	102.95	102.95	3.
103B	5	1.7	5.0	5.0	5.5	5.5	6.0	16.00	27.20	130.15	130.15	3.
403C	5	2.2	5.5	5.0	5.5	4.5	4.5	15.00	33.00	163.15	163.15	3.
5132D	5	2.2	3.0	4.0	4.0	3.0	3.5	10.50	23.10	186.25	186.25	
	12.0	5.1	5.5	5.1	5.2	5.4						

4. Edvard Røeggen, Osl 2011

101B	5	1.3	5.5	5.5	5.5	5.5	5.5	16.50	21.45	21.45	21.45	3.
201C	5	1.5	4.5	4.5	5.0	5.0	4.0	14.00	21.00	42.45	42.45	4.
301C	5	1.6	4.5	5.0	5.5	5.5	5.0	15.50	24.80	67.25	67.25	4.
401B	5	1.5	5.0	2.0	5.0	3.0	3.5	11.50	17.25	84.50	84.50	4.
103B	5	1.7	6.0	6.0	4.5	6.0	5.0	17.00	28.90	113.40	113.40	4.
403C	5	2.2	4.5	3.5	3.5	3.5	3.5	10.50	23.10	136.50	136.50	4.
612C	5	1.5	4.0	2.0	3.0	2.5	2.0	7.50	11.25	147.75	147.75	
	11.3	4.9	4.1	4.6	4.4	4.1						

5. Tage Hodne, BStK 2011

401B	5	1.5	4.0	4.0	3.0	4.5	4.5	12.50	18.75	18.75	18.75	5.
101B	5	1.3	4.0	4.0	4.5	4.0	4.5	12.50	16.25	35.00	35.00	5.
201C	5	1.5	3.5	3.5	4.0	3.5	3.5	10.50	15.75	50.75	50.75	5.
301C	5	1.6	4.0	4.0	4.0	3.5	4.0	12.00	19.20	69.95	69.95	5.
612B	5	1.7	0.0	0.0	0.0	0.0	0.0	0.00	0.00	69.95	69.95	5.
103B	5	1.7	5.5	4.5	5.0	5.0	5.0	15.00	25.50	95.45	95.45	5.
5231D	5	2.1	5.0	4.5	4.5	4.5	4.5	13.50	28.35	123.80	123.80	
	11.4	3.7	3.5	3.6	3.6	3.7						

Edvin Ijäs, VanDi 2011

401B	5	1.5	6.
103B	5	1.7	6.
201C	5	1.5	6.
301C	5	1.6	6.
612B	5	1.7	6.
105C	5	2.4	6.
5231D	5	2.1	
		12.5	

Judges

1. Julie Synnøve Thorsen NOR
2. Moa Gyllenstierna SWE
3. John Appleman USA
4. Aristide Brun AUT
5. Satu Pirhonen FIN

Referee Satu Pirhonen FIN

Secretary Vårin Renate Andvik Holm NOR

Detailed Results

Bergen Open 2023

AdO Arena, 5/6/23

C Girls, 1 meter

1. Emma Ricatti, VGF 2010

201B	1	1.6	6.0	5.5	5.0	5.5	6.0	17.00	27.20	27.20	27.20	4.
301B	1	1.7	5.5	5.5	4.5	4.5	5.5	15.50	26.35	53.55	53.55	3.
401B	1	1.5	6.0	6.0	6.5	6.5	6.0	18.50	27.75	81.30	81.30	3.
103B	1	1.7	6.5	6.0	6.0	6.0	5.5	18.00	30.60	111.90	111.90	2.
5231D	1	2.1	4.0	6.0	5.5	4.5	5.0	15.00	31.50	143.40	143.40	2.
403C	1	2.2	5.0	5.0	4.5	4.0	4.0	13.50	29.70	173.10	173.10	2.
203B	1	2.3	5.0	5.5	6.5	5.5	6.0	17.00	39.10	212.20	212.20	
		13.1	5.4	5.6	5.5	5.2	5.4					

2. Joy Daalhuizen, ADT 2010

401B	1	1.5	5.5	5.5	5.0	6.5	6.0	17.00	25.50	25.50	25.50	6.00
103B	1	1.7	6.0	6.0	6.0	5.5	5.0	17.50	29.75	55.25	55.25	2.00
201C	1	1.5	5.5	6.0	5.5	6.0	6.0	17.50	26.25	81.50	81.50	2.00
301C	1	1.6	5.0	5.0	4.5	5.0	5.5	15.00	24.00	105.50	105.50	3.00
5122D	1	1.9	4.5	5.0	4.5	5.5	5.5	15.00	28.50	134.00	134.00	3.00
403C	1	2.2	4.5	5.0	6.0	5.0	5.0	15.00	33.00	167.00	167.00	3.00
105C	1	2.4	3.5	4.0	4.0	4.5	4.0	12.00	28.80	195.80	195.80	
		12.8	4.9	5.2	5.1	5.4	5.3					

3. Yuna Hulkenberg, ADT 2010

103B	1	1.7	6.0	6.0	6.0	6.0	6.5	18.00	30.60	30.60	30.60	1.7
403C	1	2.2	5.5	5.5	6.0	6.0	6.0	17.50	38.50	69.10	69.10	1.7
201C	1	1.5	7.0	7.0	7.0	7.0	7.0	21.00	31.50	100.60	100.60	1.7
301C	1	1.6	6.0	6.0	6.0	6.0	6.5	18.00	28.80	129.40	129.40	1.7
5221D	1	1.7	3.5	4.0	4.0	3.0	3.5	11.00	18.70	148.10	148.10	1.7
104C	1	2.2	4.5	4.5	4.0	3.5	4.5	13.00	28.60	176.70	176.70	1.7
203C	1	2.0	2.0	2.0	2.5	2.5	2.5	7.00	14.00	190.70	190.70	
		12.9	4.9	5.0	5.1	4.9	5.2					

4. Veera Piekkannen, VanDi

103B	1	1.7	5.5	5.5	5.5	5.0	5.5	16.50	28.05	28.05	28.05	2.00
201B	1	1.6	5.0	5.5	5.0	5.0	6.0	15.50	24.80	52.85	52.85	4.00
301B	1	1.7	3.5	4.0	3.5	3.5	3.5	10.50	17.85	70.70	70.70	6.00
5221D	1	1.7	5.0	6.0	5.0	5.0	5.5	15.50	26.35	97.05	97.05	4.00
403C	1	2.2	5.0	5.0	5.0	4.5	4.5	14.50	31.90	128.95	128.95	4.00
104C	1	2.2	3.5	3.5	3.5	5.0	4.0	11.00	24.20	153.15	153.15	4.00
203C	1	2.0	6.0	5.5	5.5	5.0	5.5	16.50	33.00	186.15	186.15	
		13.1	4.8	5.0	4.7	4.7	4.9					

5. Valentina Bach, Thu 2010

103B	1	1.7	5.5	5.5	5.5	5.5	5.5	16.50	28.05	28.05	28.05	2.00
201B	1	1.6	4.5	4.5	4.5	5.0	5.0	14.00	22.40	50.45	50.45	5.00
301B	1	1.7	4.0	4.5	4.0	4.5	4.0	12.50	21.25	71.70	71.70	4.00
401B	1	1.5	3.5	4.0	4.0	4.5	4.5	12.50	18.75	90.45	90.45	7.00
5231D	1	2.1	4.0	4.0	4.5	5.0	4.0	12.50	26.25	116.70	116.70	6.00
104C	1	2.2	5.0	5.0	4.5	5.5	5.5	15.50	34.10	150.80	150.80	5.00
403C	1	2.2	5.0	5.0	5.0	5.0	5.0	15.00	33.00	183.80	183.80	
		13.0	4.5	4.6	4.6	5.0	4.8					

6. Meeri Manninen, VanDi

401B	1	1.5	6.0	5.0	4.5	5.5	5.5	16.00	24.00	24.00	24.00	7.
201B	1	1.6	5.0	4.5	4.5	4.0	4.5	13.50	21.60	45.60	45.60	6.
301B	1	1.7	4.5	5.0	5.0	5.0	5.0	15.00	25.50	71.10	71.10	5.
103B	1	1.7	4.0	5.0	5.0	4.5	5.0	14.50	24.65	95.75	95.75	5.
5231D	1	2.1	4.0	4.5	4.5	5.0	4.0	13.00	27.30	123.05	123.05	5.
403C	1	2.2	4.5	4.0	4.5	4.0	3.5	12.50	27.50	150.55	150.55	6.
104C	1	2.2	3.5	3.5	4.0	3.5	4.0	11.00	24.20	174.75	174.75	
<i>13.0 4.5 4.5 4.6 4.5 4.5</i>												

7. Linn Andenæs, Osl 2010

101B	1	1.3	4.5	6.0	5.5	6.0	5.5	17.00	22.10	22.10	22.10	8.
201B	1	1.6	3.5	4.0	3.5	4.5	4.0	11.50	18.40	40.50	40.50	9.
301C	1	1.6	3.0	3.5	3.5	3.5	4.0	10.50	16.80	57.30	57.30	9.
401B	1	1.5	6.0	6.0	6.5	6.5	6.5	19.00	28.50	85.80	85.80	9.
5221D	1	1.7	3.5	4.0	3.5	4.0	4.0	11.50	19.55	105.35	105.35	8.
103B	1	1.7	6.0	5.5	6.0	5.5	5.5	17.00	28.90	134.25	134.25	8.
403C	1	2.2	5.0	4.5	5.0	5.5	5.0	15.00	33.00	167.25	167.25	
<i>11.6 4.5 4.8 4.8 5.1 4.9</i>												

8. Oline Kjellsen, Osl 2010

101B	1	1.3	5.0	4.5	5.0	5.0	5.5	15.00	19.50	19.50	19.50	9.
201B	1	1.6	4.5	5.0	5.0	5.5	5.5	15.50	24.80	44.30	44.30	7.
301B	1	1.7	4.5	5.0	5.0	5.0	4.5	14.50	24.65	68.95	68.95	8.
401B	1	1.5	4.5	5.0	5.0	5.0	5.5	15.00	22.50	91.45	91.45	6.
5211A	1	1.8	4.0	3.5	4.5	4.5	4.5	13.00	23.40	114.85	114.85	7.
103B	1	1.7	5.5	5.5	6.0	5.5	5.5	16.50	28.05	142.90	142.90	7.
402C	1	1.6	4.5	5.0	5.0	5.0	4.5	14.50	23.20	166.10	166.10	
<i>11.2 4.6 4.8 5.1 5.1 5.1</i>												

9. Malla Lågas, VanDi 2010

103B	1	1.7	5.0	5.5	5.0	5.0	6.0	15.50	26.35	26.35	26.35	5.
401B	1	1.5	3.0	5.0	4.0	3.5	3.5	11.00	16.50	42.85	42.85	8.
201B	1	1.6	5.5	5.5	5.5	5.5	6.0	16.50	26.40	69.25	69.25	7.
301C	1	1.6	4.0	4.5	4.5	4.0	4.0	12.50	20.00	89.25	89.25	8.
5122D	1	1.9	1.5	1.0	2.0	2.0	2.5	5.50	10.45	99.70	99.70	9.
403C	1	2.2	4.5	4.5	4.0	4.0	4.0	12.50	27.50	127.20	127.20	9.
104C	1	2.2	3.5	4.0	4.0	4.0	4.5	12.00	26.40	153.60	153.60	
<i>12.7 3.9 4.3 4.1 4.0 4.4</i>												

Judges

1. Ramon de Meijer NED

2. Peter Axtelius SWE

3. Jann Siefken AUT

4. ZURICH SUI

5. Ale Pikturniene LTU

Referee Ramon de Meijer NED

Secretary Vårin Renate Andvik Holm NOR

Detailed Results

Bergen Open 2023

AdO Arena, 5/6/23

B Girls, platform

1. Maggie Grey, AUS

103B	7.5	1.6	7.5	6.5	7.5	7.5	7.5	22.50	36.00	36.00	36.00	4.
403B	7.5	2.1	6.5	7.0	7.0	8.0	7.5	21.50	45.15	81.15	81.15	3.
201B	7.5	1.8	7.5	8.5	9.5	8.0	8.0	24.50	44.10	125.25	125.25	4.
5231D	5	2.1	7.0	7.0	7.5	7.0	6.5	21.00	44.10	169.35	169.35	3.
405C	5	3.1	7.0	7.0	7.0	7.0	7.0	21.00	65.10	234.45	234.45	1.
5233D	5	2.5	6.0	6.0	6.5	6.0	6.5	18.50	46.25	280.70	280.70	2.
6243D	10	3.2	6.0	7.0	6.5	6.0	7.0	19.50	62.40	343.10	343.10	
		16.4	6.8	7.0	7.4	7.1	7.1					

2. Chloe Gao, AUS 2008

103B	7.5	1.6	9.0	8.5	8.5	8.5	8.5	25.50	40.80	40.80	40.80	1.
403B	7.5	2.1	8.0	8.0	7.0	7.5	7.5	23.00	48.30	89.10	89.10	1.
201B	7.5	1.8	9.0	9.0	9.5	8.5	8.5	26.50	47.70	136.80	136.80	1.
301B	7.5	1.9	7.0	7.5	7.5	7.5	7.5	22.50	42.75	179.55	179.55	1.
405B	10	2.8	7.5	6.5	6.5	6.5	6.5	19.50	54.60	234.15	234.15	2.
305C	10	2.8	8.0	8.5	8.0	7.5	7.5	23.50	65.80	299.95	299.95	1.
6243D	10	3.2	5.5	4.5	4.5	4.0	3.5	13.00	41.60	341.55	341.55	
		16.2	7.7	7.5	7.4	7.1	7.1					

3. Elly Ekeback, JSS 2008

103B	10	1.6	7.5	7.0	8.0	8.0	6.5	22.50	36.00	36.00	36.00	4.
403B	10	2.0	8.0	8.0	8.0	8.5	8.0	24.00	48.00	84.00	84.00	2.
301B	10	1.9	7.5	8.0	8.0	8.5	8.0	24.00	45.60	129.60	129.60	2.
5132D	7.5	2.1	6.5	7.0	7.0	6.5	6.5	20.00	42.00	171.60	171.60	2.
405B	10	2.8	7.0	6.0	6.5	7.0	6.5	20.00	56.00	227.60	227.60	3.
205C	7.5	2.8	3.5	3.5	3.0	3.5	3.5	10.50	29.40	257.00	257.00	4.
305C	10	2.8	6.5	7.0	7.0	7.5	7.0	21.00	58.80	315.80	315.80	
		16.0	6.6	6.6	6.8	7.1	6.6					

4. Amélie Bayol, FRA 2009

101B	7.5	1.5	8.0	7.0	7.0	8.0	8.0	23.00	34.50	34.50	34.50	7.
301B	7.5	1.9	8.0	9.0	7.5	8.0	7.5	23.50	44.65	79.15	79.15	5.
403B	7.5	2.1	7.0	7.5	6.5	7.5	7.5	22.00	46.20	125.35	125.35	3.
5231D	7.5	2.0	7.5	7.5	6.0	6.5	7.0	21.00	42.00	167.35	167.35	4.
105B	7.5	2.4	7.0	7.0	6.5	6.5	6.5	20.00	48.00	215.35	215.35	4.
205C	7.5	2.8	5.5	4.5	5.0	5.0	5.0	15.00	42.00	257.35	257.35	3.
405C	7.5	2.7	5.5	5.0	4.5	6.0	6.0	16.50	44.55	301.90	301.90	
		15.4	6.9	6.8	6.1	6.8	6.8					

5. Aada Liikkanen, FIN 2008

103B	10	1.6	7.5	7.0	7.0	8.0	7.5	22.00	35.20	35.20	35.20	6.
201B	7.5	1.8	6.5	7.0	7.0	7.5	7.5	21.50	38.70	73.90	73.90	6.
301B	7.5	1.9	5.5	4.5	5.5	5.5	6.0	16.50	31.35	105.25	105.25	7.
5231D	7.5	2.0	7.0	7.0	6.5	7.0	6.5	20.50	41.00	146.25	146.25	6.
5251B	10	2.6	6.5	6.0	6.5	6.5	7.0	19.50	50.70	196.95	196.95	6.
105B	7.5	2.4	7.0	7.0	5.5	6.5	6.5	20.00	48.00	244.95	244.95	7.
405C	7.5	2.7	7.0	6.5	6.0	6.0	6.5	19.00	51.30	296.25	296.25	
		15.0	6.7	6.4	6.3	6.7	6.8					

6. Odessa Jääskeläinen, FIN 2008

403B	7.5	2.1	6.0	6.0	5.5	6.0	6.0	18.00	37.80	37.80	37.80	2.
612B	7.5	1.8	6.0	7.0	6.0	7.0	7.0	20.00	36.00	73.80	73.80	7.
201B	7.5	1.8	6.5	6.0	6.5	6.0	7.0	19.00	34.20	108.00	108.00	6.
301B	7.5	1.9	7.0	6.5	6.5	6.0	6.0	19.00	36.10	144.10	144.10	7.
5152B	10	2.9	6.0	6.0	6.5	5.5	5.0	17.50	50.75	194.85	194.85	7.
405B	10	2.8	6.5	7.0	7.5	7.0	6.5	20.50	57.40	252.25	252.25	5.
105B	5	2.6	4.5	4.5	5.5	4.5	5.0	14.00	36.40	288.65	288.65	
15.9 6.1 6.1 6.3 6.0 6.1												

7. Kerttu Toivonen, FIN 2008

103B	7.5	1.6	7.0	6.5	6.5	7.0	6.5	20.00	32.00	32.00	32.00	10.
403B	7.5	2.1	6.0	5.5	6.0	5.0	5.5	17.00	35.70	67.70	67.70	10.
301B	7.5	1.9	6.5	7.0	6.5	6.5	6.5	19.50	37.05	104.75	104.75	8.
5231D	7.5	2.0	6.0	6.5	7.0	6.5	6.5	19.50	39.00	143.75	143.75	8.
305C	10	2.8	5.5	5.0	5.5	6.0	6.5	17.00	47.60	191.35	191.35	8.
205C	7.5	2.8	5.5	5.0	5.5	5.5	5.5	16.50	46.20	237.55	237.55	8.
5233D	7.5	2.4	7.0	6.5	6.5	6.5	6.5	19.50	46.80	284.35	284.35	
15.6 6.2 6.0 6.2 6.1 6.2												

8. Maja Jackowicz-Korczynska, POS 2008

103B	7.5	1.6	7.5	7.5	8.5	8.0	8.0	23.50	37.60	37.60	37.60	3.
403B	7.5	2.1	7.0	7.0	6.0	7.0	6.5	20.50	43.05	80.65	80.65	4.
201B	7.5	1.8	8.0	7.5	7.5	8.0	7.5	23.00	41.40	122.05	122.05	5.
301B	7.5	1.9	7.0	8.0	7.0	6.5	7.0	21.00	39.90	161.95	161.95	5.
5233D	7.5	2.4	6.0	6.0	6.5	6.0	7.0	18.50	44.40	206.35	206.35	5.
405C	7.5	2.7	5.5	4.5	5.0	5.0	5.0	15.00	40.50	246.85	246.85	6.
105B	7.5	2.4	4.5	4.5	4.0	4.5	4.0	13.00	31.20	278.05	278.05	
14.9 6.5 6.4 6.4 6.4 6.4												

9. Leila Adams, MVN 2009

103B	10	1.6	5.5	6.0	5.0	5.0	5.0	15.50	24.80	24.80	24.80	14.
403B	7.5	2.1	5.0	5.5	5.0	5.5	5.0	15.50	32.55	57.35	57.35	14.
301C	5	1.6	6.0	5.0	6.0	5.0	5.0	16.00	25.60	82.95	82.95	14.
612B	7.5	1.8	7.5	7.0	7.5	7.5	7.5	22.50	40.50	123.45	123.45	10.
105B	7.5	2.4	4.5	4.5	5.0	4.5	4.5	13.50	32.40	155.85	155.85	11.
405C	7.5	2.7	5.5	5.0	5.0	5.5	6.0	16.00	43.20	199.05	199.05	11.
5233D	5	2.5	5.5	5.5	6.5	6.0	6.5	18.00	45.00	244.05	244.05	
14.7 5.6 5.5 5.7 5.6 5.6												

10. Emma Kelly, HUN 2008

103B	7.5	1.6	6.5	6.5	6.0	6.0	5.5	18.50	29.60	29.60	29.60	13.
403C	7.5	1.9	7.0	7.0	6.5	6.5	6.5	20.00	38.00	67.60	67.60	11.
301B	7.5	1.9	6.0	6.0	5.5	6.0	5.5	17.50	33.25	100.85	100.85	11.
201B	7.5	1.8	4.5	4.5	4.5	3.5	3.5	12.50	22.50	123.35	123.35	12.
5231D	7.5	2.0	4.0	4.0	3.5	3.5	3.0	11.00	22.00	145.35	145.35	13.
105B	7.5	2.4	6.0	6.0	5.5	6.0	6.0	18.00	43.20	188.55	188.55	12.
405C	7.5	2.7	6.5	6.5	7.0	6.5	6.5	19.50	52.65	241.20	241.20	
14.3 5.8 5.8 5.5 5.4 5.2												

11. Nova Corne, JSS 2008

103B	10	1.6	6.0	6.0	7.0	7.5	7.0	20.00	32.00	32.00	32.00	10.
403B	10	2.0	5.5	6.0	6.5	6.0	6.0	18.00	36.00	68.00	68.00	9.
201B	7.5	1.8	6.5	6.5	6.0	7.0	6.5	19.50	35.10	103.10	103.10	9.
301B	7.5	1.9	6.0	6.0	6.0	6.0	5.0	18.00	34.20	137.30	137.30	9.
5132D	7.5	2.1	5.0	5.0	4.5	5.5	5.5	15.50	32.55	169.85	169.85	9.
105B	7.5	2.4	4.0	4.0	5.0	4.5	4.5	13.00	31.20	201.05	201.05	10.
203C	5	2.0	6.0	6.5	7.0	7.5	6.5	20.00	40.00	241.05	241.05	
13.8 5.6 5.7 6.0 6.3 5.9												

12. Zoe Quigley, MVN 2009

103B	7.5	1.6	7.0	7.0	6.5	7.0	7.0	21.00	33.60	33.60	33.60	8.
403B	7.5	2.1	5.5	4.5	4.5	6.0	6.0	16.00	33.60	67.20	67.20	12.
5231D	5	2.1	5.5	5.5	5.5	5.0	5.5	16.50	34.65	101.85	101.85	10.
612B	7.5	1.8	5.0	4.0	4.0	4.0	4.0	12.00	21.60	123.45	123.45	10.
105B	5	2.6	5.0	5.0	5.0	5.0	5.0	15.00	39.00	162.45	162.45	10.
205C	5	3.0	4.0	4.5	4.5	4.5	4.5	13.50	40.50	202.95	202.95	9.
405C	7.5	2.7	5.5	5.0	4.0	4.0	3.5	13.00	35.10	238.05	238.05	
	15.9	5.4	5.1	4.9	5.1	5.1						

13. Odri Gabre Raslaviciute, BStK 2009

103B	7.5	1.6	6.5	7.0	7.0	7.0	6.5	20.50	32.80	32.80	32.80	9.
403B	7.5	2.1	5.5	7.0	6.5	6.0	6.5	19.00	39.90	72.70	72.70	8.
201B	7.5	1.8	4.5	3.5	3.5	4.5	3.5	11.50	20.70	93.40	93.40	12.
301B	7.5	1.9	4.5	4.0	5.0	4.5	5.0	14.00	26.60	120.00	120.00	13.
5231D	7.5	2.0	5.0	4.5	4.5	4.5	4.5	13.50	27.00	147.00	147.00	12.
203B	5	2.3	5.0	4.5	4.5	3.5	4.5	13.50	31.05	178.05	178.05	13.
105B	7.5	2.4	3.5	4.5	5.0	4.5	5.0	14.00	33.60	211.65	211.65	
	14.1	4.9	5.0	5.1	4.9	5.1						

14. Nora Bergsten, GSIM 2009

103B	7.5	1.6	6.5	7.5	6.5	7.0	6.5	20.00	32.00	32.00	32.00	10.
201B	5	1.6	5.5	5.0	6.0	6.5	5.5	17.00	27.20	59.20	59.20	13.
301C	5	1.6	6.0	5.5	6.5	6.0	5.5	17.50	28.00	87.20	87.20	13.
401B	5	1.5	5.5	6.5	6.5	5.0	5.5	17.50	26.25	113.45	113.45	14.
5231D	5	2.1	5.0	6.0	4.5	4.5	4.5	14.00	29.40	142.85	142.85	14.
612B	7.5	1.8	5.0	6.0	6.0	5.5	5.5	17.00	30.60	173.45	173.45	14.
203C	5	2.0	4.5	4.0	4.5	4.5	4.5	13.50	27.00	200.45	200.45	
	12.2	5.4	5.8	5.8	5.6	5.4						

15. Elisabeth Hoff, KSTK 2009

101B	7.5	1.5	4.5	4.5	4.0	4.5	4.5	13.50	20.25	20.25	20.25	16.
201B	7.5	1.8	4.0	3.5	4.0	3.5	4.0	11.50	20.70	40.95	40.95	17.
301C	7.5	1.8	4.5	3.5	4.0	3.5	4.5	12.00	21.60	62.55	62.55	17.
401B	7.5	1.4	4.5	6.0	4.5	5.5	5.5	15.50	21.70	84.25	84.25	16.
103B	7.5	1.6	6.0	5.0	6.0	5.5	6.0	17.50	28.00	112.25	112.25	15.
403C	7.5	1.9	4.5	5.0	4.5	5.5	5.0	14.50	27.55	139.80	139.80	15.
612C	7.5	1.6	4.0	5.0	4.0	4.5	4.0	12.50	20.00	159.80	159.80	
	11.6	4.6	4.6	4.4	4.6	4.8						

16. Hermine Brudvik Sørensen, BStK 2009

101C	5	1.2	5.0	4.5	5.5	5.0	5.0	15.00	18.00	18.00	18.00	17.
401C	5	1.4	5.5	6.5	6.5	6.0	6.5	19.00	26.60	44.60	44.60	15.
201C	5	1.5	5.5	5.5	6.5	6.0	6.0	17.50	26.25	70.85	70.85	15.
301C	5	1.6	4.5	5.0	4.5	4.0	3.5	13.00	20.80	91.65	91.65	15.
612B	5	1.7	2.5	4.0	3.5	3.0	4.0	-2	4.50	7.65	99.30	17.
103B	5	1.7	6.0	5.0	5.5	5.0	5.0	15.50	26.35	125.65	125.65	17.
403C	5	2.2	4.5	4.5	4.5	4.0	4.0	13.00	28.60	154.25	154.25	
	11.3	4.8	5.0	5.2	4.7	4.9						

17. Karen Stinessen, BStK 2009

101B	5	1.3	5.0	5.5	6.0	5.5	4.5	16.00	20.80	20.80	20.80	15.
401B	5	1.5	5.0	4.5	5.0	5.5	4.5	14.50	21.75	42.55	42.55	16.
201C	5	1.5	4.0	5.0	5.0	4.5	3.5	13.50	20.25	62.80	62.80	16.
301C	5	1.6	3.5	4.0	3.5	3.0	3.0	10.00	16.00	78.80	78.80	17.
403C	5	2.2	4.5	5.0	4.0	4.5	4.0	13.00	28.60	107.40	107.40	16.
103B	5	1.7	5.0	4.5	4.5	4.5	4.0	13.50	22.95	130.35	130.35	16.
612B	5	1.7	2.0	2.0	2.0	2.0	2.0	6.00	10.20	140.55	140.55	
	11.5	4.1	4.4	4.3	4.2	3.6						

Judges

1. Tania Piekkanen FIN
2. Francisco Parga SUI
3. AUSTRALIA AUS
4. POLAND POL
5. GENÈVE SUI

Referee GENÈVE SUI

Secretary Vårin Renate Andvik Holm NOR

Detailed Results

Bergen Open 2023

AdO Arena, 5/6/23

Men, 3 meters

1. Gwendal Bisch, FRA 1998

205B	3	3.0	6.0	5.5	5.5	6.5	6.0	17.50	52.50	52.50	52.50	8.00
107B	3	3.1	6.5	7.5	7.0	7.0	6.0	20.50	63.55	116.05	116.05	3.00
305B	3	3.0	8.0	8.0	8.5	8.5	7.5	24.50	73.50	189.55	189.55	3.00
5337D	3	3.5	7.0	7.0	6.0	6.0	6.0	19.00	66.50	256.05	256.05	2.00
405B	3	3.0	7.0	6.5	7.5	7.5	6.5	21.00	63.00	319.05	319.05	2.00
5154B	3	3.4	7.0	7.5	7.0	6.5	7.0	21.00	71.40	390.45	390.45	
		19.0	6.9	7.0	6.9	7.0	6.5					

2. Dariush Lotfi, AUT 2001

405B	3	3.0	8.0	7.0	7.0	7.5	7.5	22.00	66.00	66.00	66.00	2.00
107B	3	3.1	7.0	6.5	7.0	6.5	6.5	20.00	62.00	128.00	128.00	2.00
307C	3	3.5	6.0	7.0	6.0	5.5	6.0	18.00	63.00	191.00	191.00	2.00
205B	3	3.0	5.0	5.0	5.5	4.5	5.0	15.00	45.00	236.00	236.00	3.00
5152B	3	3.0	7.5	7.5	7.5	7.5	7.0	22.50	67.50	303.50	303.50	3.00
407C	3	3.4	7.5	8.0	7.5	7.5	7.0	22.50	76.50	380.00	380.00	
		19.0	6.8	6.8	6.8	6.5	6.5					

3. Kacper Lesiak, POL 1996

107B	3	3.1	8.0	7.5	8.0	8.0	7.5	23.50	72.85	72.85	72.85	1.00
407C	3	3.4	7.5	7.5	6.5	6.5	7.0	21.00	71.40	144.25	144.25	1.00
205B	3	3.0	6.5	7.0	7.5	7.5	7.5	22.00	66.00	210.25	210.25	1.00
305B	3	3.0	5.5	6.0	6.5	6.0	6.0	18.00	54.00	264.25	264.25	1.00
5154B	3	3.4	7.0	7.5	7.5	7.0	7.5	22.00	74.80	339.05	339.05	1.00
109C	3	3.8	3.5	3.5	2.5	2.5	3.5	9.50	36.10	375.15	375.15	
		19.7	6.3	6.5	6.4	6.3	6.5					

4. Josef Hugo Šorejs, Czech 2005

405B	3	3.0	7.0	6.5	6.5	7.0	7.0	20.50	61.50	61.50	61.50	3.
107B	3	3.1	5.5	5.5	5.0	5.0	6.0	16.00	49.60	111.10	111.10	6.
5152B	3	3.0	7.0	6.5	7.0	6.5	7.0	20.50	61.50	172.60	172.60	4.
205B	3	3.0	5.5	6.5	6.5	6.5	6.5	19.50	58.50	231.10	231.10	4.
305B	3	3.0	7.5	7.0	7.5	7.5	7.5	22.50	67.50	298.60	298.60	4.
5335D	3	2.9	6.5	6.0	5.5	5.5	6.0	17.50	50.75	349.35	349.35	
		18.0	6.5	6.3	6.3	6.3	6.7					

5. Jacob Stoltz, SPIF 2000

105B	3	2.4	7.5	8.0	7.5	8.0	7.5	23.00	55.20	55.20	55.20	6.00
405B	3	3.0	6.5	6.0	7.0	7.0	6.5	20.00	60.00	115.20	115.20	4.00
205B	3	3.0	4.0	3.5	5.0	5.0	4.0	13.00	39.00	154.20	154.20	8.00
305B	3	3.0	6.0	6.5	6.0	7.0	6.5	19.00	57.00	211.20	211.20	8.00
107B	3	3.1	7.0	7.0	6.0	6.5	6.0	19.50	60.45	271.65	271.65	6.00
5152B	3	3.0	6.5	6.5	7.0	7.0	6.5	20.00	60.00	331.65	331.65	
		17.5	6.3	6.3	6.4	6.8	6.2					

6. Jonas Madsen, Odense 1999

5152B	3	3.0	6.5	6.0	7.0	6.0	6.0	18.50	55.50	55.50	55.50	55.50
5154B	3	3.4	5.5	5.5	5.0	4.0	5.5	16.00	54.40	109.90	109.90	77.90
107B	3	3.1	6.0	6.5	6.0	5.5	6.0	18.00	55.80	165.70	165.70	55.80
405B	3	3.0	6.0	6.0	5.5	5.5	4.5	17.00	51.00	216.70	216.70	51.00
205B	3	3.0	6.0	6.5	6.5	6.5	6.5	19.50	58.50	275.20	275.20	58.50
305C	3	2.8	5.0	5.5	5.0	6.0	5.0	15.50	43.40	318.60	318.60	43.40
		18.3	5.8	6.0	5.8	5.6	5.6					

Judges

1. Arne Tellefsen NOR
2. Angelique de Vroome NED
3. ZURICH SUI
4. Nathan Kim SWE
5. Kamilla Veres HUN

Referee Kamilla Veres HUN

Secretary Vårin Renate Andvik Holm NOR

Detailed Results

Bergen Open 2023

AdO Arena, 5/6/23

B Boys, platform

1. Albin Helling, GSIM 2008

103B	10	1.6	7.0	7.0	7.5	7.5	7.0	21.50	34.40	34.40	34.40	1.
403B	10	2.0	7.0	7.0	6.0	6.0	6.0	19.00	38.00	72.40	72.40	2.
301B	10	1.9	9.0	8.0	8.5	8.0	8.5	25.00	47.50	119.90	119.90	1.
5132D	10	2.1	6.0	7.0	6.5	6.5	6.5	19.50	40.95	160.85	160.85	1.
5233D	7.5	2.4	4.5	4.5	4.5	5.5	5.5	14.50	34.80	195.65	195.65	2.
105B	7.5	2.4	5.5	6.0	6.0	6.5	5.5	17.50	42.00	237.65	237.65	2.
205C	7.5	2.8	6.0	6.5	6.0	6.0	6.5	18.50	51.80	289.45	289.45	1.
405C	7.5	2.7	7.0	7.0	7.5	7.0	7.0	21.00	56.70	346.15	346.15	
		17.9	6.5	6.6	6.6	6.6	6.6					

2. Axel Sinclair, GSIM 2008

103B	10	1.6	6.0	6.5	6.0	6.5	5.5	18.50	29.60	29.60	29.60	4.
403B	7.5	2.1	7.5	7.5	6.5	7.5	6.5	21.50	45.15	74.75	74.75	1.
301B	7.5	1.9	7.0	6.5	7.0	7.5	6.0	20.50	38.95	113.70	113.70	2.
5231D	7.5	2.0	7.5	7.0	7.0	8.0	7.0	21.50	43.00	156.70	156.70	2.
5233D	7.5	2.4	7.0	6.5	6.5	7.0	7.0	20.50	49.20	205.90	205.90	1.
305C	10	2.8	5.0	5.0	4.5	4.5	4.5	14.00	39.20	245.10	245.10	1.
205C	7.5	2.8	5.0	4.5	4.0	5.5	5.0	14.50	40.60	285.70	285.70	2.
405C	7.5	2.7	6.0	5.5	5.0	6.0	6.0	17.50	47.25	332.95	332.95	
	18.3	6.4	6.1	5.8	6.6	5.9						

3. Linus Ikonen, GSIM 2008

103B	10	1.6	6.5	7.0	7.0	6.5	6.0	20.00	32.00	32.00	32.00	3.
201B	10	1.8	4.5	6.0	4.5	5.0	5.5	15.00	27.00	59.00	59.00	3.
301B	10	1.9	6.0	6.0	6.0	6.0	6.5	18.00	34.20	93.20	93.20	3.
5132D	7.5	2.1	6.0	5.5	5.5	6.5	6.0	17.50	36.75	129.95	129.95	3.
612B	10	1.9	4.0	5.5	4.5	5.0	5.5	15.00	28.50	158.45	158.45	3.
105B	7.5	2.4	6.0	6.0	5.5	6.5	6.0	18.00	43.20	201.65	201.65	3.
403C	5	2.2	5.5	5.5	6.0	6.0	6.0	17.50	38.50	240.15	240.15	3.
5233D	5	2.5	6.5	6.5	6.0	6.5	6.5	19.50	48.75	288.90	288.90	
		16.4	5.6	6.0	5.6	6.0	6.0					

4. Zaid Nazif, MVN 2008

103B	7.5	1.6	6.5	7.0	7.0	7.0	7.0	21.00	33.60	33.60	33.60	2.
201C	5	1.5	3.0	3.0	2.0	3.0	2.5	8.50	12.75	46.35	46.35	4.
301C	5	1.6	4.0	4.5	4.0	5.0	4.0	12.50	20.00	66.35	66.35	4.
401B	7.5	1.4	6.0	6.0	6.0	6.5	5.5	18.00	25.20	91.55	91.55	4.
5231D	5	2.1	7.0	5.5	6.5	6.5	6.0	19.00	39.90	131.45	131.45	4.
203C	5	2.0	5.5	5.5	5.5	5.5	5.5	16.50	33.00	164.45	164.45	4.
105C	5	2.4	5.0	5.0	5.5	4.5	5.5	15.50	37.20	201.65	201.65	4.
403C	5	2.2	4.0	3.5	3.0	3.5	4.0	11.00	24.20	225.85	225.85	
		14.8	5.1	5.0	4.9	5.2	5.0					

5. Cory White, WWDC 2008

101C	5	1.2	4.0	4.5	5.0	5.0	4.5	14.00	16.80	16.80	16.80	5.
301C	5	1.6	4.0	4.0	3.5	4.5	4.0	12.00	19.20	36.00	36.00	5.
401C	5	1.4	5.5	5.0	5.0	5.5	5.0	15.50	21.70	57.70	57.70	5.
201C	5	1.5	5.5	5.0	5.0	5.0	5.5	15.50	23.25	80.95	80.95	5.
103C	5	1.6	4.5	4.5	4.5	4.0	4.0	13.00	20.80	101.75	101.75	5.
403C	5	2.2	5.0	5.5	4.0	6.0	5.5	16.00	35.20	136.95	136.95	5.
5231D	5	2.1	0.5	2.0	0.5	0.5	0.5	1.50	3.15	140.10	140.10	5.
612C	5	1.5	3.5	4.0	4.0	5.0	4.0	12.00	18.00	158.10	158.10	
		13.1	4.1	4.3	3.9	4.4	4.1					

Judges

1. Moa Gyllenstierna SWE
2. Peter Kupka NOR
3. FRANCE FRA
4. POLAND POL
5. Ale Pikturniene LTU

Referee Moa Gyllenstierna SWE

Secretary Vårin Renate Andvik Holm NOR

Detailed Results

Bergen Open 2023

AdO Arena, 5/6/23

Men, platform syncro

1. Anton Knoll / Dariush Lotfi, AUT 2004/2001

103B	10	103B	10	2.0	8.0	7.5	8.0	8.5	9.0	8.0	8.0	24.60	49.20	49.20	49.20	1.
301B	10	301B	10	2.0	7.0	7.5	7.5	7.0	7.0	8.5	7.0	22.20	44.40	93.60	93.60	1.
5253B	10	5253B	10	3.2	7.5	6.5	6.0	6.5	6.5	7.0	7.0	20.10	64.32	157.92	157.92	1.
107B	10	107B	10	3.0	6.0	8.0	6.5	5.5	6.5	6.5	6.5	19.20	57.60	215.52	215.52	1.
207C	10	207C	10	3.3	5.0	6.0	6.0	6.0	6.5	6.0	6.5	18.60	61.38	276.90	276.90	1.
407C	10	407C	10	3.2	7.0	7.5	7.5	8.5	8.0	7.5	8.0	23.10	73.92	350.82	350.82	
				16.7	6.8	7.2	6.9	7.0	7.3	7.3	7.2					

2. Damian O'Dell / Erik Passerone, VZW 2004/2009

201B	10	201B	10	2.0	7.0	7.0	8.0	8.0	8.0	7.5	7.0	22.50	45.00	45.00	45.00	2.
401B	10	401B	10	2.0	7.0	7.5	6.5	7.0	7.0	6.5	5.5	19.80	39.60	84.60	84.60	2.
107B	10	107B	10	3.0	6.0	6.0	4.5	5.0	6.5	6.5	6.0	18.00	54.00	138.60	138.60	2.
407C	10	407C	10	3.2	7.0	6.0	3.5	4.0	5.0	5.5	4.5	15.00	48.00	186.60	186.60	2.
305C	10	305C	10	2.8	6.5	6.0	5.0	5.0	6.0	6.5	6.0	17.70	49.56	236.16	236.16	2.
5253B	10	5253B	10	3.2	6.5	6.5	6.5	6.0	6.5	6.5	5.5	18.90	60.48	296.64	296.64	
				16.2	6.7	6.5	5.7	5.8	6.5	6.5	5.8					

Judges

1. Nicolai Fjord Larsen DEN (A)
2. Elin Berg SWE (A)
3. Julie Synnøve Thorsen NOR (B)
4. Satu Pirhonen FIN (B)
5. Lina Damgaard SWE (syncro)
6. Iveta Jirkova CZE (syncro)
7. John Appleman USA (syncro)

Referee Jann Siefken AUT

Secretary Vårin Renate Andvik Holm NOR

Detailed Results

Bergen Open 2023

AdO Arena, 5/7/23

C Boys, 3 meters

1. Elias Liikkanen, VanDi 2010

103B	3	1.6	6.0	6.5	6.5	6.5	6.5	19.50	31.20	31.20	31.20	1.6
403B	3	2.1	7.0	5.5	6.0	5.0	5.5	17.00	35.70	66.90	66.90	1.6
201B	3	1.8	6.0	6.5	6.0	6.5	6.5	19.00	34.20	101.10	101.10	1.6
301B	3	1.9	5.5	5.5	6.0	6.0	6.0	17.50	33.25	134.35	134.35	1.6
5132D	3	2.1	5.0	5.0	5.5	5.5	5.0	15.50	32.55	166.90	166.90	1.6
105B	3	2.4	5.5	5.5	6.5	6.5	6.0	18.00	43.20	210.10	210.10	1.6
405C	3	2.7	3.5	4.0	4.0	3.5	4.0	11.50	31.05	241.15	241.15	1.6
203C	3	1.9	4.0	3.5	4.0	3.5	4.0	11.50	21.85	263.00	263.00	
		16.5	5.3	5.3	5.6	5.4	5.4					

2. Aaro Piekkanen, VanDi

103B	3	1.6	5.0	6.0	5.5	5.5	5.5		16.50	26.40	26.40	26.40	2.
403B	3	2.1	4.0	3.5	4.0	4.0	4.0		12.00	25.20	51.60	51.60	3.
201B	3	1.8	5.5	6.5	5.0	6.5	6.0		18.00	32.40	84.00	84.00	2.
301B	3	1.9	5.0	6.0	6.0	6.0	6.5		18.00	34.20	118.20	118.20	2.
5132D	3	2.1	5.5	6.0	5.5	6.0	6.0		17.50	36.75	154.95	154.95	2.
105B	3	2.4	4.5	5.5	4.0	5.5	4.5		14.50	34.80	189.75	189.75	2.
203B	3	2.2	4.0	4.5	4.0	4.0	4.0	-2	6.00	13.20	202.95	202.95	2.
5233D	3	2.4	5.5	5.5	5.5	6.0	5.5		16.50	39.60	242.55	242.55	
		16.5	4.9	5.4	4.9	5.4	5.3						

3. Bastian Zeberg, Odense 2011

103B	3	1.6	6.0	6.0	5.5	5.0	5.0	16.50	26.40	26.40	26.40	2.
201C	3	1.7	7.0	5.5	5.5	6.0	6.5	18.00	30.60	57.00	57.00	2.
301C	3	1.8	4.5	4.5	4.0	3.5	4.0	12.50	22.50	79.50	79.50	3.
401B	3	1.4	4.0	3.5	4.0	3.0	3.5	11.00	15.40	94.90	94.90	3.
5132D	3	2.1	4.5	5.5	4.5	5.0	4.0	14.00	29.40	124.30	124.30	3.
105B	3	2.4	4.5	5.0	4.5	5.0	4.0	14.00	33.60	157.90	157.90	3.
403B	3	2.1	2.5	3.0	3.0	2.5	2.5	8.00	16.80	174.70	174.70	3.
5231D	3	2.0	5.0	5.0	4.5	5.0	5.0	15.00	30.00	204.70	204.70	
		15.1	4.8	4.8	4.4	4.4	4.3					

4. Tage Hodne, BStK 2011

401B	3	1.4	6.0	5.0	5.5	5.0	6.0	16.50	23.10	23.10	23.10	5.
101B	3	1.5	6.0	5.0	5.0	5.5	5.0	15.50	23.25	46.35	46.35	5.
201C	3	1.7	4.0	4.5	5.0	5.5	4.5	14.00	23.80	70.15	70.15	5.
301C	3	1.8	4.0	4.0	5.0	4.5	4.0	12.50	22.50	92.65	92.65	5.
5132D	3	2.1	3.5	4.0	4.0	4.0	4.5	12.00	25.20	117.85	117.85	5.
403C	3	1.9	3.5	3.5	3.5	3.5	3.5	10.50	19.95	137.80	137.80	5.
103B	3	1.6	5.0	5.5	5.0	5.0	5.5	15.50	24.80	162.60	162.60	5.
5231D	3	2.0	3.0	0.5	2.5	3.0	3.0	8.50	17.00	179.60	179.60	
		14.0	4.4	4.0	4.4	4.5	4.5					

5. Edvard Røeggen, Osl 2011

103B	3	1.6	7.0	6.0	5.0	5.0	5.5	16.50	26.40	26.40	26.40	2.
201C	3	1.7	4.5	5.0	4.5	4.0	4.0	13.00	22.10	48.50	48.50	4.
301C	3	1.8	5.0	4.5	3.5	4.5	5.5	14.00	25.20	73.70	73.70	4.
401B	3	1.4	5.0	5.0	3.5	4.5	4.5	14.00	19.60	93.30	93.30	4.
5231D	3	2.0	5.5	4.5	5.0	5.0	5.5	15.50	31.00	124.30	124.30	3.
105C	3	2.2	4.5	3.0	3.0	3.0	3.5	9.50	20.90	145.20	145.20	4.
403C	3	1.9	4.0	3.5	3.5	3.0	3.0	10.00	19.00	164.20	164.20	4.
5132D	3	2.1	2.5	1.5	2.5	1.5	2.0	6.00	12.60	176.80	176.80	
		14.7	4.8	4.1	3.8	3.8	4.2					

6. Nicolai Motzfeldt, Osl 2011

101B	3	1.5	2.0	2.0	2.0	1.0	1.0	5.00	7.50	7.50	7.50	6.
201C	3	1.7	5.5	5.0	4.0	4.0	4.0	13.00	22.10	29.60	29.60	6.
301C	3	1.8	6.5	6.0	6.0	6.0	6.5	18.50	33.30	62.90	62.90	6.
401B	3	1.4	5.0	4.0	4.5	4.0	4.5	13.00	18.20	81.10	81.10	6.
5231D	3	2.0	4.0	3.5	4.0	4.0	4.5	12.00	24.00	105.10	105.10	6.
103B	3	1.6	2.5	3.0	1.5	2.0	2.0	6.50	10.40	115.50	115.50	6.
403C	3	1.9	5.5	5.0	6.0	5.0	6.0	16.50	31.35	146.85	146.85	6.
5132D	3	2.1	2.5	2.0	3.0	1.5	1.5	6.00	12.60	159.45	159.45	
		14.0	4.2	3.8	3.9	3.4	3.8					

Edvin Ijäs, VanDi 2011

103B	3	1.6										7.
401B	3	1.4										7.
201B	3	1.8										7.
301B	3	1.9										7.
5231D	3	2.0										7.
105C	3	2.2										7.
403B	3	2.1										7.
302C	3	1.7										
		14.7										

Judges

1. Ale Pikturniene LTU
2. Cilingir Cagla FIN
3. Ramon de Meijer NED
4. Lina Damgaard SWE
5. Julie Synnøve Thorsen NOR

Referee THUN SUI

Secretary Vårin Renate Andvik Holm NOR

Detailed Results

Bergen Open 2023

AdO Arena, 5/7/23

A Boys, platform

1. Peder Saur Hubred, MKK 2007

103B	10	1.6	8.0	8.0	8.5	7.5	8.0	24.00	38.40	38.40	38.40	2.
403B	10	2.0	8.0	8.0	8.5	8.5	8.0	24.50	49.00	87.40	87.40	2.
5231D	10	2.0	7.5	7.5	7.5	7.0	7.0	22.00	44.00	131.40	131.40	1.
612B	7.5	1.8	7.0	5.5	6.5	7.0	6.5	20.00	36.00	167.40	167.40	2.
105B	7.5	2.4	6.5	7.5	7.0	6.5	6.5	20.00	48.00	215.40	215.40	2.
405C	7.5	2.7	6.5	6.5	7.0	7.0	6.5	20.00	54.00	269.40	269.40	3.
5235D	7.5	2.8	7.5	7.5	7.5	7.0	7.0	22.00	61.60	331.00	331.00	1.
205C	7.5	2.8	6.5	6.5	6.5	6.5	6.5	19.50	54.60	385.60	385.60	1.
305C	10	2.8	7.5	8.0	8.5	8.0	8.0	24.00	67.20	452.80	452.80	
		20.9	7.2	7.2	7.5	7.2	7.1					

2. Jake Welsh, MVN 2006

103B	7.5	1.6	7.5	8.0	8.0	7.5	8.0	23.50	37.60	37.60	37.60	37.60
403B	7.5	2.1	8.0	8.5	8.0	8.0	7.5	24.00	50.40	88.00	88.00	100.00
612B	10	1.9	6.5	7.0	6.0	7.0	7.5	20.50	38.95	126.95	126.95	126.95
5231D	7.5	2.0	7.0	7.5	8.0	7.5	7.5	22.50	45.00	171.95	171.95	171.95
105B	5	2.6	7.0	7.5	8.0	7.0	7.0	21.50	55.90	227.85	227.85	227.85
205C	5	3.0	5.0	5.5	6.0	5.0	5.5	16.00	48.00	275.85	275.85	275.85
303C	5	2.1	5.0	5.5	5.5	4.5	6.0	16.00	33.60	309.45	309.45	309.45
405C	5	3.1	7.0	7.5	8.0	7.5	8.0	23.00	71.30	380.75	380.75	380.75
5233D	5	2.5	7.0	7.0	7.5	8.0	8.0	22.50	56.25	437.00	437.00	437.00
	20.9	6.7	7.1	7.2	6.9	7.2						

3. Zach Welsh, MVN 2006

103B	10	1.6	6.5	7.0	7.0	7.0	7.0	21.00	33.60	33.60	33.60	6.
403B	10	2.0	6.5	6.5	6.5	7.0	7.0	20.00	40.00	73.60	73.60	5.
5231D	10	2.0	7.0	7.0	7.5	6.5	7.5	21.50	43.00	116.60	116.60	4.
612B	10	1.9	6.0	4.0	5.5	5.0	5.5	16.00	30.40	147.00	147.00	6.
107B	10	3.0	7.0	7.5	7.0	6.5	7.5	21.50	64.50	211.50	211.50	3.
407C	10	3.2	6.5	7.0	7.0	7.0	7.0	21.00	67.20	278.70	278.70	1.
205C	5	3.0	4.5	6.0	6.0	4.5	5.5	16.00	48.00	326.70	326.70	2.
303C	5	2.1	5.5	5.5	5.0	6.0	6.0	17.00	35.70	362.40	362.40	3.
5253B	10	3.2	7.0	7.5	7.5	7.5	7.5	22.50	72.00	434.40	434.40	
		22.0	6.3	6.4	6.6	6.3	6.7					

4. Axel Walther, POS 2005

103B	10	1.6	7.0	7.0	7.0	6.5	7.5	21.00	33.60	33.60	33.60	6.
403B	10	2.0	7.0	7.5	7.5	7.0	7.5	22.00	44.00	77.60	77.60	4.
5231D	10	2.0	7.0	7.0	7.0	7.0	7.5	21.00	42.00	119.60	119.60	3.
301B	10	1.9	8.0	8.0	8.5	7.5	8.0	24.00	45.60	165.20	165.20	3.
614B	10	2.4	5.5	5.5	5.0	5.5	6.0	16.50	39.60	204.80	204.80	4.
205C	5	3.0	4.5	4.5	4.0	4.0	5.0	13.00	39.00	243.80	243.80	4.
5233D	5	2.5	7.0	7.0	7.5	7.0	7.0	21.00	52.50	296.30	296.30	4.
407C	10	3.2	6.0	6.0	6.0	6.0	6.0	18.00	57.60	353.90	353.90	4.
107C	7.5	2.8	6.0	6.0	5.0	6.0	6.0	18.00	50.40	404.30	404.30	
		21.4	6.4	6.5	6.4	6.3	6.7					

5. Lukas Lundmark, FIN 2005

103B	10	1.6	7.0	7.5	7.0	7.5	7.0	21.50	34.40	34.40	34.40	4.
403B	10	2.0	6.0	7.0	6.0	6.5	6.5	19.00	38.00	72.40	72.40	7.
612B	10	1.9	7.0	7.5	7.0	6.5	8.0	21.50	40.85	113.25	113.25	5.
5231D	10	2.0	6.0	6.5	6.5	6.0	5.5	18.50	37.00	150.25	150.25	4.
407C	10	3.2	5.0	4.5	4.0	4.5	6.0	14.00	44.80	195.05	195.05	5.
303C	5	2.1	5.0	5.5	6.0	6.0	5.5	17.00	35.70	230.75	230.75	6.
107C	7.5	2.8	7.0	7.0	6.5	6.5	6.5	20.00	56.00	286.75	286.75	6.
205C	5	3.0	6.0	5.5	5.5	5.5	6.0	17.00	51.00	337.75	337.75	5.
5233D	5	2.5	5.5	5.5	5.5	6.0	6.0	17.00	42.50	380.25	380.25	

21.1 6.1 6.3 6.0 6.1 6.3

6. Nolan Rooker, MVN 2006

103B	7.5	1.6	8.0	7.5	7.0	7.0	7.0	21.50	34.40	34.40	34.40	4.
5231D	7.5	2.0	7.5	7.5	6.5	7.0	7.5	22.00	44.00	78.40	78.40	3.
612B	7.5	1.8	6.5	5.5	6.0	5.5	6.5	18.00	32.40	110.80	110.80	6.
403B	7.5	2.1	5.5	6.0	6.0	6.0	6.5	18.00	37.80	148.60	148.60	5.
105B	5	2.6	5.5	6.0	5.5	6.0	5.5	17.00	44.20	192.80	192.80	6.
303C	5	2.1	7.0	6.5	7.0	6.0	6.5	20.00	42.00	234.80	234.80	5.
205C	5	3.0	5.5	6.5	6.5	6.5	7.0	19.50	58.50	293.30	293.30	5.
405C	5	3.1	4.0	3.5	2.5	3.5	4.0	11.00	34.10	327.40	327.40	6.
5233D	5	2.5	6.5	6.5	6.5	6.5	7.0	19.50	48.75	376.15	376.15	

20.8 6.2 6.2 5.9 6.0 6.4

7. Jackson Lipscomb, MVN 2006

103B	10	1.6	6.0	7.0	6.5	6.5	6.5	19.50	31.20	31.20	31.20	8.
403B	10	2.0	4.5	5.5	4.5	5.5	6.0	15.50	31.00	62.20	62.20	9.
5231D	10	2.0	5.0	6.0	5.5	5.5	6.0	17.00	34.00	96.20	96.20	8.
612B	10	1.9	5.5	4.5	4.0	5.5	6.0	15.50	29.45	125.65	125.65	8.
105B	5	2.6	6.0	6.5	6.5	6.0	6.5	19.00	49.40	175.05	175.05	7.
405C	5	3.1	3.5	4.0	4.0	3.5	5.0	11.50	35.65	210.70	210.70	7.
205C	5	3.0	5.0	5.0	4.5	4.5	4.5	14.00	42.00	252.70	252.70	7.
303C	5	2.1	6.5	6.5	6.5	6.5	6.5	19.50	40.95	293.65	293.65	7.
5233D	5	2.5	6.0	7.5	6.0	6.5	6.5	19.00	47.50	341.15	341.15	

20.8 5.3 5.8 5.3 5.6 5.9

8. Felix Koggdal, GSIM 2005

103B	7.5	1.6	6.0	6.5	6.0	6.0	5.5	18.00	28.80	28.80	28.80	9.
403B	7.5	2.1	6.0	5.5	4.5	5.5	5.5	16.50	34.65	63.45	63.45	8.
201B	7.5	1.8	6.0	6.5	6.5	6.5	6.0	19.00	34.20	97.65	97.65	7.
5231D	7.5	2.0	7.0	7.5	6.5	6.5	6.0	20.00	40.00	137.65	137.65	7.
303C	5	2.1	3.5	3.5	3.0	3.5	3.5	10.50	22.05	159.70	159.70	8.
405C	7.5	2.7	4.5	4.5	4.5	4.5	5.0	13.50	36.45	196.15	196.15	8.
614B	10	2.4	7.0	7.0	6.5	7.0	6.5	20.50	49.20	245.35	245.35	8.
105B	7.5	2.4	6.5	7.5	7.0	6.5	6.5	20.00	48.00	293.35	293.35	8.
5152B	10	2.9	2.0	3.0	2.5	2.0	2.5	7.00	20.30	313.65	313.65	

20.0 5.4 5.7 5.2 5.3 5.2

9. Devon O'Dell, VZW 2006

403B	10	2.0	7.5	7.5	7.5	6.5	7.0	22.00	44.00	44.00	44.00	1.
103B	10	1.6	5.5	6.5	6.0	6.0	6.0	18.00	28.80	72.80	72.80	6.
301B	10	1.9	4.0	4.0	3.5	4.0	5.0	12.00	22.80	95.60	95.60	9.
612B	10	1.9	5.0	4.0	4.5	5.0	4.5	14.00	26.60	122.20	122.20	9.
105B	10	2.3	4.5	4.5	4.0	4.0	5.5	13.00	29.90	152.10	152.10	9.
405B	10	2.8	4.0	4.0	3.0	3.5	3.0	10.50	29.40	181.50	181.50	9.
305C	10	2.8	4.0	4.5	4.5	4.0	4.5	13.00	36.40	217.90	217.90	9.
205C	7.5	2.8	5.0	5.5	4.5	4.5	5.0	14.50	40.60	258.50	258.50	9.
5233D	7.5	2.4	6.0	7.0	7.0	6.0	6.5	19.50	46.80	305.30	305.30	

20.5 5.1 5.3 4.9 4.8 5.2

Carl Larmark, POS 2005

103B	7.5	1.6	10.
612B	7.5	1.8	10.
403B	7.5	2.1	10.
5132D	7.5	2.1	10.
303C	5	2.1	10.
205C	7.5	2.8	10.
405C	7.5	2.7	10.
5134D	7.5	2.5	10.
105B	7.5	2.4	
	20.1		

Judges

1. Satu Pirhonen FIN
2. Espen Nordby NOR
3. Nathan Kim SWE
4. Jann Siefken AUT
5. John Appleman USA

Referee John Appleman USA

Secretary Vårin Renate Andvik Holm NOR

Detailed Results

Bergen Open 2023

AdO Arena, 5/7/23

Women, 1 meter

1. Emilia Nilsson Garip, MKK 2003

203B	1	2.3	7.5	7.5	7.0	7.5	8.0	22.50	51.75	51.75	51.75	1.00
105B	1	2.6	6.0	6.5	7.0	7.0	7.0	20.50	53.30	105.05	105.05	1.00
305C	1	3.0	6.0	6.5	6.0	6.0	6.0	18.00	54.00	159.05	159.05	1.00
5333D	1	2.6	7.5	7.0	7.5	8.0	8.0	23.00	59.80	218.85	218.85	1.00
403B	1	2.4	7.0	7.5	7.0	7.5	7.5	22.00	52.80	271.65	271.65	
		12.9	6.8	7.0	6.9	7.2	7.3					

2. Lauren Hallaselkä, FIN 2003

403B	1	2.4	7.0	7.0	6.5	6.5	6.5	20.00	48.00	48.00	48.00	6.00
203B	1	2.3	7.0	6.5	6.0	6.0	7.0	19.50	44.85	92.85	92.85	5.00
303B	1	2.4	7.0	6.5	7.0	7.0	7.0	21.00	50.40	143.25	143.25	3.00
5333D	1	2.6	6.0	6.5	6.0	6.5	6.5	19.00	49.40	192.65	192.65	3.00
105B	1	2.6	7.0	7.0	6.5	6.5	6.5	20.00	52.00	244.65	244.65	
		12.3	6.8	6.7	6.4	6.5	6.7					

3. Kaja Skrzek, POL 1998

403B	1	2.4	7.5	6.5	7.0	7.5	7.0	21.50	51.60	51.60	51.60	2.
105B	1	2.6	6.0	6.5	6.5	6.5	7.0	19.50	50.70	102.30	102.30	2.
203B	1	2.3	7.0	6.5	6.5	6.5	7.0	20.00	46.00	148.30	148.30	2.
303B	1	2.4	8.0	6.5	6.5	6.5	6.0	19.50	46.80	195.10	195.10	2.
5233D	1	2.5	5.5	5.0	6.0	6.5	6.0	17.50	43.75	238.85	238.85	
		12.2	6.8	6.2	6.5	6.7	6.6					

4. Elna Widerström, POS 2004

203B	1	2.3	6.5	6.5	6.0	6.0	7.0	19.00	43.70	43.70	43.70	14.
303B	1	2.4	6.0	7.0	6.5	6.0	6.0	18.50	44.40	88.10	88.10	9.
5333D	1	2.6	5.5	5.0	5.5	5.5	6.0	16.50	42.90	131.00	131.00	6.
105B	1	2.6	6.5	6.5	6.5	7.5	6.5	19.50	50.70	181.70	181.70	4.
403B	1	2.4	7.0	7.5	7.0	6.5	7.0	21.00	50.40	232.10	232.10	
		12.3	6.3	6.5	6.3	6.3	6.5					

5. Caroline Sofie Kupka, BStK 2003

403B	1	2.4	6.0	6.5	6.0	6.0	6.0	18.00	43.20	43.20	43.20	15.
105B	1	2.6	6.0	6.0	6.0	6.5	7.0	18.50	48.10	91.30	91.30	6.
203B	1	2.3	3.0	4.5	3.5	3.5	3.0	10.00	23.00	114.30	114.30	18.
303B	1	2.4	7.0	6.0	7.0	7.0	7.0	21.00	50.40	164.70	164.70	6.
5333D	1	2.6	7.0	6.5	6.0	6.5	6.5	19.50	50.70	215.40	215.40	
		12.3	5.8	5.9	5.7	5.9	5.9					

6. Aleksandra Blazowska, POL 2002

403B	1	2.4	5.0	5.0	5.5	5.5	4.0	15.50	37.20	37.20	37.20	21.00
203B	1	2.3	7.0	7.0	7.5	7.0	7.0	21.00	48.30	85.50	85.50	11.00
303B	1	2.4	5.5	5.5	6.0	6.0	5.5	17.00	40.80	126.30	126.30	8.00
105B	1	2.6	5.5	5.5	6.0	5.0	5.0	16.00	41.60	167.90	167.90	5.00
5132D	1	2.2	7.0	6.0	7.5	6.5	7.0	20.50	45.10	213.00	213.00	
		11.9	6.0	5.8	6.5	6.0	5.7					

7. Oona Abbema, ADT 2002

5233D 1	2.5	5.0	5.0	5.5	5.5	5.5	16.00	40.00	40.00	40.00	18.
105B 1	2.6	6.0	5.5	6.5	6.5	6.5	19.00	49.40	89.40	89.40	7.
203B 1	2.3	5.0	4.0	4.0	4.5	4.5	13.00	29.90	119.30	119.30	12.
303B 1	2.4	5.0	6.0	6.0	6.0	6.0	18.00	43.20	162.50	162.50	8.
403B 1	2.4	6.5	6.0	6.5	6.5	7.0	19.50	46.80	209.30	209.30	
	12.2	5.5	5.3	5.7	5.8	5.9					

8. Eerika Repo, FIN 2007

403B 1	2.4	6.0	6.5	6.5	6.5	6.5	19.50	46.80	46.80	46.80	7.
105B 1	2.6	6.0	6.5	6.0	6.0	6.5	18.50	48.10	94.90	94.90	4.
203B 1	2.3	5.5	5.0	6.0	5.0	5.5	16.00	36.80	131.70	131.70	5.
303B 1	2.4	4.0	5.0	4.0	5.0	4.5	13.50	32.40	164.10	164.10	7.
5132D 1	2.2	6.0	6.0	6.5	7.0	6.0	18.50	40.70	204.80	204.80	
	11.9	5.5	5.8	5.8	5.9	5.8					

9. Maya Belanger, MVN 2003

403B 1	2.4	7.0	7.0	7.0	7.0	6.5	21.00	50.40	50.40	50.40	3.
105B 1	2.6	6.5	6.0	6.0	6.0	6.5	18.50	48.10	98.50	98.50	3.
303B 1	2.4	5.0	5.5	5.0	5.0	5.5	15.50	37.20	135.70	135.70	4.
203B 1	2.3	3.5	4.0	4.0	3.5	4.0	11.50	26.45	162.15	162.15	9.
5132D 1	2.2	7.0	6.0	6.5	6.0	6.0	18.50	40.70	202.85	202.85	
	11.9	5.8	5.7	5.7	5.5	5.7					

10. Manou Meulebeek, NED 2005

403B 1	2.4	6.5	6.5	6.0	6.0	6.0	18.50	44.40	44.40	44.40	10.
105B 1	2.6	5.5	6.0	5.5	5.5	6.0	17.00	44.20	88.60	88.60	8.
203B 1	2.3	4.5	4.5	4.5	4.5	4.5	13.50	31.05	119.65	119.65	11.
303B 1	2.4	5.5	6.0	6.0	5.0	5.5	17.00	40.80	160.45	160.45	10.
5132D 1	2.2	6.0	6.0	5.0	6.0	5.5	17.50	38.50	198.95	198.95	
	11.9	5.6	5.8	5.4	5.4	5.5					

11. Maud van Kempen, NED 2005

403B 1	2.4	6.0	6.0	6.5	6.5	6.0	18.50	44.40	44.40	44.40	10.
105C 1	2.4	5.5	5.5	6.0	5.5	6.0	17.00	40.80	85.20	85.20	12.
203B 1	2.3	5.5	6.0	6.5	6.5	6.5	19.00	43.70	128.90	128.90	7.
303C 1	2.1	3.5	4.0	4.5	4.5	4.0	12.50	26.25	155.15	155.15	14.
5132D 1	2.2	6.0	6.5	7.0	6.5	6.5	19.50	42.90	198.05	198.05	
	11.4	5.3	5.6	6.1	5.9	5.8					

12. Odessa Käck, FIN 2005

403B 1	2.4	6.5	6.5	6.5	6.5	6.0	19.50	46.80	46.80	46.80	7.
105B 1	2.6	5.0	5.0	4.5	5.5	4.5	14.50	37.70	84.50	84.50	13.
5134D 1	2.6	4.5	4.0	3.0	3.5	4.0	11.50	29.90	114.40	114.40	17.
203B 1	2.3	6.0	5.5	5.5	6.5	5.5	17.00	39.10	153.50	153.50	15.
303B 1	2.4	5.5	6.0	6.5	6.5	6.0	18.50	44.40	197.90	197.90	
	12.3	5.5	5.4	5.2	5.7	5.2					

13. Ellen Andersson, SSS 2000

5132D 1	2.2	5.5	6.0	6.0	6.0	6.5	18.00	39.60	39.60	39.60	19.
303B 1	2.4	5.5	6.0	5.5	5.5	5.5	16.50	39.60	79.20	79.20	19.
203B 1	2.3	5.5	5.0	5.5	6.0	5.5	16.50	37.95	117.15	117.15	15.
403B 1	2.4	6.0	5.5	6.0	6.0	6.5	18.00	43.20	160.35	160.35	11.
105B 1	2.6	5.0	5.0	4.5	4.5	4.5	14.00	36.40	196.75	196.75	
	11.9	5.5	5.5	5.5	5.6	5.7					

14. Hannah Smith, AUS 2006

403B 1	2.4	6.0	6.0	6.5	6.0	6.0	18.00	43.20	43.20	43.20	15.
105B 1	2.6	4.0	4.5	4.0	3.5	5.0	12.50	32.50	75.70	75.70	21.
203B 1	2.3	6.0	6.0	6.5	6.0	6.5	18.50	42.55	118.25	118.25	13.
303B 1	2.4	5.5	5.0	5.5	6.0	6.0	17.00	40.80	159.05	159.05	12.
5233D 1	2.5	4.5	4.5	5.5	5.0	5.0	14.50	36.25	195.30	195.30	
	12.2	5.2	5.2	5.6	5.3	5.7					

23. Lina G. Indrebø, KSTK 1995

105C	1	2.4	5.5	5.0	5.0	4.5	4.5	14.50	34.80	34.80	34.80	24.
203C	1	2.0	5.0	5.5	5.5	5.0	5.0	15.50	31.00	65.80	65.80	25.
303C	1	2.1	5.0	5.0	5.0	5.5	6.0	15.50	32.55	98.35	98.35	24.
403C	1	2.2	4.5	4.5	5.0	4.5	5.0	14.00	30.80	129.15	129.15	23.
5132D	1	2.2	4.5	4.0	4.0	4.0	4.5	12.50	27.50	156.65	156.65	
<i>10.9 4.9 4.8 4.9 4.7 5.0</i>												

24. Ivana Medkova, Czech 2004

5231D	1	2.1	5.5	5.0	6.5	6.0	6.0	17.50	36.75	36.75	36.75	23.
403B	1	2.4	6.0	5.5	5.5	5.5	6.0	17.00	40.80	77.55	77.55	20.
105C	1	2.4	3.5	3.0	3.5	2.5	3.0	9.50	22.80	100.35	100.35	23.
203B	1	2.3	3.0	2.0	2.5	2.0	2.5	7.00	16.10	116.45	116.45	24.
303B	1	2.4	4.0	3.0	3.5	3.5	3.0	10.00	24.00	140.45	140.45	
<i>11.6 4.4 3.7 4.3 3.9 4.1</i>												

25. Anne Sofie Moe Holm, BStK 2001

5231D	1	2.1	4.0	5.0	4.5	4.5	4.5	13.50	28.35	28.35	28.35	26.
105C	1	2.4	3.5	4.5	4.0	4.0	4.0	12.00	28.80	57.15	57.15	27.
203B	1	2.3	4.0	4.5	4.5	4.5	4.0	13.00	29.90	87.05	87.05	26.
303C	1	2.1	3.5	5.0	3.5	3.5	4.0	11.00	23.10	110.15	110.15	26.
403C	1	2.2	5.0	4.0	4.5	4.5	4.5	13.50	29.70	139.85	139.85	
<i>11.1 4.0 4.6 4.2 4.2 4.2</i>												

26. Aline Baumgartner, SKBE 2003

403B	1	2.4	3.5	4.0	4.0	3.5	3.5	11.00	26.40	26.40	26.40	27.
203C	1	2.0	3.0	3.5	3.5	3.5	4.0	10.50	21.00	47.40	47.40	28.
301B	1	1.7	3.5	3.0	4.0	3.0	3.5	10.00	17.00	64.40	64.40	28.
105C	1	2.4	4.5	4.0	5.0	4.5	4.5	13.50	32.40	96.80	96.80	28.
5132D	1	2.2	5.0	5.5	5.5	5.0	6.5	16.00	35.20	132.00	132.00	
<i>10.7 3.9 4.0 4.4 3.9 4.4</i>												

27. Urte Valeisaite, LTU 2005

403B	1	2.4	6.5	6.0	6.5	6.0	7.0	19.00	45.60	45.60	45.60	9.
105B	1	2.6	5.0	4.0	4.5	4.0	5.0	13.50	35.10	80.70	80.70	18.
203B	1	2.3	3.0	3.5	3.5	3.5	3.0	10.00	23.00	103.70	103.70	22.
303B	1	2.4	0.0	0.0	0.0	0.0	0.0	F 0.00	0.00	103.70	103.70	27.
5233D	1	2.5	3.5	3.0	3.5	3.5	3.0	10.00	25.00	128.70	128.70	
<i>12.2 3.6 3.3 3.6 3.4 3.6</i>												

28. Silje Monsen Welanders, BStK 2001

104C	1	2.2	4.0	4.0	4.0	3.5	2.5	11.50	25.30	25.30	25.30	28.
403C	1	2.2	5.0	5.0	5.0	5.5	5.5	15.50	34.10	59.40	59.40	26.
203C	1	2.0	4.5	5.0	4.5	4.5	4.5	13.50	27.00	86.40	86.40	27.
5231D	1	2.1	4.5	4.0	4.5	4.5	5.5	13.50	28.35	114.75	114.75	25.
303C	1	2.1	0.5	0.5	0.0	0.0	0.5	1.00	2.10	116.85	116.85	
<i>10.6 3.7 3.7 3.6 3.6 3.7</i>												

Emily Francis, AUS 2008

403B	1	2.4										29.
203B	1	2.3										29.
303B	1	2.4										29.
105B	1	2.6										29.
5233D	1	2.5										
<i>12.2</i>												

Judges

1. Iveta Jirkova CZE
2. Julie Synnøve Thorsen NOR
3. ZURICH SUI
4. Tania Piekkanen FIN
5. AUSTRALIA AUS

Referee Iveta Jirkova CZE**Secretary** Vårin Renate Andvik Holm NOR

Detailed Results

Bergen Open 2023

AdO Arena, 5/7/23

Men, platform

1. Anton Knoll, AUT 2004

405B	7.5	3.0	7.0	6.5	6.0	7.0	6.5	20.00	60.00	60.00	60.00	20.00
6243D	10	3.2	7.5	8.0	7.5	7.5	7.5	22.50	72.00	132.00	132.00	132.00
307C	10	3.4	8.0	8.5	8.0	7.5	9.0	24.50	83.30	215.30	215.30	215.30
5253B	10	3.2	7.5	7.5	7.5	8.0	7.5	22.50	72.00	287.30	287.30	287.30
205B	7.5	3.0	9.0	9.0	8.5	8.5	8.0	26.00	78.00	365.30	365.30	365.30
107B	7.5	3.1	6.0	6.0	5.0	5.0	5.5	16.50	51.15	416.45	416.45	
	18.9	7.5	7.6	7.1	7.3	7.3						

2. Isak Børslien, BStK 2006

107B	10	3.0	7.5	7.0	7.0	7.0	7.0	21.00	63.00	63.00	63.00	1.
6243D	10	3.2	7.0	7.0	6.0	7.0	5.5	20.00	64.00	127.00	127.00	3.
207C	10	3.3	5.0	5.5	5.5	5.5	5.5	16.50	54.45	181.45	181.45	3.
407C	10	3.2	8.5	8.0	8.5	9.0	7.5	25.00	80.00	261.45	261.45	2.
305C	10	2.8	6.5	7.0	7.0	7.0	7.5	21.00	58.80	320.25	320.25	2.
5152B	10	2.9	7.0	7.0	7.5	7.0	7.5	21.50	62.35	382.60	382.60	
		18.4	6.9	6.9	6.9	7.1	6.8					

3. Richard Roop-Iliste, SPIF 2002

624C	7.5	2.4	6.0	7.0	7.5	8.0	7.0	-2	15.50	37.20	37.20	37.20	5.
305C	10	2.8	5.0	5.5	7.0	6.0	6.0		17.50	49.00	86.20	86.20	5.
5253B	10	3.2	7.5	7.0	8.0	7.5	7.5		22.50	72.00	158.20	158.20	4.
107B	10	3.0	5.5	4.5	6.0	5.5	5.5		16.50	49.50	207.70	207.70	4.
407C	10	3.2	7.5	7.5	7.5	7.0	7.5		22.50	72.00	279.70	279.70	4.
207C	10	3.3	8.0	8.0	9.0	8.0	8.0		24.00	79.20	358.90	358.90	
		17.9	6.6	6.6	7.5	7.0	6.9						

4. Filip Jachim, POL 2003

107B	10	3.0	6.5	7.0	6.5	6.5	7.0	20.00	60.00	60.00	60.00	2.00
407C	10	3.2	7.5	7.0	7.0	7.0	7.0	21.00	67.20	127.20	127.20	2.00
207C	10	3.3	6.0	6.5	6.0	6.0	6.0	18.00	59.40	186.60	186.60	2.00
626C	10	3.3	4.5	4.0	4.0	4.0	4.0	12.00	39.60	226.20	226.20	3.00
5253B	10	3.2	6.0	6.0	6.5	6.0	7.0	18.50	59.20	285.40	285.40	3.00
305C	10	2.8	7.0	6.0	7.0	6.5	6.5	20.00	56.00	341.40	341.40	
		18.8	6.3	6.1	6.2	6.0	6.3					

5. Damian O'Dell, VZW 2004

107B	10	3.0	5.0	5.0	4.5	5.5	4.5	14.50	43.50	43.50	43.50	43.50
407C	10	3.2	6.0	6.5	5.5	6.0	6.5	18.50	59.20	102.70	102.70	43.50
305C	10	2.8	6.0	6.5	6.0	6.0	5.0	18.00	50.40	153.10	153.10	50.40
205C	5	3.0	5.0	4.5	4.5	5.0	5.5	14.50	43.50	196.60	196.60	50.40
5253B	10	3.2	6.5	6.5	6.0	6.0	6.0	18.50	59.20	255.80	255.80	50.40
6241B	10	2.7	7.0	7.5	7.0	7.5	7.5	22.00	59.40	315.20	315.20	50.40
		17.9	5.9	6.1	5.6	6.0	5.8					

Martin Nåden Dyrstad, SSC 1995

614B	10	2.4	6.
407C	10	3.2	6.
5253B	10	3.2	6.
107C	10	2.7	6.
305C	10	2.8	6.
205C	5	3.0	
		17.3	

Jonas Madsen, Odense 1999

614B	10	2.4	6.
107B	10	3.0	6.
405B	10	2.8	6.
205C	5	3.0	6.
305C	7.5	2.9	6.
5152B	10	2.9	
		17.0	

Judges

1. Angelique de Vroome NED
2. Moa Gyllenstierna SWE
3. Francisco Parga SUI
4. FRANCE FRA
5. Ale Pikturniene LTU

Referee Ale Pikturniene LTU

Secretary Vårin Renate Andvik Holm NOR